

# Object Oriented Programming

**Project Phase 2**

# Project By

**Fatinah Alhartani**  
**2115744**

**Hala Sarwi**  
**2111394**

FirstWindow - NetBeans IDE 8.2

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Search (Ctrl+F)

Start Page delivery.java Pickup.java Billding\_5.java Billding\_11.java LastWindow.java Last.java FirstWindow.java

Source History

File Navigator Projects Services

```
20     jMenuBar1 = new JMenuBar();
21     jMenu1 = new JMenu();
22     jMenu2 = new JMenu();
23
24     setDefaultCloseOperation(WindowConstants.EXIT_ON_CLOSE);
25     setMinimumSize(new Dimension(300, 250));
26
27     jButton1.setFont(new Font("Berlin Sans FB", 1, 18)); // NOI18N
28     jButton1.setText("pick up");
29
30
31     jButton2.setFont(new Font("Berlin Sans FB", 1, 18)); // NOI18N
32     jButton2.setText("Delivery");
33
34
35     jLabel2.setFont(new Font("Rockwell Nova Extra Bold", 1, 16)); // NOI18N
36     jLabel2.setText("welcome to online cafeteria Application");
37
38     jLabel3.setFont(new Font("Segoe UI", 0, 18)); // NOI18N
39     jLabel3.setIcon(new ImageIcon("C:\\\\Users\\\\96656\\\\OneDrive\\\\الשולחן\\\\javaphoto.gif")); // NOI18N
40     jLabel3.setText("jLabel3");
41     jLabel3.setFocusCycleRoot(true);
42
43     jMenu1.setText("Help");
44     jMenuBar1.add(jMenu1);
45     jMenu2.setText("Contact us");
46     jMenuBar1.add(jMenu2);
47     setJMenuBar(jMenuBar1);
48
49
```

Output

Type here to search

48:1 INS

3:49 PM 92°F ENG 10/27/2022

FirstWindow - NetBeans IDE 8.2

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Start Page delivery.java Pickup.java Billding\_5.java Billding\_11.java LastWindow.java Last.java FirstWindow.java

Source History


```
50
51
52     javax.swing.GroupLayout layout = new javax.swing.GroupLayout(getContentPane());
53     getContentPane().setLayout(layout);
54     layout.setHorizontalGroup(
55         layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
56             .addGroup(layout.createSequentialGroup()
57                 .addGap(10, 10, 10)
58                 .addComponent(jLabel12, javax.swing.GroupLayout.PREFERRED_SIZE, 480, javax.swing.GroupLayout.PREFERRED_SIZE))
59             .addGroup(layout.createSequentialGroup()
60                 .addGap(80, 80, 80)
61                 .addComponent(jButton1, javax.swing.GroupLayout.PREFERRED_SIZE, 120, javax.swing.GroupLayout.PREFERRED_SIZE)
62                 .addGap(70, 70, 70)
63                 .addComponent(jButton2, javax.swing.GroupLayout.PREFERRED_SIZE, 130, javax.swing.GroupLayout.PREFERRED_SIZE))
64             .addComponent(jLabel13, javax.swing.GroupLayout.PREFERRED_SIZE, 472, javax.swing.GroupLayout.PREFERRED_SIZE)
65     );
66     layout.setVerticalGroup(
67         layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
68             .addGroup(layout.createSequentialGroup()
69                 .addGap(30, 30, 30)
70                 .addComponent(jLabel12, javax.swing.GroupLayout.PREFERRED_SIZE, 30, javax.swing.GroupLayout.PREFERRED_SIZE)
71                 .addGap(140, 140, 140)
72                 .addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
73                     .addComponent(jButton1, javax.swing.GroupLayout.PREFERRED_SIZE, 40, javax.swing.GroupLayout.PREFERRED_SIZE)
74                     .addComponent(jButton2, javax.swing.GroupLayout.PREFERRED_SIZE, 40, javax.swing.GroupLayout.PREFERRED_SIZE)))
75             .addComponent(jLabel13)
76     );
77
78     pack();
79 // </editor-fold>//GEN-END:initComponents
```

Output

Type here to search

48:1 INS

92°F 3:58 PM 10/27/2022



# **First Window**

The first **Window** will let the user choose if They want Pickup or Delivery

Delivery\_Window - NetBeans IDE 8.2

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Search (Ctrl+I)

Start Page FirstWindow.java Delivery\_Window.java

Source History

```
70     setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
71     setTitle("Delivery");
72     setSize(600,500);
73     getContentPane().setLayout(new GridLayout(1, 0));
74
75     jPanel1.setBackground(new Color(233, 229, 216));
76
77     Information.setFont(new Font("Segoe UI Black", 2, 24)); // NOI18N
78     Information.setText("Please Enter Your Delivery Information");
79
80     // PANEL 2
81     jPanel2.setBackground(new Color(233, 229, 216));
82     jPanel2.setLayout(new GridLayout(1, 0));
83
84     S_Name.setFont(new Font("Segoe UI Black", 2, 18)); // NOI18N
85     S_Name.setText("Student Name");
86     jPanel2.add(S_Name);
87
88     StudentTextField.setFont(new Font("Segoe UI Black", 2, 12)); // NOI18N
89     jPanel2.add(StudentTextField);
90
91     // PANEL 3
92     jPanel3.setBackground(new Color(233, 229, 216));
93     jPanel3.setLayout(new GridLayout(1, 0));
94
95     S_ID.setFont(new Font("Segoe UI Black", 2, 18)); // NOI18N
96     S_ID.setText("Student ID");
97     jPanel3.add(S_ID);
98
99     IDTextField.setFont(new Font("Segoe UI Black", 2, 12)); // NOI18N
```

Output

Type here to search

90°F 4:30 PM 10/27/2022

Delivery\_Window - NetBeans IDE 8.2

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Start Page FirstWindow.java Delivery\_Window.java

Source History

```
99 IDTextField.setFont(new Font("Segoe UI Black", 2, 12)); // NOI18N
100 jPanel3.add(IDTextField);
101
102 // PANEL 4
103 jPanel4.setBackground(new Color(233, 229, 216));
104 jPanel4.setLayout(new GridLayout(1, 0));
105
106 Phone_Num.setFont(new Font("Segoe UI Black", 2, 18)); // NOI18N
107 Phone_Num.setText("Phone Number");
108 jPanel4.add(Phone_Num);
109
110 PhoneTextField.setFont(new java.awt.Font("Segoe UI Black", 2, 12)); // NOI18N
111 PhoneTextField.setHorizontalTextPosition(javax.swing.JTextField.LEFT);
112 jPanel4.add(PhoneTextField);
113
114 // PANEL 5
115 jPanel5.setBackground(new Color(233, 229, 216));
116 jPanel5.setLayout(new GridLayout(1, 0));
117
118 Buillding_num.setFont(new Font("Segoe UI Black", 2, 18)); // NOI18N
119 Buillding_num.setText("Buillding Number");
120 jPanel5.add(Buillding_num);
121
122 BuilldingTextField.setFont(new Font("Segoe UI Black", 2, 12)); // NOI18N
123 jPanel5.add(BuilldingTextField);
124
125 D_Cost.setBackground(new Color(233, 229, 216));
126 D_Cost.setFont(new Font("Segoe UI Black", 2, 18)); // NOI18N
127 D_Cost.setText("Delivery Fee is 10SR");
128
```

Output

Type here to search

90°F 4:31 PM 10/27/2022



Delivery\_Window - NetBeans IDE 8.2

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Search (Ctrl+I)

Start Page FirstWindow.java Delivery\_Window.java

Source History

```
158     .addComponent(D_Cost)
159     .addGroup(jPanel1Layout.createSequentialGroup()
160         .addGap(47, 47, 47)
161         .addComponent(NextButton)))
162     .addGap(119, 119, 119)
163     .addComponent(ImageLabel, GroupLayout.PREFERRED_SIZE, 340, GroupLayout.PREFERRED_SIZE)
164     .addComponent(jPanel5, GroupLayout.PREFERRED_SIZE, 366, GroupLayout.PREFERRED_SIZE))
165     .addGroup(jPanel1Layout.createSequentialGroup()
166         .addGap(42, 42, 42)
167         .addGroup(jPanel1Layout.createParallelGroup(GroupLayout.Alignment.LEADING)
168             .addComponent(Information, GroupLayout.PREFERRED_SIZE, 470, GroupLayout.PREFERRED_SIZE)
169             .addComponent(jPanel2, GroupLayout.PREFERRED_SIZE, 360, GroupLayout.PREFERRED_SIZE)))
170 );
171 jPanel1Layout.setVerticalGroup(
172     jPanel1Layout.createParallelGroup(GroupLayout.Alignment.LEADING)
173     .addGroup(jPanel1Layout.createSequentialGroup()
174         .addGap(22, 22, 22)
175         .addComponent(Information)
176         .addPreferredGap.LayoutStyle.ComponentPlacement.RELATED)
177     .addGroup(jPanel1Layout.createParallelGroup(GroupLayout.Alignment.LEADING)
178         .addGroup(jPanel1Layout.createSequentialGroup()
179             .addComponent(ImageLabel, GroupLayout.PREFERRED_SIZE, 400, GroupLayout.PREFERRED_SIZE)
180             .addGap(0, 0, Short.MAX_VALUE))
181         .addGroup(jPanel1Layout.createSequentialGroup()
182             .addGroup(jPanel1Layout.createParallelGroup(GroupLayout.Alignment.LEADING)
183                 .addGroup(jPanel1Layout.createSequentialGroup()
184                     .addGap(14, 14, 14)
185                     .addComponent(jPanel2, GroupLayout.PREFERRED_SIZE, GroupLayout.DEFAULT_SIZE, GroupLayout.PREFERRED_SIZE)
186                     .addGap(28, 28, 28)
187                     .addComponent(jPanel3, GroupLayout.PREFERRED_SIZE, GroupLayout.DEFAULT_SIZE, GroupLayout.PREFERRED_SIZE)
```

Output

187:33 INS

Type here to search

O Hi 🌐 📱 📤 📂 📺 🎨 96 4:32 PM ENG 10/27/2022

Delivery\_Window - NetBeans IDE 8.2

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Start Page • FirstWindow.java • Delivery\_Window.java

Source History

```
180     .addGap(0, 0, Short.MAX_VALUE))
181     .addGroup(jPanel1Layout.createSequentialGroup())
182         .addGroup(jPanel1Layout.createParallelGroup(GroupLayout.Alignment.LEADING)
183             .addGroup(jPanel1Layout.createSequentialGroup()
184                 .addGap(14, 14, 14)
185                 .addComponent(jPanel12, GroupLayout.PREFERRED_SIZE, GroupLayout.DEFAULT_SIZE, GroupLayout.PREFERRED_SIZE)
186                 .addGap(28, 28, 28)
187                 .addComponent(jPanel13, GroupLayout.PREFERRED_SIZE, GroupLayout.DEFAULT_SIZE, GroupLayout.PREFERRED_SIZE)
188                 .addGap(61, 61, 61)
189                 .addComponent(jPanel15, GroupLayout.PREFERRED_SIZE, GroupLayout.DEFAULT_SIZE, GroupLayout.PREFERRED_SIZE))
190             .addGroup(jPanel1Layout.createSequentialGroup()
191                 .addGap(110, 110, 110)
192                 .addComponent(jPanel14, GroupLayout.PREFERRED_SIZE, GroupLayout.DEFAULT_SIZE, GroupLayout.PREFERRED_SIZE)))
193         .addPreferredGap(LayoutStyle.ComponentPlacement.RELATED, GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
194         .addComponent(D_Cost)
195         .addGap(18, 18, 18)
196         .addComponent(NextButton)
197         .addGap(67, 67, 67)))
198     );
199     setLocationRelativeTo(null);
200     setVisible(true);
201 }
202
203 public static void main(String args[])
204 {
205     new Delivery_Window();
206 }
207 }
208 }
209 }
```

Output

Type here to search

90°F 4:33 PM ENG 10/27/2022



 Delivery

- □ ×

Help Contact us

## ***Please Enter Your Delivery Information***

***Student Name***


***Student ID***

***Phone Number***

***Buillding Number***

***Delivery Fee is 10SR***

**Next**



# **Delivery Window**

This Window will ask the user  
for their information and saves  
it to the file

PickUp\_Window - NetBeans IDE 8.2

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Start Page \* PickUp\_Window.java

Source History

```
58
59     setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
60     setTitle("Pickup");
61     setLocation(new Point(400, 70));
62     getContentPane().setLayout(new GridLayout());
63
64     jPanel1.setBackground(new Color(233, 229, 216));
65
66     Information.setFont(new Font("Segoe UI Black", 2, 18)); // NOI18N
67     Information.setText("Please Enter Your Pickup Information");
68
69     // PANEL 2
70     jPanel2.setBackground(new Color(233, 229, 216));
71     jPanel2.setLayout(new GridLayout(1, 0));
72
73     Name.setFont(new Font("Segoe UI Black", 2, 18)); // NOI18N
74     Name.setText("Student Name");
75     jPanel2.add(Name);
76
77     NameTextField.setFont(new Font("Segoe UI Black", 2, 12)); // NOI18N
78     jPanel2.add(NameTextField);
79
80     // PANEL 3
81     jPanel3.setBackground(new Color(233, 229, 216));
82     jPanel3.setLayout(new GridLayout(1, 0));
83
84     ID.setFont(new Font("Segoe UI Black", 2, 18)); // NOI18N
85     ID.setText("Student ID");
86     jPanel3.add(ID);
87
```

Search (Ctrl+I)

1:1 INS

Type here to search

89°F 4:42 PM 10/27/2022

PickUp\_Window - NetBeans IDE 8.2

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Start Page > PickUp\_Window.java

Source History

```
87
88     IDTextField.setFont(new java.awt.Font("Segoe UI Black", 2, 12)); // NOI18N
89     jPanel3.add(IDTextField);
90
91     // PANEL 4
92     jPanel4.setBackground(new Color(233, 229, 216));
93     jPanel4.setLayout(new GridLayout(1, 0));
94
95     Phone.setFont(new Font("Segoe UI Black", 2, 18)); // NOI18N
96     Phone.setText("Phone Number");
97     jPanel4.add(Phone);
98
99     PhoneTextField.setFont(new Font("Segoe UI Black", 2, 12)); // NOI18N
100    jPanel4.add(PhoneTextField);
101
102    // BUTTON
103    jButton1.setFont(new Font("Segoe UI Black", 2, 24)); // NOI18N
104    jButton1.setText("Next");
105
106    // IMAGE LABEL
107    Image.setIcon(new ImageIcon("C:\\Users\\faten\\OneDrive\\Desktop\\OOP II\\food.gif")); // NOI18N
108    Image.setText(" ");
109
110    getContentPane().add(jPanel1);
111    jMenu1.setText("Help");
112    jMenuBar1.add(jMenu1);
113    jMenu2.setText("contact us");
114    jMenuBar1.add(jMenu2);
115    setJMenuBar(jMenuBar1);
116
```

Search (Ctrl+F)

116:1 INS

89°F 4:43 PM ENG 10/27/2022

Type here to search

PickUp\_Window - NetBeans IDE 8.2

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Start Page > PickUp\_Window.java

```
118     GroupLayout jPanel1Layout = new GroupLayout(jPanel1);
119     jPanel1.setLayout(jPanel1Layout);
120     jPanel1Layout.setHorizontalGroup(
121         jPanel1Layout.createParallelGroup(GroupLayout.Alignment.LEADING)
122             .addGroup(jPanel1Layout.createSequentialGroup()
123                 .addGap(20, 20, 20)
124                 .addComponent(Information))
125             .addGroup(jPanel1Layout.createSequentialGroup()
126                 .addGap(30, 30, 30)
127                 .addComponent(jPanel12, GroupLayout.PREFERRED_SIZE, 290, GroupLayout.PREFERRED_SIZE))
128             .addGroup(jPanel1Layout.createSequentialGroup()
129                 .addGap(30, 30, 30)
130                 .addComponent(jPanel13, GroupLayout.PREFERRED_SIZE, 290, GroupLayout.PREFERRED_SIZE))
131             .addGroup(jPanel1Layout.createSequentialGroup()
132                 .addGap(150, 150, 150)
133                 .addComponent(jButton1))
134             .addGroup(jPanel1Layout.createSequentialGroup()
135                 .addGap(30, 30, 30)
136                 .addComponent(jPanel14, GroupLayout.PREFERRED_SIZE, 290, GroupLayout.PREFERRED_SIZE))
137             .addComponent(Image, GroupLayout.PREFERRED_SIZE, 400, GroupLayout.PREFERRED_SIZE)
138     );
139     jPanel1Layout.setVerticalGroup(
140         jPanel1Layout.createParallelGroup(GroupLayout.Alignment.LEADING)
141             .addGroup(jPanel1Layout.createSequentialGroup()
142                 .addGap(42, 42, 42)
143                 .addComponent(Information))
144             .addGroup(jPanel1Layout.createSequentialGroup()
145                 .addGap(33, 33, 33)
146                 .addComponent(jPanel12, GroupLayout.PREFERRED_SIZE, GroupLayout.DEFAULT_SIZE, GroupLayout.PREFERRED_SIZE)
147                 .addGap(10, 10, 10)
148                 .addComponent(jPanel13, GroupLayout.PREFERRED_SIZE, GroupLayout.DEFAULT_SIZE, GroupLayout.PREFERRED_SIZE))
```

147:1 INS

Type here to search

O Hi Chrome File Explorer Mail Task View

89°F 4:43 PM ENG 10/27/2022

PickUp\_Window - NetBeans IDE 8.2

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Start Page > PickUp\_Window.java

```
137     .addComponent(Image, GroupLayout.PREFERRED_SIZE, 400, GroupLayout.PREFERRED_SIZE)
138 );
139 jPanel1Layout.setVerticalGroup(
140     jPanel1Layout.createParallelGroup(GroupLayout.Alignment.LEADING)
141     .addGroup(jPanel1Layout.createSequentialGroup()
142         .addGap(42, 42, 42)
143         .addComponent(Information)
144         .addGap(33, 33, 33)
145         .addComponent(jPanel12, GroupLayout.PREFERRED_SIZE, GroupLayout.DEFAULT_SIZE, GroupLayout.PREFERRED_SIZE)
146         .addGap(10, 10, 10)
147         .addComponent(jPanel13, GroupLayout.PREFERRED_SIZE, GroupLayout.DEFAULT_SIZE, GroupLayout.PREFERRED_SIZE)
148         .addGap(83, 83, 83)
149         .addComponent(jButton1)
150         .addGroup(jPanel1Layout.createSequentialGroup()
151             .addGap(178, 178, 178)
152             .addComponent(jPanel14, GroupLayout.PREFERRED_SIZE, GroupLayout.DEFAULT_SIZE, GroupLayout.PREFERRED_SIZE))
153             .addComponent(Image, GroupLayout.PREFERRED_SIZE, 300, GroupLayout.PREFERRED_SIZE)
154 );
155 setVisible(true);
156 pack();
157 }

158 public static void main(String args[])
159 {
160     new PickUp_Window();
161 }
162 }
163
164
165 }
166 }
```

166:1 INS

89°F 4:43 PM ENG 10/27/2022



Pickup

Help contact us

**Please Enter Your PickUp Information**

**Student Name**

**Student ID**

**Phone Number**

**Next**

# PickUp Window

This Window will ask the user  
for their information and saves  
it to the file

Buildings\_Window - NetBeans IDE 8.2

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Start Page > PickUp\_Window.java > Buildings\_Window.java

Source History

```
41     setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);
42     setTitle("the locations");
43     setAutoRequestFocus(false);
44     setBackground(new java.awt.Color(194, 227, 227));
45     getContentPane().setLayout(new java.awt.GridBagLayout());
46
47     jPanel1.setBackground(new java.awt.Color(233, 229, 216));
48
49     jButton1.setFont(new java.awt.Font("Stencil", 1, 18)); // NOI18N
50     jButton1.setText("SELECT");
51
52     jLabel1.setFont(new java.awt.Font("Segoe UI Black", 0, 24)); // NOI18N
53     jLabel1.setText("cafeterias nearby");
54
55     jRadioButton1.setText("BUILDING 11");
56
57     jRadioButton3.setText("BUILDING 17");
58
59     jRadioButton2.setText("BUILDING 5");
60
61     jLabel3.setIcon(new javax.swing.ImageIcon("C:\\Users\\96656\\OneDrive\\الשולחן\\العام\\thehala.jpg")); // NOI18N
62     jLabel3.setText("jLabel3");
63
64     javax.swing.GroupLayout jPanel1Layout = new javax.swing.GroupLayout(jPanel1);
65     jPanel1.setLayout(jPanel1Layout);
66     jPanel1Layout.setHorizontalGroup(
67         jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
68             .addGroup(jPanel1Layout.createSequentialGroup()
69                 .addGap(100, 100, 100)
```



Buildings\_Window - NetBeans IDE 8.2

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Search (Ctrl+I)

Start Page • PickUp\_Window.java • Buildings\_Window.java

Source History

```
70     .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
71         .addComponent(jLabel1)
72         .addGroup(jPanel1Layout.createSequentialGroup()
73             .addGap(30, 30, 30)
74             .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
75                 .addComponent(jRadioButton2, javax.swing.GroupLayout.PREFERRED_SIZE, 95, javax.swing.GroupLayout.PREFERRED_SIZE)
76                 .addComponent(jRadioButton1)
77                 .addGroup(jPanel1Layout.createSequentialGroup()
78                     .addComponent(jRadioButton3)
79                     .addGap(18, Short.MAX_VALUE)
80                     .addComponent(jButton1, javax.swing.GroupLayout.PREFERRED_SIZE, 107, javax.swing.GroupLayout.PREFERRED_SIZE))
81             .addGapPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED, 18, Short.MAX_VALUE)
82             .addComponent(jButton1, javax.swing.GroupLayout.PREFERRED_SIZE, 107, javax.swing.GroupLayout.PREFERRED_SIZE))
83         .addGapPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
84         .addComponent(jLabel3, javax.swing.GroupLayout.PREFERRED_SIZE, 245, javax.swing.GroupLayout.PREFERRED_SIZE)
85         .addGapContainerGap())
86     );
87     jPanel1Layout.setVerticalGroup(
88         jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
89         .addGroup(jPanel1Layout.createSequentialGroup()
90             .addGap(30, 30, 30)
91             .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
92                 .addComponent(jRadioButton1, javax.swing.GroupLayout.PREFERRED_SIZE, 32, javax.swing.GroupLayout.PREFERRED_SIZE)
93                 .addGroup(jPanel1Layout.createSequentialGroup()
94                     .addGap(160, 160, 160)
95                     .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
96                         .addComponent(jRadioButton3, javax.swing.GroupLayout.PREFERRED_SIZE, 28, javax.swing.GroupLayout.PREFERRED_SIZE)
97                         .addComponent(jButton1)))
98             .addGapGroup(jPanel1Layout.createSequentialGroup())
99     );
100 }
```

50:36 INS

Type here to search

96

89°F 10/27/2022

Buildings\_Window - NetBeans IDE 8.2

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Search (Ctrl+F)


Start Page > PickUp\_Window.java > Buildings\_Window.java

Source History

```
97     .addComponent(jButton1))
98    addGroup(jPanel1Layout.createSequentialGroup())
99         .addGap(32, 32, 32)
100        .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
101            .addComponent(jButton2)
102            .addComponent(jLabel3, javax.swing.GroupLayout.PREFERRED_SIZE, 200, javax.swing.GroupLayout.PREFERRED_SIZE)))
103        .addComponent(jLabel1)
104        .addContainerGap(28, Short.MAX_VALUE)
105    );
106
107    gridBagConstraints = new java.awt.GridBagConstraints();
108    gridBagConstraints.gridx = 0;
109    gridBagConstraints.gridy = 0;
110    gridBagConstraints.ipadx = 15;
111    gridBagConstraints.anchor = java.awt.GridBagConstraints.NORTHWEST;
112    getContentPane().add(jPanel1, gridBagConstraints);
113
114    pack();
115 // </editor-fold>//GEN-END:initComponents
116
117
118    public static void main(String args[])
119    {
120
121        new Buildings_Window().setVisible(true);
122
123    }
124}
125
```

126:1 INS 4:58 PM 89°F ENG 10/27/2022

Type here to search



# **Building Window**

This Window will ask the user to  
choose which building they  
want

Billding5\_code - NetBeans IDE 8.2

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Start Page FirstWindow.java Billding5\_code.java

Source History

```
94     CakeCombo = new JComboBox();
95
96     jButton1 = new JButton();
97
98     setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
99     setTitle("Billding 5");
100    jPanel4.setBackground(new Color(233, 229, 216));
101
102    // PANEL 1
103    jPanel1.setBackground(new Color(233, 229, 216));
104    jPanel1.setLayout(new GridLayout(9, 0, 5, 5));
105
106    Drinks.setFont(new Font("Segoe UI Black", 2, 24)); // NOI18N
107    Drinks.setText("Drinks");
108    jPanel1.add(Drinks);
109
110    Water.setFont(new Font("Segoe UI Black", 2, 18)); // NOI18N
111    Water.setText("Water");
112    Water.setBackground(new Color(233, 229, 216));
113    jPanel1.add(Water);
114    WaterCombo.setModel(new DefaultComboBoxModel<>(new String[] { "330ml", "660ml", "1L" }));
115    jPanel1.add(WaterCombo);
116
117    Soda.setFont(new Font("Segoe UI Black", 2, 18)); // NOI18N
118    Soda.setText("Soda");
119    Soda.setBackground(new Color(233, 229, 216));
120    jPanel1.add(Soda);
121    SodaCombo.setModel(new DefaultComboBoxModel<>(new String[] { "Pepsi", "SevenUp", "Mirinda" }));
122    jPanel1.add(SodaCombo);
```

Output

128:9 INS

4:07 PM 10/27/2022

Billding5\_code - NetBeans IDE 8.2

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Start Page FirstWindow.java Billding5\_code.java

Source History

```
124     Juice.setFont(new java.awt.Font("Segoe UI Black", 2, 18)); // NOI18N
125     Juice.setText("Juice");
126     Juice.setBackground(new Color(233, 229, 216));
127     jPanel1.add(Juice);
128     JuiceCombo.setModel(new DefaultComboBoxModel<>(new String[] { "Orange", "Apple", "Mixed Fruit" }));
129     jPanel1.add(JuiceCombo);

131     Coffee.setFont(new Font("Segoe UI Black", 2, 18)); // NOI18N
132     Coffee.setText("Coffee");
133     Coffee.setBackground(new Color(233, 229, 216));
134     jPanel1.add(Coffee);
135     CoffeeCombo.setModel(new DefaultComboBoxModel<>(new String[] { "Americano", "Iced Americano", "Latte", "Iced Latte" }));
136     jPanel1.add(CoffeeCombo);
137
138     jPanel2.setBackground(new Color(233, 229, 216));
139     jPanel2.setLayout(new GridLayout(9, 0, 5, 5));

141     Food.setFont(new Font("Segoe UI Black", 2, 24)); // NOI18N
142     Food.setText("Food");
143
144     jPanel2.add(Food);

146     Donut.setFont(new Font("Segoe UI Black", 2, 18)); // NOI18N
147     Donut.setText("Donut");
148     Donut.setBackground(new Color(233, 229, 216));
149     jPanel2.add(Donut);
150     DonutCombo.setModel(new DefaultComboBoxModel<>(new String[] { "Glazed", "Chocolate" }));
151     jPanel2.add(DonutCombo);
```

Output Task View

136:34 INS

90°F 4:15 PM ENG 10/27/2022

Type here to search

Billding5\_code - NetBeans IDE 8.2

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Start Page FirstWindow.java Billding5\_code.java

Source History

```
153     Fries.setFont(new Font("Segoe UI Black", 2, 18)); // NOI18N
154     Fries.setText("Fries");
155     Fries.setBackground(new Color(233, 229, 216));
156     jPanel12.add(Fries);
157     FriesCombo.setModel(new DefaultComboBoxModel<>(new String[] { "Plane", "Cheese", "Chicken" }));
158     jPanel12.add(FriesCombo);

159
160     Sandwitch.setFont(new Font("Segoe UI Black", 2, 18)); // NOI18N
161     Sandwitch.setText("Sandwitch");
162     Sandwitch.setBackground(new Color(233, 229, 216));
163     jPanel12.add(Sandwitch);
164     SandwichCombo.setModel(new DefaultComboBoxModel<>(new String[] { "Cheese", "Tuna", "Turkey" }));
165     jPanel12.add(SandwichCombo);

166
167     Croissant.setFont(new Font("Segoe UI Black", 2, 18)); // NOI18N
168     Croissant.setText("Croissant");
169     Croissant.setBackground(new Color(233, 229, 216));
170     jPanel12.add(Croissant);
171     CroissantCombo.setModel(new DefaultComboBoxModel<>(new String[] { "Plane", "Cheese", "Zater", "Turkey", "Hallumi" }));
172     jPanel12.add(CroissantCombo);

173
174     // PANEL 3
175     jPanel13.setBackground(new Color(233, 229, 216));
176     jPanel13.setLayout(new GridLayout(9, 0, 5, 5));

177
178     Snacks.setFont(new Font("Segoe UI Black", 2, 24)); // NOI18N
179     Snacks.setText("Snacks");
180     jPanel13.add(Snacks);
181 
```

Output

136:34 INS

4:17 PM 10/27/2022

Billding5\_code - NetBeans IDE 8.2

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Start Page FirstWindow.java Billding5\_code.java

Source History

```
181 Chocolate.setFont(new Font("Segoe UI Black", 2, 18)); // NOI18N
182 Chocolate.setText("Chocolate");
183 Chocolate.setBackground(new Color(233, 229, 216));
184 jPanel13.add(Chocolate);
185 ChocolateCombo.setModel(new DefaultComboBoxModel<>(new String[] { "Twix", "Snickers", "Reese's", "Kinder Bueno", "Galaxy" }));
186 jPanel13.add(ChocolateCombo);

187 Biscuit.setFont(new Font("Segoe UI Black", 2, 18)); // NOI18N
188 Biscuit.setText("Biscuit");
189 Biscuit.setBackground(new Color(233, 229, 216));
190 jPanel13.add(Biscuit);
191 BiscuitCombo.setModel(new DefaultComboBoxModel<>(new String[] { "Loacker", "digestive", "pickUp" }));
192 jPanel13.add(BiscuitCombo);

193 Chips.setFont(new Font("Segoe UI Black", 2, 18)); // NOI18N
194 Chips.setText("Chips");
195 Chips.setBackground(new Color(233, 229, 216));
196 jPanel13.add(Chips);
197 ChipsCombo.setModel(new DefaultComboBoxModel<>(new String[] { "Lays", "Doritos", "Cheetos" }));
198 jPanel13.add(ChipsCombo);

199 Cake.setFont(new Font("Segoe UI Black", 2, 18)); // NOI18N
200 Cake.setText("Cake");
201 Cake.setBackground(new Color(233, 229, 216));
202 jPanel13.add(Cake);
203 CakeCombo.setModel(new DefaultComboBoxModel<>(new String[] { "Chocolate", "CheeseCake", "Vanilla" }));
204 jPanel13.add(CakeCombo);
```

Output

136:34 INS

4:18 PM 90°F ENG 10/27/2022



Billding5\_code - NetBeans IDE 8.2

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Search (Ctrl+F)

Start Page FirstWindow.java Billding5\_code.java

Source History

```
239     .addComponent(jButton1, GroupLayout.PREFERRED_SIZE, 98, GroupLayout.PREFERRED_SIZE))  
240     .addContainerGap(68, Short.MAX_VALUE));  
241  
242     jPanel4Layout.setVerticalGroup(  
243         jPanel4Layout.createParallelGroup(GroupLayout.Alignment.LEADING)  
244         .addGroup(jPanel4Layout.createSequentialGroup())  
245         .addContainerGap()  
246         .addComponent(jLabel1, GroupLayout.PREFERRED_SIZE, 41, GroupLayout.PREFERRED_SIZE)  
247         .addGroup(jPanel4Layout.createParallelGroup(GroupLayout.Alignment.LEADING)  
248             .addGroup(javax.swing.GroupLayout.Alignment.TRAILING, jPanel4Layout.createSequentialGroup()  
249                 .addGap(18, 18, Short.MAX_VALUE)  
250                 .addComponent(jPanel12, GroupLayout.PREFERRED_SIZE, 358, GroupLayout.PREFERRED_SIZE))  
251             .addGroup(jPanel4Layout.createSequentialGroup()  
252                 .addGap(10, 10, 10)  
253                 .addGroup(jPanel4Layout.createParallelGroup(GroupLayout.Alignment.LEADING)  
254                     .addComponent(jPanel13, GroupLayout.Alignment.TRAILING, GroupLayout.DEFAULT_SIZE, GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)  
255                     .addComponent(jPanel11, GroupLayout.PREFERRED_SIZE, 366, GroupLayout.PREFERRED_SIZE))))  
256             .addPreferredGap.LayoutStyle.ComponentPlacement.UNRELATED)  
257             .addComponent(jButton1, GroupLayout.PREFERRED_SIZE, 41, GroupLayout.PREFERRED_SIZE)  
258             .addGap(176, 176, 176));  
259  
260     GroupLayout layout = new GroupLayout(getContentPane());  
261     getContentPane().setLayout(layout);  
262     layout.setHorizontalGroup(  
263         layout.createParallelGroup(GroupLayout.Alignment.LEADING)  
264             .addComponent(jPanel4, GroupLayout.PREFERRED_SIZE, GroupLayout.DEFAULT_SIZE, GroupLayout.PREFERRED_SIZE)  
265     );  
266     layout.setVerticalGroup(  
267         layout.createParallelGroup(GroupLayout.Alignment.LEADING)
```

Output

136:34 INS

4:20 PM 10/27/2022

Type here to search

Billding5\_code - NetBeans IDE 8.2

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Search (Ctrl+F)

Start Page FirstWindow.java Billding5\_code.java

Source History

```
267     layout.setVerticalGroup(268         layout.createParallelGroup(GroupLayout.Alignment.LEADING)269             .addComponent(jPanel4, GroupLayout.PREFERRED_SIZE, 491, GroupLayout.PREFERRED_SIZE));270     pack();271     setVisible(true);272 }273274 public static void main(String args[])275 {276     new Billding5_code();277 }278279280281 }
```

Output

295:1 INS

Type here to search

4:22 PM 90°F ENG 10/27/2022



Building 5

## Select The Items You Want:

### Drinks

**Water**

330ml

**Soda**

Pepsi

**Juice**

Orange

**Coffee**

Americano

### Food

**Donut**

Glazed

**Fries**

Plane

**Sandwich**

Cheese

**Croissant**

Plane

### Snacks

**Chocolate**

Twix

**Biscuit**

Loacker

**Chips**

Lays

**Cake**

Chocolate

**Next**

# Building 5

This Window lets the user choose the  
items they want from building 5

Bulding11\_code - NetBeans IDE 8.2

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Start Page \* Bulding11\_code.java

Source History

```
83     setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
84     setTitle("Bulding 11");
85     jPanel4.setBackground(new Color(233, 229, 216));
86     getContentPane().setLayout(new GridLayout(1, 0));
87     jLabel1.setFont(new Font("Segoe UI Black", 2, 26)); // NOI18N
88     jLabel1.setText("Select The Items You Want:");
89
90     // PANEL 1
91     jPanel1.setBackground(new Color(233, 229, 216));
92     jPanel1.setLayout(new GridLayout(0, 1));
93
94     Drinks.setFont(new Font("Segoe UI Black", 2, 24)); // NOI18N
95     Drinks.setText("Drinks");
96     jPanel1.add(Drinks);
97
98
99     WaterCB.setFont(new Font("Segoe UI Black", 2, 18)); // NOI18N
100    WaterCB.setText("Water");
101    WaterCB.setBackground(new Color(233, 229, 216));
102    jPanel1.add(WaterCB);
103    WaterCombo.setModel(new DefaultComboBoxModel<>(new String[] { "330ml", "660ml", "1L" }));
104    jPanel1.add(WaterCombo);
105
106    SodaCB.setFont(new Font("Segoe UI Black", 2, 18)); // NOI18N
107    SodaCB.setText("Soda");
108    SodaCB.setBackground(new Color(233, 229, 216));
109    jPanel1.add(SodaCB);
110    SodaCombo.setModel(new DefaultComboBoxModel<>(new String[] { "Pepsi", "SevenUP", "Mirinda" }));
111    jPanel1.add(SodaCombo);
112
```

Search (Ctrl+I)

1:1 INS

Type here to search

89°F 5:04 PM 10/27/2022

Bulding11\_code - NetBeans IDE 8.2

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Start Page \* Bulding11\_code.java

Source History

```
112
113     JuiceCB.setFont(new Font("Segoe UI Black", 2, 18)); // NOI18N
114     JuiceCB.setText("Juice");
115     JuiceCB.setBackground(new Color(233, 229, 216));
116     jPanel11.add(JuiceCB);
117     JuiceCombo.setModel(new DefaultComboBoxModel<>(new String[] { "Lemon", "Apple", "Mango", "Orange" }));
118     jPanel11.add(JuiceCombo);
119
120     // PANEL 2
121     jPanel12.setBackground(new Color(233, 229, 216));
122     jPanel12.setLayout(new GridLayout(0, 1));
123
124     Food.setFont(new Font("Segoe UI Black", 2, 24)); // NOI18N
125     Food.setText("Food");
126     jPanel12.add(Food);
127
128     BurgerCB.setFont(new Font("Segoe UI Black", 2, 18)); // NOI18N
129     BurgerCB.setText("Burger");
130     BurgerCB.setBackground(new Color(233, 229, 216));
131     jPanel12.add(BurgerCB);
132     BurgerCombo.setModel(new DefaultComboBoxModel<>(new String[] { "Beef", "Chicken", "Spicy Checkin", "Spicy Beef" }));
133     jPanel12.add(BurgerCombo);
134
135     FriesCB.setFont(new Font("Segoe UI Black", 2, 18)); // NOI18N
136     FriesCB.setText("Fries");
137     FriesCB.setBackground(new Color(233, 229, 216));
138     jPanel12.add(FriesCB);
139     FriesCombo.setModel(new DefaultComboBoxModel<>(new String[] { "Plane", "Cheese", "Chicken", "Both" }));
140     jPanel12.add(FriesCombo);
141
```

141:1 INS

Type here to search

O Hi Chrome File Explorer Task View Start Screen

89°F ENG 5:05 PM 10/27/2022

Bulding11\_code - NetBeans IDE 8.2

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Start Page \* Bulding11\_code.java

Source History

```
AppetizersCB.setFont(new Font("Segoe UI Black", 2, 18)); // NOI18N
AppetizersCB.setText("Appetizers");
AppetizersCB.setBackground(new Color(233, 229, 216));
jPanel2.add(AppetizersCB);
AppetizerCombo.setModel(new DefaultComboBoxModel<>(new String[] { "Onion Rings", "Tenders", "Mozzarella Sticks", "Mac&Cheese" }));
jPanel2.add(AppetizerCombo);

// PANEL 3
jPanel3.setBackground(new Color(233, 229, 216));

Dessert.setFont(new Font("Segoe UI Black", 2, 24)); // NOI18N
Dessert.setText("Dessert");
jPanel3.add(Dessert);

FrenchToastCB.setFont(new Font("Segoe UI Black", 2, 18)); // NOI18N
FrenchToastCB.setText("French Toast");
FrenchToastCB.setBackground(new Color(233, 229, 216));
jPanel3.add(FrenchToastCB);

PieCB.setFont(new Font("Segoe UI Black", 2, 18)); // NOI18N
PieCB.setText("Apple Pie");
PieCB.setBackground(new Color(233, 229, 216));
jPanel3.add(PieCB);

PeachPieCB.setFont(new Font("Segoe UI Black", 2, 18)); // NOI18N
PeachPieCB.setText("Peach Pie");
PeachPieCB.setBackground(new Color(233, 229, 216));
jPanel3.add(PeachPieCB);
```

Search (Ctrl+F)

141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170

170:1 INS

Type here to search

O Hi Chrome File Mail Folder Task View Start Screen 89°F 5:06 PM ENG 10/27/2022



Bulliding11\_code - NetBeans IDE 8.2

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Start Page • Bulliding11\_code.java

```
200     .addContainerGap(40, Short.MAX_VALUE)
201     .addComponent(jPanel11, javax.swing.GroupLayout.PREFERRED_SIZE, 138, javax.swing.GroupLayout.PREFERRED_SIZE)
202     .addContainerGap(365, Short.MAX_VALUE))
203     .addGroup(jPanel14Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
204         .addGroup(javax.swing.GroupLayout.Alignment.TRAILING, jPanel14Layout.createSequentialGroup()
205             .addGap(197, Short.MAX_VALUE)
206             .addComponent(jPanel12, javax.swing.GroupLayout.PREFERRED_SIZE, 140, javax.swing.GroupLayout.PREFERRED_SIZE)
207             .addGap(206, Short.MAX_VALUE)))
208     .addGroup(jPanel14Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
209         .addGroup(javax.swing.GroupLayout.Alignment.TRAILING, jPanel14Layout.createSequentialGroup()
210             .addGap(362, Short.MAX_VALUE)
211             .addComponent(jPanel13, javax.swing.GroupLayout.PREFERRED_SIZE, 156, javax.swing.GroupLayout.PREFERRED_SIZE)
212             .addGap(25, Short.MAX_VALUE)))
213 );
214 jPanel14Layout.setVerticalGroup(
215     jPanel14Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
216     .addGroup(jPanel14Layout.createSequentialGroup()
217         .addGap(23, 23, 23)
218         .addComponent(jLabel1)
219         .addGapPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED, 287, Short.MAX_VALUE)
220         .addComponent(jButton1)
221         .addGap(33, 33, 33))
222     .addGroup(jPanel14Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
223         .addGroup(javax.swing.GroupLayout.Alignment.TRAILING, jPanel14Layout.createSequentialGroup()
224             .addGap(74, Short.MAX_VALUE)
225             .addComponent(jPanel11, javax.swing.GroupLayout.PREFERRED_SIZE, 270, javax.swing.GroupLayout.PREFERRED_SIZE)
226             .addGap(74, Short.MAX_VALUE)))
227     .addGroup(jPanel14Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
228         .addGroup(javax.swing.GroupLayout.Alignment.TRAILING, jPanel14Layout.createSequentialGroup()
229             .addGap(82, Short.MAX_VALUE)
```

229:1 INS 89°F 5:06 PM 10/27/2022

Bullidng11\_code - NetBeans IDE 8.2

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Search (Ctrl+F)

Start Page • Bullidng11\_code.java

```
6 public class Bullidng11_code extends JFrame {  
222     .addGroup(jPanel14Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)  
223         .addGroup(javax.swing.GroupLayout.Alignment.TRAILING, jPanel14Layout.createSequentialGroup()  
224             .addContainerGap(74, Short.MAX_VALUE)  
225             .addComponent(jPanel11, javax.swing.GroupLayout.PREFERRED_SIZE, 270, javax.swing.GroupLayout.PREFERRED_SIZE)  
226             .addContainerGap(74, Short.MAX_VALUE))  
227         .addGroup(jPanel14Layout.createSequentialGroup()  
228             .addGap(18, 18, 18)  
229             .addGroup(javax.swing.GroupLayout.Alignment.TRAILING, jPanel14Layout.createSequentialGroup()  
230                 .addGap(18, 18, 18)  
231                 .addComponent(jPanel12, javax.swing.GroupLayout.PREFERRED_SIZE, 257, javax.swing.GroupLayout.PREFERRED_SIZE)  
232                 .addGap(18, 18, 18)  
233                 .addGroup(jPanel14Layout.createSequentialGroup()  
234                     .addGap(18, 18, 18)  
235                     .addComponent(jPanel13, javax.swing.GroupLayout.PREFERRED_SIZE, 259, javax.swing.GroupLayout.PREFERRED_SIZE)  
236                     .addGap(18, 18, 18))  
237             .addContainerGap())  
238         .addGap(18, 18, 18)  
239         .addComponent(jPanel14)  
240     .addContainerGap())  
241     .pack();  
242     setLocationRelativeTo(null);  
243     setVisible(true);  
244 }  
245  
246  
247 public static void main(String args[]){  
248     new Bullidng11_code();  
249 }  
250 }  
251 }
```

251:2 INS

Type here to search

O Hi Chrome Mail File 89°F 99% available (plugged in) 5:07 PM 27/2022



Buillding 11

- □ ×

## Select The Items You Want:

### Drinks

**Water**

330ml

**Soda**

Pepsi

**Juice**

Lemon

### Food

**Burger**

Beef

**Fries**

Plane

**Appetizers**

Onion Rings

### Dessert

**French Toast**

**Apple Pie**

**Peach Pie**

**Brownies**

**Cookies**

**Next**

# Building 11

This Window lets the user choose the  
items they want from building 11

Building17\_code - NetBeans IDE 8.2

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Start Page > Building11\_code.java > Building17\_code.java

Source History

```
72     setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);
73     setTitle("Building17");
74     setBackground(new java.awt.Color(255, 255, 153));
75     setPreferredSize(new java.awt.Dimension(500, 400));
76
77     jPanel1.setBackground(new java.awt.Color(233, 229, 216));
78     jPanel1.setPreferredSize(new java.awt.Dimension(543, 418));
79
80     jPanel3.setBackground(new java.awt.Color(233, 229, 216));
81     jPanel3.setMaximumSize(new java.awt.Dimension(70, 60));
82     jPanel3.setMinimumSize(new java.awt.Dimension(70, 60));
83     jPanel3.setPreferredSize(new java.awt.Dimension(70, 60));
84     jPanel3.setLayout(new java.awt.GridLayout(7, 0));
85
86     jLabel1.setFont(new java.awt.Font("Segoe UI Black", 2, 18)); // NOI18N
87     jLabel1.setText("Drinks");
88     jPanel3.add(jLabel1);
89
90     jCheckBox1.setText("Water");
91     jPanel3.add(jCheckBox1);
92
93     jComboBox1.setModel(new javax.swing.DefaultComboBoxModel(new String[] {"330 ml", "660 ml", "1L"}));
94     jPanel3.add(jComboBox1);
95
96     jCheckBox2.setText("Soda");
97     jPanel3.add(jCheckBox2);
98
99     jComboBox2.setModel(new javax.swing.DefaultComboBoxModel(new String[] {"pepsi", "sevenup", "miranda"}));
100    jPanel3.add(jComboBox2);
```

99:117 INS

Type here to search

86°F 5:14 PM 10/27/2022

Building17\_code - NetBeans IDE 8.2

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Start Page > Building11\_code.java > Building17\_code.java

Source History

```
101
102     jCheckBox3.setText("Juice");
103     jPanel3.add(jCheckBox3);
104
105     jComboBox3.setModel(new javax.swing.DefaultComboBoxModel(new String[] {"Orange", "Apple", "Mix fruit"}));
106     jPanel3.add(jComboBox3);
107
108     jPanel5.setBackground(new java.awt.Color(233, 229, 216));
109     jPanel5.setLayout(new java.awt.GridLayout(7, 0));
110
111     jLabel2.setFont(new java.awt.Font("Segoe UI Black", 2, 18)); // NOI18N
112     jLabel2.setText("Food");
113     jPanel5.add(jLabel2);
114
115     jCheckBox4.setText("Pizza");
116     jPanel5.add(jCheckBox4);
117
118     jComboBox4.setModel(new javax.swing.DefaultComboBoxModel(new String[] {"Margherita", "Pepperoni", "four cheese", "chicken Ranch"}));
119     jPanel5.add(jComboBox4);
120
121     jCheckBox6.setText("Fries");
122     jPanel5.add(jCheckBox6);
123
124     jComboBox6.setModel(new javax.swing.DefaultComboBoxModel(new String[] {"wedges", "Beef wedges", "chicken wedges"}));
125     jPanel5.add(jComboBox6);
126
127     jCheckBox5.setText("Appetizers");
128     jPanel5.add(jCheckBox5);
129
```

Type here to search

O Hi Chrome File Explorer File 96

Cloud 86°F 129:1 INS

S:15 PM ENG 10/27/2022

Building17\_code - NetBeans IDE 8.2

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Start Page • Building11\_code.java Building17\_code.java

Source History

```
129
130 jComboBox5.setModel(new javax.swing.DefaultComboBoxModel(new String[] {"Chicken wings", "Garlic twist", "chicken bites", "cheese bread"}));
131 jPanel5.add(jComboBox5);
132
133 jPanel4.setBackground(new java.awt.Color(233, 229, 216));
134
135 jLabel3.setFont(new java.awt.Font("Segoe UI Black", 2, 18)); // NOI18N
136 jLabel3.setText("Dessert");
137 jPanel4.add(jLabel3);
138
139 jCheckBox10.setText("cookies");
140 jPanel4.add(jCheckBox10);
141
142 jCheckBox7.setText("Brownies");
143 jPanel4.add(jCheckBox7);
144
145 jCheckBox11.setText("churros");
146 jPanel4.add(jCheckBox11);
147
148 jCheckBox12.setText("choco pizza");
149 jPanel4.add(jCheckBox12);
150
151 jCheckBox9.setText("cinammon twist");
152 jPanel4.add(jCheckBox9);
153
154 jButton1.setFont(new java.awt.Font("Segoe UI Black", 2, 24)); // NOI18N
155 jButton1.setText("next");
156
157 jLabel4.setBackground(new java.awt.Color(204, 153, 255));
```

Search (Ctrl+F)

157:6 INS

Type here to search

O Hi Chrome Mail File 96 Cloud 86°F ENG S:15 PM 10/27/2022

Building17\_code - NetBeans IDE 8.2

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Start Page • Building11\_code.java • Building17\_code.java

Source History

```
158     jLabel14.setFont(new java.awt.Font("Segoe UI Black", 2, 18)); // NOI18N
159     jLabel14.setText("Select the items you want");
160
161     javax.swing.GroupLayout jPanel1Layout = new javax.swing.GroupLayout(jPanel1);
162     jPanel1.setLayout(jPanel1Layout);
163     jPanel1Layout.setHorizontalGroup(
164         jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
165             .addGroup(jPanel1Layout.createSequentialGroup()
166                 .addGap(20, 20, 20)
167                 .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING)
168                     .addComponent(jLabel14, javax.swing.GroupLayout.PREFERRED_SIZE, 363, javax.swing.GroupLayout.PREFERRED_SIZE)
169                     .addGroup(jPanel1Layout.createSequentialGroup()
170                         .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING)
171                             .addGroup(jPanel1Layout.createSequentialGroup()
172                                 .addComponent(jPanel3, javax.swing.GroupLayout.PREFERRED_SIZE, 120, javax.swing.GroupLayout.PREFERRED_SIZE)
173                                 .addGap(40, 40, 40)
174                                 .addComponent(jPanel4, javax.swing.GroupLayout.PREFERRED_SIZE, 122, javax.swing.GroupLayout.PREFERRED_SIZE))
175                             .addGroup(jPanel1Layout.createSequentialGroup()
176                                 .addComponent(jButton1)
177                                 .addGapGap(9, 9, 9)))
178                         .addGapGap(42, 42, 42)
179                         .addComponent(jPanel5, javax.swing.GroupLayout.PREFERRED_SIZE, 128, javax.swing.GroupLayout.PREFERRED_SIZE)))
180                     .addGapContainerGap(72, Short.MAX_VALUE)
181                 );
182     jPanel1Layout.setVerticalGroup(
183         jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
184             .addGroup(jPanel1Layout.createSequentialGroup()
185                 .addGap(19, 19, 19)
186                 .addComponent(jLabel14, javax.swing.GroupLayout.PREFERRED_SIZE, 73, javax.swing.GroupLayout.PREFERRED_SIZE)
187             );
188     );
189 }
```

Search (Ctrl+I)

186:6 INS

Type here to search

O Hi 🌐 📱 📤 📂 📺 📸 📣 📈 📉 📊 📋 📌 📎 📏 📒 📔 📕 📖 📗 📙 📚 📛 📜 📝 📷 📧 📩 📪 📫 📮 📯 📰 📲 📴 📵 📶 📷 📧 📩 📪 📫 📮 📯 📰 📲 📴 📵 📶

86°F S:16 PM 10/27/2022 ENG

Building17\_code - NetBeans IDE 8.2

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Start Page Building11\_code.java Building17\_code.java

```
186     .addComponent(jLabel14, javax.swing.GroupLayout.PREFERRED_SIZE, 73, javax.swing.GroupLayout.PREFERRED_SIZE)
187     .addGap(18, 18, 18)
188     .addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
189         .addComponent(jPanel15, javax.swing.GroupLayout.PREFERRED_SIZE, 211, javax.swing.GroupLayout.PREFERRED_SIZE)
190         .addGroup(jPanel1Layout.createSequentialGroup()
191             .addComponent(jPanel14, javax.swing.GroupLayout.PREFERRED_SIZE, 200, javax.swing.GroupLayout.PREFERRED_SIZE)
192             .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
193             .addComponent(jButton1, javax.swing.GroupLayout.PREFERRED_SIZE, 31, javax.swing.GroupLayout.PREFERRED_SIZE))
194             .addComponent(jPanel13, javax.swing.GroupLayout.PREFERRED_SIZE, 190, javax.swing.GroupLayout.PREFERRED_SIZE))
195     .addContainerGap(16, Short.MAX_VALUE)
196 );
197
198 javax.swing.GroupLayout layout = new javax.swing.GroupLayout(getContentPane());
199 getContentPane().setLayout(layout);
200 layout.setHorizontalGroup(
201     layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
202         .addGroup(layout.createSequentialGroup()
203             .addComponent(jPanel11, javax.swing.GroupLayout.PREFERRED_SIZE, 544, javax.swing.GroupLayout.PREFERRED_SIZE)
204             .addGap(0, 0, Short.MAX_VALUE))
205 );
206 layout.setVerticalGroup(
207     layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
208         .addComponent(jPanel11, javax.swing.GroupLayout.DEFAULT_SIZE, 364, Short.MAX_VALUE)
209 );
210
211 setSize(new java.awt.Dimension(507, 401));
212 setLocationRelativeTo(null);
213
214
```

213:6 INS

Type here to search

Building17\_code - NetBeans IDE 8.2

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Start Page • Building11\_code.java • Building17\_code.java

Source History

```
194         .addComponent(jPanel3, javax.swing.GroupLayout.PREFERRED_SIZE, 190, javax.swing.GroupLayout.PREFERRED_SIZE))
195         .addContainerGap(16, Short.MAX_VALUE)
196     );
197
198     javax.swing.GroupLayout layout = new javax.swing.GroupLayout(getContentPane());
199     getContentPane().setLayout(layout);
200     layout.setHorizontalGroup(
201         layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
202         .addGroup(layout.createSequentialGroup()
203             .addComponent(jPanel1, javax.swing.GroupLayout.PREFERRED_SIZE, 544, javax.swing.GroupLayout.PREFERRED_SIZE)
204             .addGap(0, 0, Short.MAX_VALUE))
205     );
206     layout.setVerticalGroup(
207         layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
208             .addGroup(layout.createSequentialGroup()
209                 .addComponent(jPanel1, javax.swing.GroupLayout.PREFERRED_SIZE, 364, Short.MAX_VALUE)
210             .addGap(0, 0, 0))
211
212         setSize(new java.awt.Dimension(507, 401));
213         setLocationRelativeTo(null);
214
215     }
216
217     public static void main(String args[]) {
218
219         new Building17_code().setVisible(true);
220
221     }
222 }
```

222:1 INS

Type here to search

O Hi Chrome File Explorer File 96 Task View Start Screen 86°F ENG 5:17 PM 10/27/2022



Building17

**Select the items you want**

**Drinks**

Water  
330 ml

Soda  
pepsi

Juice  
Orange

**Dessert**

cookies  
 Brownies  
 churros  
 choco pizza  
 cinnamon twist

**Food**

Pizza  
Margherita

Fries  
wedges

Appetizers  
Chicken wings

**next**

lastWindow - NetBeans IDE 8.2

File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help

Start Page > LastWindow.java

Source History Navigator Projects Services Files

```
private void initComponents() {  
    jTextField1 = new javax.swing.JTextField();  
    jLabel2 = new javax.swing.JLabel();  
    jLabel1 = new javax.swing.JLabel();  
  
    setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);  
    setTitle("Receipt");  
    getContentPane().setLayout(new org.netbeans.lib.awtextra.AbsoluteLayout());  
  
    jTextField1.setBackground(new java.awt.Color(255, 0, 51, 60));  
    getContentPane().add(jTextField1, new org.netbeans.lib.awtextra.AbsoluteConstraints(100, 100, 290, 320));  
    jTextField1.setEditable(false);  
  
    jLabel2.setFont(new java.awt.Font("Segoe UI Black", 2, 36)); // NOI18N  
    jLabel2.setText("Your Receipt");  
    getContentPane().add(jLabel2, new org.netbeans.lib.awtextra.AbsoluteConstraints(130, 50, 230, -1));  
  
    jLabel1.setIcon(new javax.swing.ImageIcon("C:\\Users\\faten\\OneDrive\\Desktop\\OOP 11\\final window.jpg")); // NOI18N  
    jLabel1.setToolTipText("");  
    getContentPane().add(jLabel1, new org.netbeans.lib.awtextra.AbsoluteConstraints(0, 0, 510, 440));  
  
    pack();  
    setLocationRelativeTo(null);  
    setVisible(true);  
}  
public static void main(String args[])  
{  
    new LastWindow();  
}
```

47 47:15 INS

Type here to search

O Hi Chrome File Mail Folder Task View Start Screen Cloud 86°F ENG 5:28 PM 10/27/2022


# Building 17

This Window lets the user choose the  
items they want from building 17



Receipt

# Your **Receipt**



# Receipt Window

This Window will show the user's  
order