

LAPORAN PRAKTIKUM BASIS DATA II

“QUERY LANJUTAN ”

Dosen Pengampu : Muhammad Ainurrohman, S.Kom



Disusun Oleh :

Nama : Fatkhi Dhaifullah Attahsin

Nim : 2502011

Kelas : TI2A

POLITEKNIK PURBAYA TEGAL

TEKNIK INFORMATIKA

2026

Tugas :

1. Penggunaan Subquery.
2. Penggunaan Subquery dengan banyak Kolom.
3. Pairwise Comparison Subquery.
4. Nonpairwise Comparison Subquery.
5. Penggunaan Query dalam Klausa FROM.
6. Ekspresi Scalar Subquery.
7. Korelasi Subquery.
8. Korelasi Subquery UPDATE.
9. Korelasi Subquery DELETE.
10. Penggunaan Klausa WITH.

Hasil :

1. Penggunaan Subquery

```
MariaDB [si_rs_susilo]> SELECT nama FROM pasien WHERE id_pasien IN (
-> SELECT id_pasien
-> FROM pembayaran
-> WHERE total > (
-> SELECT AVG(total) FROM pembayaran
-> );
```

nama
Ahmad Saputra
Ahmad Fauzi
Siti Nurhaliza
Budi Santoso
Rizky Pratama
Ayu Wulandari
Maya Sari
Fajar Nugroho

8 rows in set (0.047 sec)

2. Penggunaan Subquery dengan banyak Kolom

```
MariaDB [si_rs_susilo]> SELECT * FROM dokter WHERE (id_spesialis, status) IN (
-> SELECT id_spesialis, status
-> FROM dokter
-> WHERE id_dokter = 'DK001'
-> );
```

id_dokter	nama_dokter	no_telp	email	status	id_spesialis
DK001	Dr. Andi Pratama	081234567890	andi.pratama@gmail.com	aktif	SP01
DK004	Dr. Dedi Kurniawan	084567890123	dedi.kurniawan@gmail.com	aktif	SP01
DK007	Dr. Gina Maharani	087890123456	gina.maharani@gmail.com	aktif	SP01
DK010	Dr. Joko Saputra	081223344556	joko.saputra@gmail.com	aktif	SP01
DK013	Dr. Maya Sari	084556677889	maya.sari@gmail.com	aktif	SP01

5 rows in set (0.005 sec)

3. Pairwise Comparison Subquery

```
MariaDB [si_rs_susilo]> SELECT d1.nama_dokter, j1.jam_mulai FROM dokter d1 JOIN jadwal_dokter j1 ON d1.id_dokter = j1.id_dokter WHERE j1.jam_mulai < ANY (
-> SELECT j2.jam_mulai
-> FROM jadwal_dokter j2
-> );
```

nama_dokter	jam_mulai
Dr. Andi Pratama	08:00:00
Dr. Andi Pratama	13:00:00
Dr. Budi Santoso	08:00:00
Dr. Budi Santoso	13:00:00
Dr. Citra Lestari	09:00:00
Dr. Dedi Kurniawan	08:00:00
Dr. Dedi Kurniawan	09:00:00
Dr. Eka Putri	08:00:00
Dr. Eko Putri	10:00:00
Dr. Fajar Nugroho	13:00:00
Dr. Gina Maharani	08:00:00
Dr. Hendra Wijaya	13:00:00
Dr. Intan Permata	09:00:00
Dr. Joko Saputra	08:00:00

14 rows in set (0.021 sec)

4. Nonpairwise Comparison Subquery

```
MariaDB [si_rs_susilo]> SELECT p.nama, b.total FROM pasien p JOIN pembayaran b ON p.id_pasien = b.id_pasien WHERE b.total > (
-> SELECT AVG(total)
-> FROM pembayaran
-> );
```

nama	total
Ahmad Saputra	1500000.00
Ahmad Fauzi	2000000.00
Siti Nurhaliza	1750000.00
Budi Santoso	2200000.00
Rizky Pratama	1600000.00
Ayu Wulandari	2100000.00
Maya Sari	1800000.00
Fajar Nugroho	2000000.00

8 rows in set (0.012 sec)

```
MariaDB [si_rs_susilo]>
```

5. Penggunaan Query dalam Klausa FROM

```
MariaDB [si_rs_susilo]> SELECT * FROM (
-> SELECT tipe, AVG(tarif) AS rata
-> FROM kamar
-> GROUP BY tipe
-> )t;
```

tipe	rata
Kelas 1	362500.000000
Kelas 2	262500.000000
Kelas 3	158333.333333
VIP	525000.000000

4 rows in set (0.011 sec)

6. Ekspresi Scalar Subquery

```
MariaDB [si_rs_susilo]> SELECT nama, harga, CASE WHEN harga > (SELECT AVG(harga) FROM obat)
-> THEN 'Mahal'
-> ELSE 'Murah'
-> END AS kategori FROM obat;
```

nama	harga	kategori
Paracetamol 500mg	5000.00	Murah
Amoxicillin 500mg	8000.00	Mahal
Ibuprofen 400mg	7000.00	Mahal
Cefadroxil 500mg	12000.00	Mahal
Vitamin C 500mg	3000.00	Murah
Antasida DOEN	4000.00	Murah
CTM (Antihistamin)	3500.00	Murah
Omeprazole 20mg	10000.00	Mahal
Salbutamol Tablet	9000.00	Mahal
Metformin 500mg	6000.00	Murah
Amlodipine 5mg	7500.00	Mahal
Simvastatin 10mg	8500.00	Mahal
Dexamethasone 0.5mg	6500.00	Murah
Ranitidine 150mg	5000.00	Murah
Asam Mefenamat 500mg	7000.00	Mahal

15 rows in set (0.010 sec)

7. Korelasi Subquery

```
MariaDB [si_rs_susilo]> SELECT p.nama FROM pasien p WHERE EXISTS (
-> SELECT 1
-> FROM pembayaran b
-> WHERE b.id_pasien = p.id_pasien
-> AND b.total > (
-> SELECT AVG(total)
-> FROM pembayaran
-> WHERE id_pasien = p.id_pasien
-> ));
```

nama
Ahmad Saputra
Ahmad Fauzi
Siti Nurhaliza
Dewi Lestari

4 rows in set (0.008 sec)

8. Korelasi Subquery UPDATE

```
MariaDB [si_rs_susilo]> UPDATE kamar k SET status = 'terisi' WHERE EXISTS (
-> SELECT 1
-> FROM rawatinap r
-> WHERE r.id_kamar = k.id_kamar
-> );
Query OK, 5 rows affected (0.047 sec)
Rows matched: 10 Changed: 5 Warnings: 0

MariaDB [si_rs_susilo]> SELECT*FROM kamar;
```

id_kamar	nama_kamar	tipe	tarif	status
KM001	Kamar Anggrek 1	VIP	500000.00	terisi
KM002	Kamar Anggrek 2	VIP	500000.00	terisi
KM003	Kamar Melati 1	Kelas 1	350000.00	terisi
KM004	Kamar Melati 2	Kelas 1	350000.00	terisi
KM005	Kamar Mawar 1	Kelas 2	250000.00	terisi
KM006	Kamar Mawar 2	Kelas 2	250000.00	terisi
KM007	Kamar Dahlia 1	Kelas 3	150000.00	terisi
KM008	Kamar Dahlia 2	Kelas 3	150000.00	terisi
KM009	Kamar Sakura 1	VIP	550000.00	terisi
KM010	Kamar Sakura 2	VIP	550000.00	terisi
KM011	Kamar Flamboyan 1	Kelas 1	375000.00	kosong
KM012	Kamar Flamboyan 2	Kelas 1	375000.00	terisi
KM013	Kamar Teratai 1	Kelas 2	275000.00	kosong
KM014	Kamar Teratai 2	Kelas 2	275000.00	terisi
KM015	Kamar Kenanga 1	Kelas 3	175000.00	kosong

15 rows in set (0.004 sec)

9. Korelasi Subquery DELETE

```
MariaDB [si_rs_susilo]> DELETE FROM pembayaran WHERE id_pasien NOT IN (  
  -> SELECT id_pasien FROM pasien  
  -> );  
Query OK, 0 rows affected (0.017 sec)
```

10. Penggunaan Klausa WITH

```
MariaDB [si_rs_susilo]> WITH total_pasien AS (  
  -> SELECT id_pasien, SUM(total) AS total_bayar  
  -> FROM pembayaran  
  -> GROUP BY id_pasien  
  -> )  
  -> SELECT *  
  -> FROM total_pasien  
  -> WHERE total_bayar > (  
  -> SELECT AVG(total_bayar) FROM total_pasien  
  -> );
```

id_pasien	total_bayar
PA001	3200000.00
PA002	2800000.00
PA003	2650000.00
PA005	2400000.00

4 rows in set (0.014 sec)

```
MariaDB [si_rs_susilo]>
```