Unnamed Project

Replications: 1   Time Units: Hours

Key Performance Indicators

System

Average

Number Out

162

Unnamed Project

Replications: 1 Time Units: Hours

Entity

Time

VA Time

	Average	Half Width	Minimum Value	Maximum Value
Entity 1	0.06724269	(Insufficient)	0.03283358	0.0953

NVA Time

	Average	Half Width	Minimum Value	Maximum Value
Entity 1	0.00	(Insufficient)	0.00	0.00

Wait Time

	Average	Half Width	Minimum Value	Maximum Value
Entity 1	0.03200774	(Insufficient)	0.00	0.2119

Transfer Time

	Average	Half Width	Minimum Value	Maximum Value
Entity 1	0.00	(Insufficient)	0.00	0.00

Other Time

	Average	Half Width	Minimum Value	Maximum Value
Entity 1	0.00	(Insufficient)	0.00	0.00

Total Time

	Average	Half Width	Minimum Value	Maximum Value
Entity 1	0.0993	(Insufficient)	0.03974011	0.2762

Other

Number In

	Value
Entity 1	165.00

Number Out

	Value
Entity 1	162.00

WIP

	Average	Half Width	Minimum Value	Maximum Value
Entity 1	0.6810	0.175578671	0.00	5.0000

Unnamed Project

Replications:　1　　　Time Units:　Hours

Queue

Time

Waiting Time

	Average	Half Width	Minimum Value	Maximum Value
Use ATM.Queue	0.03228205	(Insufficient)	0.00	0.2119

Other

Number Waiting

	Average	Half Width	Minimum Value	Maximum Value
Use ATM.Queue	0.2259	(Insufficient)	0.00	4.0000

Resource

Usage

Instantaneous Utilization

	Average	Half Width	Minimum Value	Maximum Value
atm machine	0.4551	(Insufficient)	0.00	1.0000

Number Busy

	Average	Half Width	Minimum Value	Maximum Value
atm machine	0.4551	(Insufficient)	0.00	1.0000

Number Scheduled

	Average	Half Width	Minimum Value	Maximum Value
atm machine	1.0000	(Insufficient)	1.0000	1.0000

Scheduled Utilization

	Value
atm machine	0.4551

Total Number Seized

	Value
atm machine	163.00