

Nama : Fatwa Dwi Hidayat


NIM : L200180176

Kelas : D

PRAKTIKUM JARINGAN KOMPUTER MODUL 5

- Praktikum 1

Konfigurasi ip server0



Konfigurasi DHCP server

The image shows the Cisco Packet Tracer interface. On the left, a network topology is displayed with a central Switch connected to four PCs (PC0, PC1, PC2, PC3) and a Server-PT (Server0). The Server0 configuration window is open, showing the DHCP service configuration for the FastEthernet0 interface. The service is turned on, and the pool name is 'serverPool'. The IP address range is 192.168.123.19 to 192.168.123.255 with a subnet mask of 255.255.255.0. The default gateway is 0.0.0.0, and the DNS server is 0.0.0.0. The maximum number of users is 5. The TFTP server and WLC address are both 0.0.0.0.

Time: 09:42:25

Automatically Choose Connection Type


Konfigurasi ip PC

The image shows the Cisco Packet Tracer interface. On the left, the same network topology is displayed. The PC0 configuration window is open, showing the IP configuration for the FastEthernet0 interface. The IP configuration is set to DHCP, and the IP address is 192.168.123.19. The subnet mask is 255.255.255.0, the default gateway is 0.0.0.0, and the DNS server is 0.0.0.0. The IPv6 configuration is set to Static, and the IPv6 address is FE80::209:7CFF:FE33:E6D4. The IPv6 gateway and IPv6 DNS server are both 0.0.0.0. The 802.1X security is disabled, and the authentication is set to MDS.


Time: 09:43:35

Automatically Choose Connection Type

Hasil ping PC0 ke PC1




Hasil ping PC1 ke PC2




- Praktikum 2


Konfigurasi ip server0




Konfigurasi HTTP server



Mengubah script HTML




Hasil



- TUGAS


1. DHCP server dengan 20 pc



The screenshot shows the DHCP configuration window for 'Server0' in Cisco Packet Tracer. The configuration is for the 'FastEthernet0' interface. The DHCP service is turned on. The configuration details are as follows:


Pool Name	Default Gateway	DNS Server	Start IP Address	Subnet Mask	Max User	TFTP Server	WLC Address
serverPool	0.0.0.0	0.0.0.0	192.168.123.19	255.255.255.0	20	0.0.0.0	0.0.0.0

Contoh Hasil ping pc 5 ke pc 9



2. Buat web server dengan tampilan tertentu

Mengubah script HTML



Hasil

