I dont know yet



Faustmann Christian

Faculty of Physics
Technical University of Vienna

This thesis is submitted for the degree of *Bachelor of Science*

TU Vienna July 2017

Abstract

This is where you write your abstract...

Table of contents

Li	st of f	figures	vii
Li	st of t	tables	ix
1	The	ory	1
	1.1	Rubidium	2
	1.2	Two-level atom	3
	1.3	Laser absorbtion	3
	1.4	Doppler shifts	3
	1.5	Behavior of absorbtion coefficient	3
	1.6	Non-linear differential equation	3
2	Exp	eriment	5
	2.1	Setup & Tools	5
	2.2	Laser diameter measurement	5
	2.3	Power / intensity measurement	5
	2.4	Doppler-free measurement	5
3	Eval	luation	7
	3.1	Data processing	7
	3.2	Temperature & saturation intensity	7
	3.3	Comparison with theory	7
	3.4	Compare Doppler-free measurement with theoretical values	7
Re	eferen	ices	9
Aj	ppend	lix A Theory	11
Aı	opend	lix B Experiment	13

vi Table of contents

Appendix C Evaluation

15

List of figures

1.1	Rubidium Atom .																																2
-----	-----------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	---

List of tables

1.1 Properties of	f rubidium isotopes	2
-------------------	---------------------	---

Chapter 1

Theory

2 Theory

1.1 Rubidium




Fig. 1.1 Schematical representation of ⁸⁵Rb

Rubidium is a chemical element with symbol Rb and atomic number 37. It is a soft, silvery-white metallic element of the alkali metal group, with an atomic mass of 85.4678. Elemental rubidium is highly reactive, with properties similar to those of other alkali metals.

German chemists Robert Bunsen and Gustav Kirchhoff discovered rubidium in 1861 by the newly developed technique, flame spectroscopy. Because of the bright red lines in its emission spectrum, they chose a name derived from the Latin word rubidus, meaning "deep red". [1]

Although rubidium is monoisotopic, rubidium in the Earth's crust is composed of two isotopes: the stable ⁸⁵Rb and the radioactive ⁸⁷Rb. [2]

	Rubidium						
Isotope	85	87					
Atomic mass	84.911794	86.909187					
in 10^{-25} kg	1.40999	1.44316					
Abundance	72.17%	27.83%					

Table 1.1 Properties of rubidium isotopes

1.2 Two-level atom 3

- 1.2 Two-level atom
- 1.3 Laser absorbtion
- 1.4 Doppler shifts
- 1.5 Behavior of absorbtion coefficient
- 1.6 Non-linear differential equation

Chapter 2

Experiment

- 2.1 Setup & Tools
- 2.2 Laser diameter measurement
- 2.3 Power / intensity measurement
- 2.4 Doppler-free measurement

Chapter 3

Evaluation

- 3.1 Data processing
- 3.2 Temperature & saturation intensity
- 3.3 Comparison with theory
- 3.4 Compare Doppler-free measurement with theoretical values

References

- [1] G. Kirchhoff and R. Bunsen. Chemische Analyse durch Spectralbeobachtungen. *Annalen der Physik*, 189:337–381, 1861.
- [2] G. Audi, O. Bersillon, J. Blachot, and A. H. Wapstra. The NUBASE evaluation of nuclear and decay properties. *Nuclear Physics A*, 729:3–128, December 2003.

Appendix A

Theory

Appendix B

Experiment

Appendix C

Evaluation