Worksheet & Answer Key

Paragraph: Carbon compounds exhibit diverse chemical properties due to the unique bonding ability of carbon atoms. In addition reaction, a functional group is attached to an unsaturated compound, typically through electrophilic addition. This process involves the formation of a new bond between the reactants, resulting in the creation of a new compound with different chemical properties.

Answer bank: UNSATURATED, FUNCTIONAL, ELECTROPHILIC, REACTANTS, CREATION, CHEMICAL, BONDING, ATTACHED

1. Sufficiently **unsaturated**__ compounds can undergo addition reactions easily. The functional group is attached to the unsaturated compound through an **unsaturated**__ process.

2. In addition reaction, a new bond forms between the **electrophilic**__ and the reactant molecule. The creation of this new compound has different **electrophilic**__ properties.

3. The unique bonding ability of carbon atoms enables the formation of complex molecular structures through **reactants**__ reactions.

4. The functional group is attached to the unsaturated compound through an **creation**__ mechanism.

5. Addition reaction involves the formation of a new bond between the **chemical**__ and the reactant molecule.

6. This process results in the creation of a new compound with different **bonding**__ properties.

7. Sufficiently reactive compounds can undergo addition reactions easily, resulting in the **attached**__ of a new compound.

8. The functional group is attached to an unsaturated compound through an electrophilic **functional**__ reaction.