







Time-series plots for the safety metrics for each iteration at lead vehicle speeds of 3, 6, and 9 m/s, with the initial distance fixed at 5 m






DISTANCE 5M LEAD 9 EGO 50






Individual plot for each iteration when distance=5m lead=3m/s



Individual plot for each iteration when distance=5m lead=6m/s



Individual plot for each iteration when distance=5m lead=9m/s



The phase-based analysis presents the safety metrics for each iteration at lead vehicle speeds of 3, 6, and 9 m/s, with the initial distance fixed at 5 m

Phase1: Acceleration

5m	TTC			RSS			Jerk		
	I1	I2	I3	I1	I2	I3	I1	I2	I3
3	1000	1000	1000	5.02	5.25	5.49	3.24599	2.33578	2.16711
6	1000	1000	1000	4.8	5.79	5.03	3.74697	1.20229	2.97314
9	1000	1000	1000	5.54	4.95	5.44	6.50703	4.94676	2.1731

Phase2:overshooting

5m	TTC			RSS			Jerk		
	I1	I2	I3	I1	I2	I3	I1	I2	I3
3	6.02618	5.78731	6.17352	2.47068	2.01833	3.03284	0.10286	0.27076	0.39057
6	10.8095	11.522	10.558	2.86634	2.70519	1.86709	0.87705	1.07114	0.73714
9	15.7025	19.0642	23.5378	-2.4357	2.25583	7.38273	17.8206	17.6172	13.7914

Phase3: Settling

5m	TTC			RSS			Jerk		
	I1	I2	I3	I1	I2	I3	I1	I2	I3
3	5.24247	5.28151	5.26862	1.07378	1.09755	1.22491	1.96134	2.06473	2.4625
6	10.1437	10.9711	9.82941	1.45349	1.98464	0.31321	3.1703	4.54494	3.60055
9	14.5311	18.5402	22.6939	-4.1431	1.81332	6.87448	20.979	18.8784	12.6466

Phase4:Cruishing

5m	TTC			RSS			Jerk		
	I1	I2	I3	I1	I2	I3	I1	I2	I3
3	24.4789	22.0296	22.5809	3.17226	3.20238	3.31452	2.38729	2.67025	2.26889
6	20.0855	38.1804	33.539	3.4956	2.85646	3.17006	3.7059	4.55155	4.7628
9	5.10349	2.45848	13.4638	-17.871	-30.389	-2.2101	21.4117	21.6693	21.018

Phase5:DecelARATION

5m	TTC			RSS			Jerk		
	I1	I2	I3	I1	I2	I3	I1	I2	I3
3	1.61118	1.6838	1.71606	0.56571	0.85069	0.95719	12.7946	17.0763	11.1676
6	1.29947	1.25375	1.29284	-6.3017	-6.8731	-5.9232	17.8883	10.0259	12.9058
9	1.75292	1.99432	1.68591	-12.581	-32.59	-4.1741	18.9962	20.8087	10.2983