

WPL – 17

dbConn.php:

```
<html>
<head>
    <title>server</title>
</head>
<body>

<?php
$dbConn = mysqli_connect("localhost","root", "", "mca");
if(!$dbConn){
    die("Connection failed:".mysqli_connect_error());
}
echo"Connected successfully<br>";

$sql="SELECT * FROM books";
$result = mysqli_query($dbConn, $sql);

if(mysqli_num_rows($result)>0){
    while($row=mysqli_fetch_assoc($result)){
        echo "Book ID:" . $row["Book_ID"]. " Book Name:" . $row["Book_Name"] .
        " Book Price: " . $row["Book_Price"]. "<br>";
    }
} else{
    echo "No records found";
}

mysqli_close($dbConn);
?>

</body>
</html>
```

output:

The screenshot shows the phpMyAdmin interface for the 'books' table in the 'mca' database. The table has columns: book_id, book_name, and book_price. The data is as follows:

book_id	book_name	book_price
1	Angel star	699
2	White Nights	799
3	Strangers again	999

The screenshot shows a browser window displaying the output of a PHP script. The output is:

```
Connected successfully
Book ID:1 Book Name:Angel star Book Price: 699
Book ID:2 Book Name:White Nights Book Price: 799
Book ID:3 Book Name:Strangers again Book Price: 999
```

Connected successfully
Book ID:1 Book Name:Angel star Book Price: 699
Book ID:2 Book Name:White Nights Book Price: 799
Book ID:3 Book Name:Strangers again Book Price: 999