

Course Title: Advance Enterprise Java Lab

Course Code: SE 410

Report on

JSP JDBC MySQL Web based Student Management System

Submitted by:

Name: Faysal Sarder

ID: 181472515


Batch: 47th

Submitted To:

MD Safaet Hossain Associate Professor & Head of Dept. of CSE at City University


Submission Date: 20-02-2022

JSP JDBC MySQL Web based Student Management System



Student Management System





Submit

Reset



index.jsp

```
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
    <link href="bootstrap-5.1.3-dist/css/bootstrap.css" rel="stylesheet" type="text/css"/>
    <link href="bootstrap-5.1.3-dist/css/bootstrap.min.css" rel="stylesheet" type="text/css"/>
    <title>Login Page</title>
  </head>
  <body>
    <h1>Login</h1>
    <div class ="row">
      <div class ="col-sm-4">
        <form method="POST" action="loginv.jsp">
          <div align="left">
            <label class="form-label">Username</label>
            <input type="text" id ="uname" name="uname" class="form-control"
placeholder="username" size="30px" required><!-- comment -->
```

```
</div>
           </br>
          <div align="left">
            <label class="form-label"> Password</label>
            <input type="password" id ="password" name="password" class="form-
control"placeholder="password" size="30px" required><!-- comment -->
          </div>
          </br>
           </br>
           <div align="left">
            <input type="submit" id ="submit" name="submit" value="Login" class="btn btn-info"><!--
comment -->
            <input type="reset" id ="reset" name="reset" value="Reset" class="btn btn-danger"><!--</pre>
comment -->
          </div>
        </form>
      </div>
       <div class ="col-sm-8">
        <img src="images/manage.PNG" class="rounded" alt=""/>
        </br>
        </br><!-- comment -->
         </br>
        Name: Faysal Sarder
         ID: 181472515 
      </div>
    </div>
```

```
</body>
</html>
```

Loginv.jsp

```
<%
String username = request.getParameter("uname");
String password = request.getParameter("password");
if(username.equals("Faysal") && password.equals("515"))
String redirect="mainsec.jsp";
response.sendRedirect(redirect);
}
else{
out.println("Username or password is incorrect.");
}
%>
Mainsec.jsp
```

```
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
    <link href="bootstrap-5.1.3-dist/css/bootstrap.css" rel="stylesheet" type="text/css"/>
    <link href="bootstrap-5.1.3-dist/css/bootstrap.min.css" rel="stylesheet" type="text/css"/>
```

```
<title>Student Management System</title>
  </head>
  <body>
    <nav class="navbar navbar-expand-lg navbar-light bg-light">
<!-- <a class="navbar-brand" href="#">Student Management</a> -->
<button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarNav" aria-
controls="navbarNav" aria-expanded="false" aria-label="Toggle navigation">
  <span class="navbar-toggler-icon"></span>
</button>
 <div class="collapse navbar-collapse" id="navbarNav">
  ul class="navbar-nav">
   class="nav-item active">
   <a class="nav-link" href="mainsec.jsp">Home</a>
   class="nav-item">
    <a class="nav-link" href="student/student.jsp"">Student</a>
   class="nav-item">
    <a class="nav-link" href="batch/batch.jsp">Batch</a>
   class="nav-item">
    <a class="nav-link" href="course/course.jsp">Course</a>
   </div>
</nav>
```

```
<h1>Student Management System</h1>
    <img src="images/management.jpg" alt=""/>
  </body>
</html>
Student.jsp
<%@page import="java.sql.*" %>
<% Class.forName("com.mysql.jdbc.Driver");%>
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<%
  Connection con;
  PreparedStatement pst;
  ResultSet rs;
  %>
<!DOCTYPE html>
```

<html>

```
<head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
    <link href="../bootstrap-5.1.3-dist/css/bootstrap.css" rel="stylesheet" type="text/css"/>
    <link href="../bootstrap-5.1.3-dist/css/bootstrap.min.css" rel="stylesheet" type="text/css"/>
    <title>Registration</title>
  </head>
  <body>
    <h1>Student Registration</h1>
    <div class ="row">
      <div class="col-sm-4">
        <form method="POST" align="left" action="sadd.jsp">
          <div>
             <label class="form-label">Student Name</label>
            <input type ="text" id="sname" name="sname" placeholder="name" class="form-control"</pre>
required><!-- comment -->
          </div>
          <div>
            <label class="form-label">Course</label>
             <select name ="course" id="course" class="form-control">
               <%
               Class.forName("com.mysql.jdbc.Driver");
               con =DriverManager.getConnection("jdbc:mysql://localhost/jspstu","root","");
  String query ="select * from course";
  Statement st = con.createStatement();
```

```
rs = st.executeQuery(query);
while(rs.next()){
String id = rs.getString("id");
String coursename = rs.getString("coursename");
              %>
              <option value="<%=id %>"><%=coursename %></option>
              <%
              }
            %>
          </select>
        </div>
         <div>
          <label class="form-label">Batch</label>
          <select name ="batch" id="batch" class="form-control">
             <%
            Class.forName("com.mysql.jdbc.Driver");
            con =DriverManager.getConnection("jdbc:mysql://localhost/jspstu","root","");
String query1 ="select * from batch";
Statement st1 = con.createStatement();
rs = st1.executeQuery(query1);
```

```
while(rs.next()){
  String id = rs.getString("id");
  String batchname = rs.getString("batchname");
                %>
                <option value="<%=id %>"><%=batchname %></option>
                <%
                }
              %>
            </select>
          </div>
          <div>
            <label class="form-label">Address</label>
            <input type ="text" id="address" name="address" placeholder="address" class="form-
control" required><!-- comment -->
          </div>
              <div>
                <label class="form-label">Gender</label>
            <select name ="gender" id="gender" class="form-control">
              <option> Male
              <option>Female
              <option>Common</option>
              </div>
```

```
<div>
           <label class="form-label">Phone No</label>
           <input type ="number" id="phone" name="phone" placeholder="phone no" class="form-
control" required><!-- comment -->
         </div>
         <div>
           <input type="submit" name="submit" class="btn btn-info" value="Submit">
          <input type="reset" name="reset" class="btn btn-warning" value="reset">
         </div>
       </form>
     </div>
      <div class="col-sm-8">
      <div class ="panel-body">
        <table id ="tbl-course" class="table table-responsive table-bordered"cellpadding="0"
width="100%">
          <thead>
            Student Name
             Course
              Batch<!-- comment -->
              Address
              Gender
              Phone
              Edit
             Delete
```

```
<%
             Class.forName("com.mysql.jdbc.Driver");
            con =DriverManager.getConnection("jdbc:mysql://localhost/jspstu","root","");
String query3 ="select s.id, s.studname, c.coursename,b.batchname, s.address, s.gender, s.phone from
student s JOIN course c ON s.course = c.id JOIN batch b ON s.batch = b.id";
Statement st3 = con.createStatement();
rs=st3.executeQuery(query3);
while(rs.next()){
String id = rs.getString("s.id");
              %>
            <%=rs.getString("s.studname") %>
              <%=rs.getString("c.coursename") %>
              <%=rs.getString("b.batchname") %><!-- comment -->
               <%=rs.getString("s.address") %>
               <%=rs.getString("s.gender") %>
               <%=rs.getString("s.phone") %>
              <a href="studentupdate.jsp?id=<%=id %> ">Edit</a>
            <a href="studentdelete.jsp?id=<%=id %> ">Delete</a>
```

```
<% } %>
         </div>
     </div>
   </div>
 </body>
</html>
Course.jsp
<%@page import="java.sql.*" %>
<% Class.forName("com.mysql.jdbc.Driver");%>
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
  <head>
```

```
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
    <link href="../bootstrap-5.1.3-dist/css/bootstrap.css" rel="stylesheet" type="text/css"/>
    <link href="../bootstrap-5.1.3-dist/css/bootstrap.min.css" rel="stylesheet"</pre>
type="text/css"/>
    <title>JSP Page</title>
  </head>
  <body>
    <h1>Course</h1>
    <div class ="row">
      <div class="col-sm-4">
        <form method="POST" align="left" action="add.jsp">
          <div>
             <label class="form-label">Course Title</label>
             <input type ="text" id="name" name="name" placeholder="Course Title"
class="form-control" required><!-- comment -->
          </div>
          <div>
             <label class="form-label">Duration</label>
             <input type ="text" id="duration" name="duration" placeholder="Duration"
class="form-control" required><!-- comment -->
          </div>
          <div>
            <input type="submit" name="submit" class="btn btn-info" value="submit">
            <input type="reset" name="reset" class="btn btn-warning" value="reset">
          </div>
```

```
</form>
      </div>
      <div class="col-sm-8">
      <div class ="panel-body">
        <table id ="tbl-course" class="table table-responsive table-bordered"cellpadding="0"
width="100%">
          <thead>
            Course Title
              Duration
              Edit<!-- comment -->
              Delete
            <%
             Connection con;
             PreparedStatement pst;
ResultSet rs;
             Class.forName("com.mysql.jdbc.Driver");
             con =DriverManager.getConnection("jdbc:mysql://localhost/jspstu","root","");
String query ="select * from course";
Statement st = con.createStatement();
rs=st.executeQuery(query);
```

```
while(rs.next()){
String id = rs.getString("id");
            %>
           <%=rs.getString("coursename") %>
             <%=rs.getString("duration") %>
             <a href="courseupdate.jsp?id=<%=id %> ">Edit</a>
          <a href="coursedelete.jsp?id=<%=id %> ">Delete</a>
          <% } %>
         </div>
     </div>
 </body>
</html>
```

Batch.jsp

```
<%@page import="java.sql.*" %>
<% Class.forName("com.mysql.jdbc.Driver");%>
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
  <head>
    <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
    <link href="../bootstrap-5.1.3-dist/css/bootstrap.css" rel="stylesheet" type="text/css"/>
    <link href="../bootstrap-5.1.3-dist/css/bootstrap.min.css" rel="stylesheet"</pre>
type="text/css"/>
    <title>JSP Page</title>
  </head>
  <body>
    <h1>Batch</h1>
    <div class ="row">
      <div class="col-sm-4">
        <form method="POST" align="left" action="add.jsp">
          <div>
            <label class="form-label">Batch</label>
            <input type ="text" id="bname" name="bname" placeholder="batch" class="form-
control" required><!-- comment -->
          </div>
```

```
<div>
           <label class="form-label">Year</label>
           <input type ="number" id="year" name="year" placeholder="year" class="form-
control" required><!-- comment -->
         </div>
         <div>
           <input type="submit" name="submit" class="btn btn-info" value="Submit">
           <input type="reset" name="reset" class="btn btn-warning" value="reset">
         </div>
       </form>
      </div>
      <div class="col-sm-8">
      <div class ="panel-body">
        <table id ="tbl-course" class="table table-responsive table-bordered"cellpadding="0"
width="100%">
          <thead>
            Batch
              Year
              Edit<!-- comment -->
              Delete
            <%
             Connection con;
             PreparedStatement pst;
```

```
ResultSet rs;
            Class.forName("com.mysql.jdbc.Driver");
            con =DriverManager.getConnection("jdbc:mysql://localhost/jspstu","root","");
String query ="select * from batch";
Statement st = con.createStatement();
rs=st.executeQuery(query);
while(rs.next()){
String id = rs.getString("id");
              %>
            <%=rs.getString("batchname") %>
              <%=rs.getString("year") %>
              <a href="batchupdate.jsp?id=<%=id %> ">Edit</a>
           <a href="batchdelete.jsp?id=<%=id %> ">Delete</a>
            <% } %>
```

</div>
</div>
</div>
</body>

</html>