Day care
Hernia Surgery
at
Gateway Clinics
"Get well faster ... With less pain"

கேட்வே மருத்துவமனையின்

ஒருநாள் குடலிறக்க அறுவை சிகிச்சை பற்றிய கையேடு

குறைந்த வலி.... உடனடி நலம்

Patient information Booklet
நோயாளி தகவல் கையேடு

GATEWAY CLINICS®
HEALTH DESTINATION

இந்த கையேடு குடலிறக்கம் பற்றியும் அதற்கான லேப்ராஸ்கோபிக் ஒருநாள் அறுவை சிகிச்சை பற்றியும் நீங்கள் எளிய முறையில் அறிந்து கொள்ள உருவாக்கப்பட்டுள்ளது.

குடலிறக்கம் என்றால் என்ன

அறை போன்ற அமைப்பைக் கொண்ட வயிறு தசைகளால் ஆன சுவரால் சூழப்பட்டுள்ளது. இந்த வயிற்றுச் சுவர் பல்வேறு இடங்களில் பலவீனமான பகுதிகளைக் கொண்டுள்ளது. குடலிறக்கம் என்பது உடலின் ஒரு உறுப்பு அதன் இயல்பு நிலையில் இருந்து பலவீனமான வயிற்றுச் சுவர் வழியாக துருத்திக்கொண்டு வெளிவருவதாகும்.

குடலிறக்க வகைகள்

அடிவயிற்றுக்குடலிறக்கம்

இது மிகவும் அதிக அளவில் காணப்படும் வகையாகும். எந்த வயதிலும் வரலாம்

வெட்டுசார் குடலிறக்கம்

இது முந்தைய அறுவை சிகிச்சையின் போது ஏற்பட்ட காயத்தழும்பு பலவீனமாவதால் ஏற்படுகிறது

தொப்புள் குடலிறக்கம்

தொப்புள் பந்து போல் வீங்கி காணப்படும்.

எபிகேஸ்டிரிக் குடலிறக்கம்

இது மேல் வயிற்றுப் பகுதியில், மார்பெழும்பு பகுதிக்கும், தொப்புளுக்கும் இடையில் காணப்படுகிறது.

தொடைசார்ந்த குடலிறக்கம்

இது பெரும்பாலும் பெண்களுக்கு ஏற்படுகிறது கால் மடிப்பு இடையில் வீக்கமாக காணப்படும்.



குடலிறக்க அறுவை சிகிச்சை வகைகள்

திறந்த முறை

இந்த முறையில் தசைச் சுவரில் ஒரு கீறல் ஏற்படுத்தப்பட்டு மெல்லிய வலைகளைப் பயன்படுத்தி பலவீனமான தசை வலுப்படுத்தப்படுகிறது.

லேபராஸ்கோபிக் முறை

உங்கள் வயிற்றுப் பகுதியில் சிறுதுளையிடப்பட்டு அதன் மூலம் லேப்ராஸ்கோபி எனப்படும் மெல்லிய சாதனத்தைச் செலுத்தி அதில் இருந்து வரும் வீடியோ படங்களைப் பயன்படுத்தி அறுவை சிகிச்சை நடத்தப்படுகிறது.

லேப்ராஸ்கோபி குடலிறக்க அறுவை சிகிச்சைஅதற்கென உள்ள சிறப்பு மருத்துவமனைகளில் மட்டும் மேற்கொள்ளப்படுகிறது. நமது **கேட்வே மருத்துவமனை** அத்தகைய லேபராஸ்கோபி அறுவை சிகிச்சையில் கோவை மாநகரில் முன்னோடியாகத் திகழ்கிறது.

அறுவை சிகிச்சைக்கு தயாராதல் பற்றிய விளக்கங்கள்
அறுவை சிகிச்சைக்குமுன் தயார் படுத்தும் நிலை

அறுவைசிகிச்சைக்கு முன் உங்களிடம் இருதயம், நுரையீரல், இரத்தக் கொதிப்பு, சர்க்கரை நோய், ஆஸ்த்துமா, மற்றும் இதர நோய்கள் உள்ளனவா என்பது பற்றி கேள்விகள் கேட்கப்படும். அதன் பிறகு ஈசிஜி,எக்ஸ்ரே,அடிப்படை இரத்தப் பரிசோதனைகள் மற்றும் எக்கோகார்டியோகிராம் எனப்படும் இருதய ஸ்கேன் போன்றவை செய்யப்படும். பிறகு குடல் அறுவைசிகிச்சை நிபுணர் மற்றும் மயக்கவியல் மருத்துவர்களால் நீங்கள் பரிசோதனை செய்யப்பட்டு அறுவை சிகிச்சை முடிவு செய்யப்படும். நீங்கள் ஆஸ்பிரின் குளோபிடோகரல் போன்ற மாத்திரைகளை உட்கொண்டிருந்தால் அவை அறுவை சிகிச்சைக்கு ஒருவாரம் முன்பு நிறுத்தப்படவேண்டும்.

உங்களுக்கு என்ன மயக்க நிலை தேவை ?

ஒரு பொது மயக்கம் மூலம், நீங்கள் அறுவை சிகிச்சையின் போது தூங்கி இருப்பீர்கள். இந்த வகை மயக்க மருந்து லேபராஸ்கோபிக் குடலிறக்கம் அறுவை சிகிச்சையின் போது தேவைப்படுகிறது.

பொது மயக்க மருந்துக்கு முன்பு செய்யவேண்டியவை

அறுவை சிகிச்சை காலை 6.30 மணிக்கு திட்டமிடப்பட்டுள்ளது என்றால் நள்ளிரவுக்குப் பிறகு எதையும் குடிக்க கூடாது. மதியம் 3.00 மணிக்கு திட்டமிடப்பட்டள்ளது என்றால் காலை 9.00 மணிக்கு பின்பு சாப்பிடவோ, அல்லது குடிக்கவோ கூடாது.

அறுவை சிகிச்சை நாள் அன்று

அறுவை சிகிச்சைக்கு முன்பு ஒரு நல்ல இரவு ஓய்வு முக்கியமானது. அனைத்து விலைமதிப்பான பொருட்களையும், (நகைகள், பணம், கடன் அட்டைகள், காசோலை புத்தகங்கள்) வீட்டில் வைத்துவிடவும். மருத்துமனையில் எந்த பொருளை இழந்தாலும் அதற்கு மருத்துவமனை பொறுப்பு அல்ல. அறுவை சிகிச்சையின் போது குடும்ப உறுப்பினர்கள் அல்லது நண்பர்கள் ஆபரேஷன் தியேட்டர் வெளியே காத்திருக்கலாம்.

தாமதங்கள்

சில நேரங்களில், எதிர்பாராத அவசர அறுவை சிகிச்சை இருந்தால் அதைத் தாமதமாகச் செய்ய முடியாது. தயவு செய்து இதுபோன்ற தவிர்க்க முடியாத சூழ்நிலையில் ஒத்துழைக்கவும்.

டிஸ்சார்ஜ் செய்யும் போது கவனிக்க வேண்டியவை

உணவு மற்றும் மருந்துகளைப் பற்றிய ஆலோசனை வழங்கப்படும். எமது பயிற்சி பெற்ற செவிலியர் நீங்கள் மேற்கொள்ள வேண்டிய பாதுகாப்பு வழிமுறைகளைப் பற்றி எடுத்துரைப்பார்கள்.உங்கள் பாதுகாப்பு பற்றி எந்த கேள்வியும் நீங்கள் கேட்கலாம்.நீங்கள், ஆழ்ந்த சுவாசம் மற்றும் இருமல் பயிற்சிகள், லேசான உடற்பயிற்சிகள் மற்றும் நடைபயிற்சி செய்ய எதிர்பார்க்கப்படுகிறது. மது அருந்துதல் அல்லது புகை பிடிப்பதைத் தவிர்ப்பது நலம்.

எச்சரிக்கையாக இருக்க வேண்டிய தருணங்கள்

அறுவை சிகிச்சை செய்த இடத்தில் வலி அல்லது அசௌகரியம் இருந்தால் மற்றும் சிறுநீர் செலுத்தக் (அறுவை சிகிச்சைக்கு பின்னர் 1 நாள்) கடினமாக உள்ளது என்றால் எங்களிடம் தெரிவிக்கவும்.

லேபராஸ்கோபிக் காயத்தழும்பு

உங்கள் அடிவயிற்றில் ஒரு சில சிறு கீறல்கள் இருக்கும். தையல்கள் இருக்காது. 2 நாட்களுக்கு பிறகு குளிக்கலாம். நீங்கள் 6 வாரங்களுக்கு கடினமான, பழுவான பொருட்களைத் தூக்கக்கூடாது. நீங்கள் பாலியல் செயல்பாடு மேற்கொள்ளலாம். மலச்சிக்கல் இருந்தால் நார்ச்சத்து உள்ள உணவுகளை அதிகமாக சாப்பிட வேண்டும். பச்சைக் காய்கறிகளும்,பழங்களிலும் நார்ச்சத்து அதிகம் உள்ளது. நீங்கள் 8 – 10 கோப்பைகள் தண்ணீர் ஒரு நாள் குடிக்கவேண்டும்.

நீங்கள் பின்வரும் பிரச்சனைகள் இருந்தால் எங்களை அழைக்கவும்

அறுவைசிகிச்சை செய்ய இடத்தில் வலி மூச்சு திணறல் அல்லது மார்பு வலி.

உங்கள் குடும்ப டாக்டர்

நீங்கள் எல்லா நேரங்களிலும், உங்கள் குடும்ப டாக்டர் உடன் நெருங்கிய தொடர்பில் இருக்க வேண்டும். அவர் உங்களுக்கு என்ன நடக்கிறது, உங்களுக்கு உடனடி தேவை என்ன என்பது பற்றி வழிகாட்டுவார் .

நீங்கள் எங்களைத் தொடர்பு கொள்ள வேண்டிய முகவரி

கேட்வே மருத்துவமனை

43, மேற்கு பெரியசாமி ரோடு, ஐ பவுண்டேசன் அருகில்,
ஆர்.எஸ்.புரம், கோயமுத்தூர் – 641 002. இந்தியா
மொபைல் எண் : 91 92457 31318,
91 422 6995979, 91 422 6472244, 91 4222542244
Web : www.gatewayclinics.com
email : gatewayclinicscoimbatore@gmail.com

We have written this booklet to help you and your family through your Laparoscopic day care hernia surgery at Gateway.This booklet will help you learn about the hernia, its treatment options & about care you will receive with Do's & Don't before and after surgery. Please read this booklet and encourage your family to read it as well .

what does hernia mean ?

(The word hernia, in Latin language, means rupture)

The wall of the abdomen contains areas of possible weakness.A hernia is a "protusion of part of an organ from its normal position within the body"

Types of Hernia

An inguinal hernia is an opening in the abdominal wall located at the groin.

An incisional hernia can occur in an area where the abdominal wall was weakened by previous surgery.An umbilical hernia looks like a bulging navel.An epigastric hernia develops in the mid upper abdomen along the line from the breastbone to the navel. A femoral hernia which develops at or near the leg crease is lower than an inguinal hernia. It is more likely to occur in women.

Types of Hernia Surgery

Open Method

The hernia is repaired by making an incision in the muscular wall. Mesh may be used to reinforce the weakened muscle Laparoscopic.

A thin device called a laparoscope is used to do your surgery.A few small incisions are made on your abdomen. The laparoscope is inserted through one of these small incisions. Using video images from the laparoscope, other surgical instruments are guided to the surgical area. A general anesthetic is needed for this surgery.

Laparoscopic Repair of hernia is a recommended & speciality service at *Gateway Clinics* .

Getting Ready for Surgery

Pre-Operative Preparation

You will be asked health questions, may have a heart test (ECG), Chest X-ray, Basic blood tests and Echo if necessary which will be reveiwed by us & by an anesthesiologist (a doctor who puts patients to sleep for pain free surgery).

If you are taking any medications for Diabetes, Blood pressure or other diseases please bring them with you and inform us. It is very important to notify us at least one week before your surgery if you are taking tablet Aspirin, Clopidogril or blood thinners as these medicines have to be stopped before your surgery.

What Kind of Anesthetic Do You Need?

With a general anesthesia, you will be given medication and be asleep during your surgery.This type of anesthesia is. needed for laparoscopic hernia surgery

For general anesthesia

Do not eat or drink anything after midnight if operation is planned at 6:30 am in the morning.Do not eat or drink anything after 9 am in morning if operation is planned at 3:00 pm in the afternoon.

The Day of Surgery

A good night's rest before surgery is important. Leave all valuables (jewellery, money, credit cards, cheque books) at home. The hospital is not responsible for the loss of any item. Family members friends can wait outside Operation Theater while you are in surgery or recovery

Delay

Sometimes, an unexpected emergency surgery can delay a preplanned operation. Kindly co-operate in such unavoidable circumstances.

On discharge

Discharge advise about diet, medicines will be given by us. Our trained Staff nurse will review instructions for care at home with you and your family member. Be sure to ask any questions about your care. You will be expected to do deep breathing and coughing exercises, mild Foot and Leg Exercises and walking.

Do not drink alcohol or smoke in pre and post operative time.**(And NEVER if possible...it kills!!!)**

Do not be alarmed, as these is to be expected.

You may feel some pain or discomfort. It is sometimes difficult to get your urine stream started the 1st day or so after surgery.

Care of the Laparoscopic Incision

There will be a few (3 to 4) small incisions in your abdomen. You may or may not have stitches. If you do, they need to be removed about 5 days after discharge. You will be given an appointment. Remove the bandage after 2 days and leave the wound open to the air. Do not lift anything heavy for 6 weeks .

You may resume sexual activity whenever you feel well enough. If constipation is a problem, try to eat foods high in fibre and roughage. green leafy vegetables and fresh fruits are high in fibre. Drink 8-10 glasses of water a day. .

Call Us if you have

Vomiting, Fever, Redness, Swelling or Warmth around the incision. Increasing pain or a change in the type of pain. Significant shortness of breath or chest pain. There are a number of people who will be involved in your care. You and your family are the most important members of the Team.

Your Family Doctor

It is important to stay in close contact with your family doctor at all times. He/she needs to know what is happening to you. Your family doctor can provide support and help guide you through this time.

Dr.K.Sendhilkumar

Dr.Piyush Patwa

Dr.Latif Bagwan

Dr.T.Deepu

You can contact us :

Gateway Clinics

43, West Periyasamy Road, (Near Eye Foundation),
R.S. Puram, Coimbatore - 641 002.

email : gatewayclinicscoimbatore@gmail.com

Web : www.gatewayclinics.com

For appointment :

Mobile : + 91 92457 31318

Phone : +91 422 6995979, +91 422 6472244, +91 422 2542244



COVIDIEN