




```
Router
Router(config)#int e0/0
Router(config-if)#ip add 50.0.0.1 255.0.0.0
Router(config-if)#no sh
Router(config-if)#exit
Router(config)#
Router(config)#int e0/1
Router(config-if)#ip add 60.0.0.1 255.0.0.0
Router(config-if)#no sh
Router(config-if)#exit
Router(config)#
```





C:\WINDOWS\system32\cmd.exe

C:\Documents and Settings\user>route add 60.0.0.0 mask 255.0.0.0 50.0.0.1

C:\Documents and Settings\user>route print

=====

Interface List

0x1 ..... MS TCP Loopback interface  
0x2 ...50 fe 9c 09 4f 00 ..... Intel(R) PRO/1000 MT Network Connection - Packet Scheduler Miniport

=====

Active Routes:

| Network         | Destination     | Netmask         | Gateway   | Interface | Metric |
|-----------------|-----------------|-----------------|-----------|-----------|--------|
|                 | 0.0.0.0         | 0.0.0.0         | 50.0.0.1  | 50.0.0.10 | 10     |
|                 | 50.0.0.0        | 255.0.0.0       | 50.0.0.10 | 50.0.0.10 | 10     |
|                 | 50.0.0.10       | 255.255.255.255 | 127.0.0.1 | 127.0.0.1 | 10     |
| 50.255.255.255  | 255.255.255.255 | 255.255.255.255 | 50.0.0.10 | 50.0.0.10 | 10     |
|                 | 60.0.0.0        | 255.0.0.0       | 50.0.0.1  | 50.0.0.10 | 1      |
|                 | 127.0.0.0       | 255.0.0.0       | 127.0.0.1 | 127.0.0.1 | 1      |
|                 | 224.0.0.0       | 240.0.0.0       | 50.0.0.10 | 50.0.0.10 | 10     |
| 255.255.255.255 | 255.255.255.255 | 255.255.255.255 | 50.0.0.10 | 50.0.0.10 | 1      |


Default Gateway: 50.0.0.1

=====

Persistent Routes:

None





## Internet Protocol (TCP/IP) Properties

### General

You can get IP settings assigned automatically if your network supports this capability. Otherwise, you need to ask your network administrator for the appropriate IP settings.

☐ Obtain an IP address automatically

☒ Use the following IP address:

IP address:

60 . 0 . 0 . 10

Subnet mask:

255 . 0 . 0 . 0

Default gateway:

60 . 0 . 0 . 1

☐ Obtain DNS server address automatically

☒ Use the following DNS server addresses:

Preferred DNS server:

Alternate DNS server:

Advanced...

OK

Cancel



```
C:\WINDOWS\system32\cmd.exe
C:\Documents and Settings\user>route add 50.0.0.0 mask 255.0.0.0 60.0.0.1
C:\Documents and Settings\user>route print
=====
Interface List
0x1 ..... MS TCP Loopback interface
0x2 ...50 86 5f 09 50 00 ..... Intel(R) PRO/1000 MT Network Connection - Packet Scheduler Miniport
=====
Active Routes:
Network Destination    Netmask          Gateway          Interface        Metric
0.0.0.0                0.0.0.0          60.0.0.1         60.0.0.10        10
50.0.0.0              255.0.0.0          60.0.0.1         60.0.0.10         1
60.0.0.0              255.0.0.0          60.0.0.10        60.0.0.10        10
60.0.0.10            255.255.255.255    127.0.0.1        127.0.0.1         10
60.255.255.255        255.255.255.255    60.0.0.10        60.0.0.10         10
127.0.0.0             255.0.0.0          127.0.0.1        127.0.0.1         1
224.0.0.0             240.0.0.0          60.0.0.10        60.0.0.10        10
255.255.255.255       255.255.255.255    60.0.0.10        60.0.0.10         1
Default Gateway:      60.0.0.1
=====
Persistent Routes:
None
```

QEMU (Win1)



My Documents

My Computer

50.0.

My Network Places

Recycle Bin

Internet Explorer

Cisco ASDM-1...

Old Java ASDM

C:\WINDOWS\system32\cmd.exe

```
Reply from 60.0.0.10: bytes=32 time=3ms TTL=127
Reply from 60.0.0.10: bytes=32 time=1ms TTL=127
Reply from 60.0.0.10: bytes=32 time=2ms TTL=127
Reply from 60.0.0.10: bytes=32 time=1ms TTL=127
```

Ping statistics for 60.0.0.10:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),  
Approximate round trip times in milli-seconds:  
Minimum = 1ms, Maximum = 3ms, Average = 1ms

C:\Documents and Settings\user>ping 60.0.0.10

Pinging 60.0.0.10 with 32 bytes of data:

```
Reply from 60.0.0.10: bytes=32 time=1ms TTL=127
Reply from 60.0.0.10: bytes=32 time=1ms TTL=127
Reply from 60.0.0.10: bytes=32 time=1ms TTL=127
Reply from 60.0.0.10: bytes=32 time=1ms TTL=127
```

Ping statistics for 60.0.0.10:

Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),  
Approximate round trip times in milli-seconds:  
Minimum = 1ms, Maximum = 1ms, Average = 1ms

C:\Documents and Settings\user>