

Database

Agenda

- What is database?
- Relational database – postgresSQL
- NoSQL vs. SQL
- What is MongoDB?
- New Words
- Installing MongoDB
- Query assignments.

What is database?

*A **database** is an organized collection of data, generally stored and accessed electronically from a computer system. Where databases are more complex they are often developed using formal design and modeling techniques.




Classification of database-management systems (DBMS) according to the database models


- Database models:
 - Relational databases (SQL) - **SQL** - Structured Query Language
 - MySQL, PostgreSQL, Oracle ...
 - Non-Relational databases (NoSQL)
 - MongoDB, DocumentDB, Cassandra, Couchbase, HBase, Redis ...

Relational database


Database: **University**



Non-Relational database (MongoDB)



Relational vs. Non-Relational



Relational vs. Non-Relational

Relational

ID	first_name	last_name	cell	city	year_of_birth	location_x	location_y
1	'Mary'	'Jones'	'516-555-2048'	'Long Island'	1986	'-73.9876'	'40.7574'

ID	user_id	profession
10	1	'Developer'
11	1	'Engineer'

ID	user_id	name	version
20	1	'MyApp'	1.0.4
21	1	'DocFinder'	2.5.7

ID	user_id	make	year
30	1	'Bentley'	1973
31	1	'Rolls Royce'	1965

MongoDB

```
{  first_name: "Mary",
  last_name: "Jones",
  cell: "516-555-2048",
  city: "Long Island",
  year_of_birth: 1986,
  location: {
    type: "Point",
    coordinates: [-73.9876, 40.7574]
  },
  profession: ["Developer", "Engineer"],
  apps: [
    { name: "MyApp",
      version: 1.0.4 },
    { name: "DocFinder",
      version: 2.5.7 }
  ],
  cars: [
    { make: "Bentley",
      year: 1973 },
    { make: "Rolls Royce",
      year: 1965 }
  ]
}
```


What is MongoDB

MongoDB is a source-available cross-platform document-oriented database program.

Classified as a NoSQL database program, **MongoDB** uses JSON-like documents with optional schemas.

New words (MongoDB)

- **MongoDB comes with its own language**
 - **Collection** - Think of this like an array of documents
 - **Document** - An individual record
 - **Embedded Documents** - We can embed records inside another
 - **Schema** - A "pattern" which the data must follow
 - **Model** - We use a schema to build a Model. A Model contains mongoose methods which we can run.
 - **Field** - like a key in an object (a name for a value)
 - **_id** - A unique value which identifies a Document

Installing MongoDB

- For Mac:
 - <https://www.mongodb.com/try/download/community>
 - Download 'tgz' package then extract it
 - Copy files from 'bin' folder to /usr/local/bin
 - Create a folder in order to store database
 - `sudo mkdir -p /data/db`
 - Change owner of the new created folder:
 - `sudo chown -R `id -un` /data/db`
 - Open 2 tabs:
 - 1st tab run: `mongod`
 - 2nd tab in order to open shell run: `mongo`

Installing MongoDB

- For Linux:
 - `sudo apt update`
 - `sudo apt install mongodb`
 - `sudo systemctl status mongodb`
 - active(running)
 - `mongod --version`
 - In order to run shell: `mongo`

Installing MongoDB

- For Windows:
 - Step 1: Go to the link (given in the description)
 - <https://www.mongodb.com/try/download/community>
 - Step 2: Download execute the installer by double click on exe.
 - Accept license agreement
 - Select “Complete” , **do not** change anything and click “Next”
 - Next step, uncheck “**Install MongoDB Compass**”
 - Step 3: Mongo DB Configuration (most Important step)
Mongo configuration folder: **C:\Program Files\MongoDB\Server\4.2**
Open Command Prompt as Administrator
To check server started run following command: **net start MongoDB**
 - Step 4: Open mongo shell prompt.
 - cd C:\Program Files\MongoDB\Server\4.2\bin
 - Mongo
 - exit from console : press **CTRL+ C** or type - **quit()**
 - Step 5: Starting server - **net start MongoDB**
 - Step 6: stopping server- **net stop MongoDB**