



UNIVERSIDAD TECNICA  
FEDERICO SANTA MARIA

# Microturbinas eólicas inspiradas en el vuelo de un albatros



Engineering, 2014, 6, 427-438

Published Online July 2014 in SciRes. <http://www.scirp.org/journal/eng>

<http://dx.doi.org/10.4236/eng.2014.68045>



# The Flight of Albatross—How to Transform It into Aerodynamic Engineering?



Günther Pfeifhofer\*, Helmut Tributsch

Carinthia University of Applied Sciences, Villach,

Email: [G.Pfeifhofer@fh-kaernten.at](mailto:G.Pfeifhofer@fh-kaernten.at), [Helmut.Tributsch@fh-kaernten.at](#)



Received 26 April 2014; revised 30 May 2014; accepted 3 June 2014








# Prototipo



Créditos: Alex  
Flores (DIMEC)

# Preguntas

Ángulo con respecto a la posición?




Fuerza sobre los perfiles alares?

Potencia a X rpm?


# Modelo: flujo potencial

Flujo incompresible ( $\text{div}(\mathbf{V})=0$ ) y no viscoso ( $\text{curl}(\mathbf{V})=0$ )


$$\nabla \cdot \mathbf{V} = \nabla \cdot \nabla \phi = \nabla^2 \phi = 0$$




(a) Uniform flow in the x-direction



(b) Line source



(c) Vortex



(d) Doublet

Flujo uniforme horizontal (dirección +x):

$$u = U_{\infty} \quad v = 0$$

$$\phi = U_{\infty}x \quad \psi = U_{\infty}y$$

Flujo uniforme vertical (dirección +y):

$$u = 0 \quad v = V_{\infty}$$

$$\phi = V_{\infty}y \quad \psi = -V_{\infty}x$$

Fuente:

$$V_r = \frac{q}{2\pi r} \quad V_{\theta} = 0$$

$$\phi = \frac{q}{2\pi} \ln(r) \quad \psi = \frac{q}{2\pi} \theta$$

Sumidero:

$$V_r = -\frac{q}{2\pi r} \quad V_{\theta} = 0$$

$$\phi = -\frac{q}{2\pi} \ln(r) \quad \psi = -\frac{q}{2\pi} \theta$$

Vórtice (dirección contra reloj):

$$V_r = 0 \quad V_{\theta} = \frac{\Gamma}{2\pi r}$$

$$\phi = \frac{\Gamma}{2\pi} \theta \quad \psi = -\frac{\Gamma}{2\pi} \ln(r).$$

# Método del panel

Hess y Smith (~1960): sistema lineal para fuerza del vórtice

