

Manage Apps

create app	\$ cctrlapp	APP_NAME	create	java, python, ruby, nodejs
delete app	\$ cctrlapp	APP_NAME	delete	
show app details	\$ cctrlapp	APP_NAME	details	
create custom app	\$ cctrlapp	APP_NAME	create	custom --buildpack BUILDPACK_REPOSITORY_URL

Manage Deployments

push code	\$ cctrlapp	APP_NAME/DEP_NAME	push	[PATH_TO_LOCAL_BRANCH]
drop cache and push	\$ cctrlapp	APP_NAME/DEP_NAME	push	--clear-buildpack-cache
deploy	\$ cctrlapp	APP_NAME/DEP_NAME	deploy	[--containers 1..8] [--memory 128MB..1024MB] [--stack STACK] [VERSION]
push and deploy	\$ cctrlapp	APP_NAME/DEP_NAME	push	--deploy
push, deploy, log deploy, open	\$ cctrlapp	APP_NAME/DEP_NAME	push	--ship
undeploy	\$ cctrlapp	APP_NAME/DEP_NAME	undeploy	
deploy previous version	\$ cctrlapp	APP_NAME/DEP_NAME	rollback	
show deployment details	\$ cctrlapp	APP_NAME/DEP_NAME	details	
open deployment in browser	\$ cctrlapp	APP_NAME/DEP_NAME	open	

Custom Domains

show aliases	\$ cctrlapp	APP_NAME/DEP_NAME	alias	
add alias	\$ cctrlapp	APP_NAME/DEP_NAME	alias.add	www.example.org
remove alias	\$ cctrlapp	APP_NAME/DEP_NAME	alias.remove	www.example.org

Manage Add-ons

info on all used add-ons	\$ cctrlapp	APP_NAME/DEP_NAME	addon	
show credentials for used add-ons	\$ cctrlapp	APP_NAME/DEP_NAME	addon.creds	[ADDON.SIZE]
show all available add-ons	\$ cctrlapp	APP_NAME/DEP_NAME	addon.list	
add add-on	\$ cctrlapp	APP_NAME/DEP_NAME	addon.add	ADDON.SIZE
remove add-on	\$ cctrlapp	APP_NAME/DEP_NAME	addon.remove	ADDON.SIZE
upgrade add-on	\$ cctrlapp	APP_NAME/DEP_NAME	addon.upgrade	ADDON.CURRENT ADDON.NEW
downgrade add-on	\$ cctrlapp	APP_NAME/DEP_NAME	addon.downgrade	ADDON.CURRENT ADDON.NEW

Access Logs

show deploy log	\$ cctrlapp	APP_NAME/DEP_NAME	log	deploy
show access log	\$ cctrlapp	APP_NAME/DEP_NAME	log	access
show error log	\$ cctrlapp	APP_NAME/DEP_NAME	log	error
show worker log	\$ cctrlapp	APP_NAME/DEP_NAME	log	worker

Manage Developers Access

list all users with app access	\$ cctrlapp	APP_NAME	user	
add user by email to the app	\$ cctrlapp	APP_NAME	user.add	user@example.org
remove user by email to the app	\$ cctrlapp	APP_NAME	user.remove	user@example.org

Manage Your User Account

create user account	\$ cctrluser	create	[--name USERNAME] [--email EMAIL] [--password PWD]	
activate user account	\$ cctrluser	activate	USERNAME ACTIVATION_CODE	
delete user account	\$ cctrluser	delete		
show list of SSH keys	\$ cctrluser	key		
show SSH key	\$ cctrluser	key	[KEY_ID]	
add public SSH key	\$ cctrluser	key.add		
remove public SSH key	\$ cctrluser	key.remove	[KEY_ID]	
logout	\$ cctrluser	logout		

Maintenance

start bash in a container	\$ cctrlapp	APP_NAME/DEP_NAME	run	bash
run any command in a container	\$ cctrlapp	APP_NAME/DEP_NAME	run	COMMAND_TO_EXECUTE

To view all commands, run: **cctrlapp --help**

Find the complete documentation at the cloudControl Development Center > www.cloudcontrol.com/dev-center