
orders
order_id int
customer_id int
website_id int
customer_address_id int
order_date timestamp
total_amount_local decimal(1...
currency_id int
exchange_rate_id int
exchange_rate_snaps decimal(1...
total_amount_base decimal(1...
status_id int
etheria_dispatch_id int?
notes text?
enabled tinyint(1)
created_at timestamp
updated_at timestamp
updated_by varchar(100)
checksum varchar(64)?
Indexes
customer_id,website_id
customer_addresses
customer_address_id int
customer_id int
address_id int
is_default tinyint(1)
enabled tinyint(1)
created_at timestamp
addresses
address_id int
address_line1 varchar(200)
address_line2 varchar(200)?
city_id int
postal_code varchar(20)?
enabled tinyint(1)
created_at timestamp
updated_at timestamp
updated_by varchar(100)
exchange_rates
exchange_rate_id int
currency_id int
base_currency_id int
rate decimal(18,6)
rate_date date
source varchar(100)?
enabled tinyint(1)
created_at timestamp
updated_by varchar(100)
checksum varchar(64)?
Indexes
currency_id,base_currency_id...
customers
customer_id int
first_name varchar(80)
last_name varchar(80)
email varchar(150)
phone varchar(30)?
country_id int
enabled tinyint(1)
created_at timestamp
updated_at timestamp
updated_by varchar(100)
checksum varchar(64)?
states
state_id int
country_id int
state_name varchar(100)
state_code varchar(10)?
enabled tinyint(1)
created_at timestamp
order_statuses
status_id int
status_code varchar(30)
description varchar(150)?
enabled tinyint(1)
cities
city_id int
state_id int
city_name varchar(100)
enabled tinyint(1)
created_at timestamp
countries
country_id int
country_name varchar(100)
iso_code char(3)
currency_id int
enabled tinyint(1)
created_at timestamp
updated_at timestamp
updated_by varchar(100)
checksum varchar(64)?
website_product_prices
price_id int
website_product_id int
sale_price decimal(14,4)
currency_id int
valid_from date
valid_until date?
created_at timestamp
updated_by varchar(100)
websites
website_id int
brand_id int
country_id int
site_url varchar(500)
marketing_focus varchar(200)?
site_config json?
status_id int
launch_date date?
close_date date?
enabled tinyint(1)
created_at timestamp
updated_at timestamp
updated_by varchar(100)
checksum varchar(64)?
Indexes
brand_id,country_id
currencies
currency_id int
currency_code char(3)
currency_name varchar(80)
currency_symbol varchar(5)?
is_base tinyint(1)
enabled tinyint(1)
created_at timestamp
updated_at timestamp
updated_by varchar(100)
checksum varchar(64)?
website_products
website_product_id int
website_id int
catalog_product_id int
is_featured tinyint(1)
enabled tinyint(1)
created_at timestamp
updated_at timestamp
updated_by varchar(100)
Indexes
website_id,catalog_product_id
website_statuses
status_id int
status_code varchar(30)
description varchar(150)?
enabled tinyint(1)
product_catalog
catalog_product_id int
etheria_product_id int
brand_id int
branded_name varchar(150)
branded_description text?
branded_image_url varchar(5...?
health_claims text?
enabled tinyint(1)
created_at timestamp
updated_at timestamp
updated_by varchar(100)
checksum varchar(64)?
Indexes
etheria_product_id,brand_id
reference_types
reference_type_id int
reference_code varchar(30)
reference_name varchar(100)
description varchar(200)?
enabled tinyint(1)
brands
brand_id int
brand_name varchar(150)
brand_logo_url varchar(500)?
focus_id int
ai_model_version varchar(50)?
ai_generation_params json?
generated_at timestamp?
enabled tinyint(1)
created_at timestamp
updated_at timestamp
updated_by varchar(100)
checksum varchar(64)?
brand_focuses
focus_id int
focus_code varchar(30)
focus_name varchar(100)
enabled tinyint(1)
shipping_statuses
status_id int
status_code varchar(30)
description varchar(150)?
enabled tinyint(1)
movement_types
movement_type_id int
type_code varchar(20)
type_name varchar(60)
direction tinyint
enabled tinyint(1)
drawSQL


public
countries
country_id serial
country_name character varying(100)
iso_code character(3)
region character varying(100)
currency_id integer
enabled boolean
created_at timestamp without time zone
updated_at timestamp without time zone
updated_by character varying(100)
checksum character varying(64)
public
states
state_id serial
country_id integer
state_name character varying(100)
state_code character varying(10)
enabled boolean
created_at timestamp without time zone
public
cities
city_id serial
state_id integer
city_name character varying(100)
enabled boolean
created_at timestamp without time zone
public
currencies
currency_id serial
currency_code character(3)
currency_name character varying(80)
currency_symbol character varying(5)
is_base boolean
enabled boolean
created_at timestamp without time zone
updated_at timestamp without time zone
updated_by character varying(100)
checksum character varying(64)
public
addresses
address_id serial
address_line1 character varying(200)
address_line2 character varying(200)
city_id integer
postal_code character varying(20)
enabled boolean
created_at timestamp without time zone
updated_at timestamp without time zone
updated_by character varying(100)
public
process_log
log_id bigserial
sp_name character varying(100)
action_description text
affected_table character varying(100)
affected_record_id bigint
status character varying(20)
error_detail text
executed_at timestamp without time zone
executed_by character varying(100)
public
measurement_units
unit_id serial
unit_code character varying(10)
unit_name character varying(40)
unit_type character varying(20)
enabled boolean
created_at timestamp without time zone
public
warehouse_types
warehouse_type_id serial
type_code character varying(20)
type_name character varying(60)
enabled boolean
public
categories
category_id serial
category_name character varying(100)
description character varying(300)
enabled boolean
created_at timestamp without time zone
updated_at timestamp without time zone
updated_by character varying(100)
public
etl_profitability_summary
summary_id bigserial
category_id integer
brand_name character varying(190)
site_url character varying(500)
country_id integer
sale_currency_code character(3)
base_currency_code character(3)
total_orders integer
total_units_sold numeric(14,3)
revenue_local numeric(18,4)
revenue_base numeric(18,4)
cost_product numeric(18,4)
cost_logistics numeric(18,4)
cost_tariffs numeric(18,4)
cost_permits numeric(18,4)
cost_shipping numeric(18,4)
cost_total numeric(18,4)
gross_margin numeric(18,4)
gross_margin_pct numeric(5,4)
roi_pct numeric(9,4)
etl_run_at timestamp without time zone
etl_period_from date
etl_period_to date
public
products
product_id serial
product_name character varying(150)
category_id integer
unit_id integer
unit_volume_m3 numeric(10,6)
unit_weight_kg numeric(10,4)
origin_country_id integer
enabled boolean
created_at timestamp without time zone
updated_at timestamp without time zone
updated_by character varying(100)
checksum character varying(64)
public
import_statuses
status_id serial
status_code character varying(30)
description character varying(150)
enabled boolean
public
movement_types
movement_type_id serial
type_code character varying(20)
type_name character varying(60)
direction smallint
enabled boolean
public
permit_statuses
status_id serial
status_code character varying(30)
description character varying(150)
enabled boolean
public
permit_types
permit_type_id serial
permit_type_code character varying(20)
permit_type_name character varying(100)
issuing_authority character varying(190)
enabled boolean
created_at timestamp without time zone
public
reference_types
reference_type_id serial
reference_code character varying(20)
reference_name character varying(100)
description character varying(200)
enabled boolean
public
warehouses
warehouse_id serial
warehouse_name character varying(100)
address_id integer
warehouse_type_id integer
capacity_units integer
enabled boolean
created_at timestamp without time zone
updated_at timestamp without time zone
updated_by character varying(100)
public
suppliers
supplier_id serial
supplier_name character varying(150)
country_id integer
address_id integer
contact_email character varying(150)
contact_phone character varying(30)
tax_id character varying(50)
enabled boolean
created_at timestamp without time zone
updated_at timestamp without time zone
updated_by character varying(100)
checksum character varying(64)
public
exchange_rates
exchange_rate_id serial
currency_id integer
base_currency_id integer
rate numeric(18,6)
rate_date date
source character varying(100)
enabled boolean
created_at timestamp without time zone
updated_by character varying(100)
checksum character varying(64)
public
dispatch_orders
dispatch_order_id bigserial
reference_order_id integer
product_id integer
quantity numeric(12,3)
warehouse_id integer
destination_country_id integer
brand_label character varying(190)
packaging_permit_ok boolean
unit_cost numeric(14,4)
currency_id integer
exchange_rate_id integer
dispatch_date timestamp without time zone
courier_handoff_date timestamp without time zone
status_id integer
enabled boolean
created_at timestamp without time zone
updated_at timestamp without time zone
updated_by character varying(100)
checksum character varying(64)
public
inventory_movements
movement_id bigserial
warehouse_id integer
product_id integer
movement_type_id integer
quantity numeric(12,3)
unit_cost numeric(14,4)
currency_id integer
exchange_rate_id integer
reference_type_id integer
reference_id integer
notes text
moved_at timestamp without time zone
moved_by character varying(100)
checksum character varying(64)
public
product_permits
permit_id serial
product_id integer
destination_country_id integer
permit_type_id integer
permit_number character varying(100)
valid_from date
valid_until date
cost_amount numeric(12,4)
currency_id integer
exchange_rate_id integer
status_id integer
enabled boolean
created_at timestamp without time zone
updated_at timestamp without time zone
updated_by character varying(100)
public
cost_types
cost_type_id serial
cost_type_code character varying(20)
cost_type_name character varying(100)
description character varying(300)
applies_to character varying(30)
enabled boolean
created_at timestamp without time zone
public
imports
import_id serial
supplier_id integer
status_id integer
import_date date
expected_arrival date
actual_arrival date
notes text
enabled boolean
created_at timestamp without time zone
updated_at timestamp without time zone
updated_by character varying(100)
checksum character varying(64)
public
import_costs
import_cost_id serial
import_id integer
cost_type_id integer
amount numeric(14,4)
currency_id integer
exchange_rate_id integer
notes text
created_at timestamp without time zone
updated_by character varying(100)
public
import_details
import_detail_id serial
import_id integer
product_id integer
quantity numeric(12,3)
unit_cost numeric(14,4)
currency_id integer
exchange_rate_id integer
subtotal numeric(16,4)
created_at timestamp without time zone
updated_by character varying(100)
checksum character varying(64)
public
import_tariffs
tariff_id serial
import_detail_id integer
destination_country_id integer
cost_type_id integer
tariff_rate_percent numeric(5,2)
amount numeric(14,4)
currency_id integer
exchange_rate_id integer
created_at timestamp without time zone
updated_by character varying(100)