University of Strathclyde Glasgow

Department of Mathematics and Statistics

MM102 APPLICATIONS OF CALCULUS

Tuesday, 14 May 2019 **9:30 – 11:30**

Duration: 2 hours

Attempt ALL questions.
Use of a calculator is NOT permitted.
Answers will receive credit only if supported by appropriate working.

1. **(a)** Evaluate the following integrals

(i) $\displaystyle\int \sin^2 x \cdot \cos^7 x \, \mathrm{d}x \,,$ **(ii)** $\displaystyle\int_1^3 \frac{x^2+1}{\sqrt{-x^2+2x+15}} \, \mathrm{d}x.$

(6, 8 marks)

(b) Sketch the finite region that is bounded by the curves

$$y = \sqrt{x}, \qquad y = x.$$

Hence find the volume of the solid that is obtained when this region is rotated through 360° about the ***x*-axis**.

(5 marks)

Qu. 2 ON NEXT SHEET

2. **(a)** Find $\dfrac{\mathrm{d}y}{\mathrm{d}x}$ as functions of x and y given that

$$xe^y + x^3 \sin y = 1. \qquad (*)$$

Hence find the equation of the tangent to the curve given by $(*)$ at the point $(1, 0)$.

(5 marks)

(b) Find the Taylor polynomial of degree 2 about $x = e$ and corresponding remainder term of the function

$$f(x) = x^2 \ln x.$$

(7 marks)

(c) Consider the function

$$f(x) = \frac{x^2 + 3}{x - 1}.$$

(i) Determine the natural domain of f.

(ii) Find all the asymptotes of f.

(iii) Find the position and the nature of the stationary points and calculate the values of the function f at these stationary points.
Moreover, determine where the function is increasing and where it is decreasing.

(iv) Find the points of intersection of the graph with the x-axis and the y-axis.

(v) Use this information to sketch the graph of f.
Draw the asymptotes and label the stationary point(s) and points of intersection with the axes.

(1, 3, 7, 1, 2 marks)

Qu. 3 ON NEXT SHEET

3. **(a)** **(i)** Express $6\left(-\sqrt{3}-i\right)$ in polar form.

(ii) Find the three distinct cube roots of $6\left(-\sqrt{3}-i\right)$. (Give your answers in polar form using the principal value of the argument in each case.)

(1, 4 marks)

(b) **Use de Moivre's Theorem** to find constants a, b and c such that

$$\sin^4(\theta) \;=\; a\cos(4\theta) + b\cos(2\theta) + c.$$

(5 marks)

(c) **Given that** $z = 3 + i$ is a root of the equation

$$P(z) = z^4 - 4z^3 + 3z^2 - 10z + 50 = 0$$

find all the roots of the equation.

(6 marks)

Qu. 4 ON NEXT SHEET

4. **(a)** Consider the first order, linear differential equation

$$(x^2 - 1)\,\frac{\mathrm{d}y}{\mathrm{d}x} + 2xy = \sqrt{1 + 2x}\,,$$

where $x > 1$.

(i) What is the integrating factor for the differential equation?

(ii) Find the General Solution of the differential equation.
(Express your solution y explicitly as a function of x.)

(2, 3 marks)

(b) Find the Particular Solution of the differential equation

$$2x^2\frac{\mathrm{d}y}{\mathrm{d}x} = x^2 + y^2 \qquad \text{(where } x > 0\text{)}$$

which satisfies $y(1) = 0$.
(Express your solution y explicitly as a function of x.)

(7 marks)

(c) Find the General Solution of the second order, linear differential equation

$$\frac{\mathrm{d}^2y}{\mathrm{d}x^2} - \frac{\mathrm{d}y}{\mathrm{d}x} = 10\sin x + 1.$$

(7 marks)

Total number of marks: 80

END OF PAPER

(ML/JAM)