


## TEST DI COLLEGAMENTO CON META



Warning: Never expose this VM to an untrusted network!

Contact: msfdev[at]metasploit.com

Login with msfadmin/msfadmin to get started

- [TWiki](#)
- [phpMyAdmin](#)
- [Mutillidae](#)
- [DVWA](#)
- [WebDAV](#)

## PASSAGGIO PACCHETTI META

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

ip.addr==192.168.1.10

No.	Time	Source	Destination	Protocol	Length	Info
9	7.750946944	192.168.1.10	192.168.1.255	BROWSER	239	Browser Election Request
12	9.752089336	192.168.1.10	192.168.1.255	BROWSER	239	Browser Election Request
15	11.754150077	192.168.1.10	192.168.1.255	BROWSER	239	Browser Election Request
18	13.757055222	192.168.1.10	192.168.1.255	BROWSER	239	Browser Election Request
21	15.757875079	192.168.1.10	192.168.1.255	BROWSER	239	Browser Election Request
22	15.758285250	192.168.1.10	192.168.1.255	NBNS	110	Registration NB <01><02>_MSBROWSE
25	17.760125240	192.168.1.10	192.168.1.255	NBNS	110	Registration NB <01><02>_MSBROWSE
26	17.760826580	192.168.1.10	192.168.1.255	NBNS	110	Registration NB <01><02>_MSBROWSE
29	19.762242572	192.168.1.10	192.168.1.255	NBNS	110	Registration NB <01><02>_MSBROWSE
30	19.762988715	192.168.1.10	192.168.1.255	NBNS	110	Registration NB WORKGROUP<1d>
33	21.763851384	192.168.1.10	192.168.1.255	NBNS	110	Registration NB WORKGROUP<1d>
34	21.763851701	192.168.1.10	192.168.1.255	NBNS	110	Registration NB WORKGROUP<1d>
37	23.765953661	192.168.1.10	192.168.1.255	NBNS	110	Registration NB WORKGROUP<1d>
38	23.766678035	192.168.1.10	192.168.1.255	BROWSER	227	Request Announcement
39	23.767484779	192.168.1.10	192.168.1.255	BROWSER	286	Local Master Announcement METASPLOIT
40	23.767484900	192.168.1.10	192.168.1.255	BROWSER	257	Domain/Workgroup Announcement WORKG

Frame 9: 239 bytes on wire (1912 bits), 239  
 Ethernet II, Src: PCSSystemtec\_e5:4a:bf (08:00:0e:01:00:00), Dst: 01:00:00:00:00:00  
 Internet Protocol Version 4, Src: 192.168.1.10, Dst: 192.168.1.255  
 User Datagram Protocol, Src Port: 138, Dst Port: 138  
 NetBIOS Datagram Service  
 SMB (Server Message Block Protocol)  
 SMB MailSlot Protocol  
 Microsoft Windows Browser Protocol

0000 ff ff ff ff ff ff 08 00 27 e5 4a bf 08 00 45 00  
 0010 00 e1 00 00 40 00 40 11 b5 b2 c0 a8 01 0a c0 a8  
 0020 01 ff 00 8a 00 8a 00 cd 48 2d 11 0a 17 7c c0 a8  
 0030 01 0a 00 8a 00 b7 00 00 20 45 4e 45 46 45 45  
 0040 42 46 44 46 41 45 4d 45 50 45 4a 46 45 42 45  
 0050 43 45 4d 45 46 43 41 41 41 00 20 46 48 45 50 46  
 0060 43 45 4c 45 48 46 43 45 50 46 46 46 41 43 41 43  
 0070 41 43 41 43 41 43 41 43 41 42 4f 00 ff 53 4d 42  
 0080 25 00 00 00 00 00 00 00 00 00 00 00 00 00 00  
 0090 00 00 00 00 00 00 00 00 00 00 00 00 11 00 00 1d  
 00a0 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00  
 00b0 00 00 00 1d 00 56 00 03 00 01 00 01 00 02 00 2e  
 00c0 00 5c 4d 41 49 4c 53 4c 4f 54 5c 42 52 4f 57 53  
 00d0 45 00 08 01 02 0f 01 14 08 b1 05 00 00 00 00 00  
 00e0 4d 45 54 41 53 50 4c 4f 49 54 41 42 4c 45 00

Packets: 48 · Displayed: 16 (33.3%) · Dropped: 0 (0.0%) · Profile: Default

## REGOLA PER BLOCCARE IL PING TRA KALI E META

The screenshot shows the pfSense web interface for the Firewall Rules configuration. The URL in the browser is `https://192.168.1.1/firewall_rules.php?if=opt1`. A warning message at the top states: "WARNING: The 'admin' account password is set to the default value. Change the password in the User Manager." The breadcrumb navigation is "Firewall / Rules / OPT1". Below this, there are tabs for "Floating", "WAN", "LAN", and "OPT1", with "OPT1" being the active tab. The main section is titled "Rules (Drag to Change Order)". It contains a table with the following columns: States, Protocol, Source, Port, Destination, Port, Gateway, Queue, Schedule, Description, and Actions. The table has one rule listed: States: 0/0 B, Protocol: IPv4 TCP, Source: 192.168.1.100, Port: \*, Destination: 192.168.1.10, Port: \*, Gateway: \*, Queue: none. Below the table are buttons for "Add", "Add", "Delete", "Toggle", "Copy", "Save", and "Separator".

WARNING: The 'admin' account password is set to the default value. [Change the password in the User Manager.](#)

Firewall / Rules / OPT1

Floating WAN LAN OPT1

Rules (Drag to Change Order)

States	Protocol	Source	Port	Destination	Port	Gateway	Queue	Schedule	Description	Actions
0/0 B	IPv4 TCP	192.168.1.100	*	192.168.1.10	*	*	none			<a href="#">Add</a> <a href="#">Add</a> <a href="#">Delete</a> <a href="#">Toggle</a> <a href="#">Copy</a> <a href="#">Save</a> <a href="#">Separator</a>

```
(kali㉿kali)-[~]
$ ping 192.168.1.10
PING 192.168.1.10 (192.168.1.10) 56(84) bytes of data.
From 192.168.1.58 icmp_seq=1 Destination Host Unreachable
From 192.168.1.58 icmp_seq=2 Destination Host Unreachable
From 192.168.1.58 icmp_seq=3 Destination Host Unreachable
From 192.168.1.58 icmp_seq=4 Destination Host Unreachable
From 192.168.1.58 icmp_seq=5 Destination Host Unreachable
From 192.168.1.58 icmp_seq=6 Destination Host Unreachable
^C^C
— 192.168.1.10 ping statistics —
9 packets transmitted, 0 received, +6 errors, 100% packet loss, time 8382ms
pipe 4
```