

Prüfbericht-Nr.: Test report no.:	CN26L8YX 001	Auftrags-Nr.: Order no.:	170442611 (P0222563)	Seite 1 von 13 Page 1 of 13
Kunden-Referenz-Nr.: Client reference no.:	N/A	Auftragsdatum: Order date:	2026-01-13	
Auftraggeber: Client:	BIDCOM S.R.L Av. Bouchard 468, 5° piso I, CABA, Argentina			
Prüfgegenstand: Test item:	Dishwasher with 14 place settings			
Bezeichnung / Typ-Nr.: Identification / Type no.:	GADW14			
Auftrags-Inhalt: Order content:	Type test			
Prüfgrundlage: Test specification:	IRAM 2294-3:2016 IEC 60436:2015, Edition 4.0 IEC 60704-1:2010 IEC 60704-2-3:2017 IRAM 62301:2012			
Wareneingangsdatum: Date of sample receipt:	2026-01-13			
Prüfmuster-Nr.: Test sample no.:	A004170296-001			
Prüfzeitraum: Testing period:	2026-02-02~2026-03-10			
Ort der Prüfung: Place of testing:	Refer to following report			
Prüflaboratorium: Testing laboratory:	TÜV Rheinland (Guangdong) Ltd.			
Prüfergebnis*: Test result*:	Pass			
geprüft von: tested by:	 Signed by: Marco Yuan		genehmigt von: authorized by:	 Signed by: Martin Bi
Datum: Date:	2026-04-02	Ausstelldatum: Issue date:	2026-04-02	
Stellung / Position:	Project Engineer	Stellung / Position:	Authorizer	
Sonstiges / Other: N/A				
Zustand des Prüfgegenstandes bei Anlieferung: Condition of the test item at delivery:		Prüfmuster vollständig und unbeschädigt Test item complete and undamaged		
* Legende: P(ass) = entspricht o.g. Prüfgrundlage(n) F(ail) = entspricht nicht o.g. Prüfgrundlage(n) N/A = nicht anwendbar N/T = nicht getestet * Legend: P(ass) = passed a.m. test specification(s) F(ail) = failed a.m. test specification(s) N/A = not applicable N/T = not tested				
Dieser Prüfbericht bezieht sich nur auf das o.g. Prüfmuster und darf ohne Genehmigung der Prüfstelle nicht auszugsweise vervielfältigt werden. Dieser Bericht berechtigt nicht zur Verwendung eines Prüfzeichens. <i>This test report only relates to the above mentioned test sample. Without permission of the test center this test report is not permitted to be duplicated in extracts. This test report does not entitle to carry any test mark.</i>				

Test report no. / Prüfbericht Nr.: CN26L8YX 001

Anmerkungen Remarks	
1	Alle eingesetzten Prüfmittel waren zum angegebenen Prüfzeitraum gemäß eines festgelegten Kalibrierungsprogramms unseres Prüfhauses kalibriert. Sie entsprechen den in den Prüfprogrammen hinterlegten Anforderungen. Die Rückverfolgbarkeit der eingesetzten Prüfmittel ist durch die Einhaltung der Regelungen unseres Managementsystems gegeben. Detaillierte Informationen bezüglich Prüfkonditionen, Prüfequipment und Messunsicherheiten sind im Prüflabor vorhanden und können auf Wunsch bereitgestellt werden. <i>The equipment used during the specified testing period was calibrated according to our test laboratory calibration program. The equipment fulfils the requirements included in the relevant standards. The traceability of the test equipment used is ensured by compliance with the regulations of our management system.</i> <i>Detailed information regarding test conditions, equipment and measurement uncertainty is available in the test laboratory and could be provided on request.</i>
2	Wie vertraglich vereinbart, wurde dieses Dokument nur digital unterzeichnet. Der TÜV Rheinland hat nicht überprüft, welche rechtlichen oder sonstigen diesbezüglichen Anforderungen für dieses Dokument gelten. Diese Überprüfung liegt in der Verantwortung des Benutzers dieses Dokuments. Auf Verlangen des Kunden kann der TÜV Rheinland die Gültigkeit der digitalen Signatur durch ein gesondertes Dokument bestätigen. Diese Anfrage ist an unseren Vertrieb zu richten. Eine Umweltgebühr für einen solchen zusätzlichen Service wird erhoben. Informationen zur Verifizierung der Authentizität unserer Dokumente erhalten Sie auf folgender Webseite: go.tuv.com/digital-signature <i>As contractually agreed, this document has been signed digitally only. TÜV Rheinland has not verified and unable to verify which legal or other pertaining requirements are applicable for this document. Such verification is within the responsibility of the user of this document. Upon request by its client, TÜV Rheinland can confirm the validity of the digital signature by a separate document. Such request shall be addressed to our Sales department. An environmental fee for such additional service will be charged. For information on verifying the authenticity of our documents, please visit the following website: go.tuv.com/digital-signature</i>
3	Prüfklausel mit der Note * wurden an qualifizierte Unterauftragnehmer vergeben und sind unter der jeweiligen Prüfklausel des Berichts beschrieben. Abweichungen von Prüfspezifikation(en) oder Kundenanforderungen sind in der jeweiligen Prüfklausel im Bericht aufgeführt. <i>Test clauses with remark of * are subcontracted to qualified subcontractors and described under the respective test clause in the report.</i> <i>Deviations of testing specification(s) or customer requirements are listed in specific test clause in the report.</i>
4	Die Entscheidungsregel für Konformitätserklärungen basierend auf numerischen Messergebnissen in diesem Prüfbericht basiert auf der "Null-Grenzwert-Regel" und der "Einfachen Akzeptanz" gemäß ILAC G8:2019 und IEC Guide 115:2023, es sei denn, in der auf Seite 1 dieses Berichts genannten angewandten Norm ist etwas anderes festgelegt oder vom Kunden gewünscht. Dies bedeutet, dass die Messunsicherheit nicht berücksichtigt wird und daher auch nicht im Prüfbericht angegeben wird. Zu weiteren Informationen bezüglich des Risikos durch diese Entscheidungsregel siehe ILAC G8:2019. <i>The decision rule for statements of conformity, based on numerical measurement results, in this test report is based on the "Zero Guard Band Rule" and "Simple Acceptance" in accordance with ILAC G8:2019 and IEC Guide 115:2023, unless otherwise specified in the applied standard mentioned on Page 1 of this report or requested by the customer. This means that measurement uncertainty is not taken in account and hence also not declared in the test report. For additional information to the resulting risk based of this decision rule please refer to ILAC G8:2019.</i>

Test report no. / Prüfbericht Nr.: CN26L8YX 001

General product information:

-Test sample(s), as well sample information, description, product details and intended usage was provided by customer.

-Test sample(s) obtaining was sent by customer.

-Test place:

TÜV Rheinland (Guangdong) Ltd.

Room 103 & 406, Building A, No.11, Jingye 3rd Street, Yushu Industrial Park, Science City, Economic Development Zone, Guangzhou, Guangdong, China

-Factory:

Shaanxi Konka Smart Home Appliance Co., Ltd.

No.2699, Qin Han Avenue West, Xi'an International Trade and Logistics Park,
Xi'an, Shaanxi, P.R.China

-This noise test is reference with standard IEC 60704-1:2010 and IEC 60704-2-3:2017

Test report no. / Prüfbericht Nr.: CN26L8YX 001

Test summary:

Machine	GADW14		
Characteristic	measured values	deviation	declared values
Test program	ECO		ECO
Energy efficiency class	A		A
Energy consumption (E _t) (kWh/cycle)	0.800	-4.2%	0.835
Annual energy consumption (kWh)	227.48	-4.3%	237.59
Standardised annual energy consumption (S _{AEC}) (280 wash cycles per year, kWh)	478.80		
Energy Efficiency Index (EEI)	47.5	-4.8%	49.9
Water consumption (W _t) (l/cycle)	9.6	-2.0%	9.8
Annual water consumption (AW _c) (280 wash cycles per year, l)	2688	-2.0%	2744
Drying efficiency index (I _D)	1.14	+4.6%	1.09
Drying efficiency classes	A		A
Rated capacity (ps)	14		14
Programme duration (T _t) (minutes)	220		220
Power consumption in Off-mode (P ₀) (W)	0.45	-8.2%	0.49
Power consumption in Non-off mode (P _i) (W)	0.48	-2.0%	0.49
Duration of Non-off mode (T _i) (minutes)	5		5
Airborne acoustical noise emissions dB(A) re 1 pW	48	-2.0%	49

Verification tolerance, IRAM 2294-3:2016, Annex B

Table B.1


Measured parameter	Verification tolerance ranges
Annual energy consumption AEC _c	The measured value must be no more than the nominal value ⁽¹⁾ of AEC _c plus 10%.
Water consumption W _t	The measured value must be no more than the nominal value of W _t plus 10%.
Drying efficiency index I _D	The measured value must be at least the nominal value of I _D plus 19%.
Energy consumption E _t	The measured value must be no more than the nominal value of E _t plus 10%.
Programme duration T _t	The measured value must be no more than the nominal values T _t plus 10%.
Power consumption in "off mode" P ₀ and in "non-off mode" P _i	The measured value of electricity consumption P ₀ and P _i greater than 1.00 W must be no more than 10% above the nominal value. The measured value of electricity consumption P ₀ and P _i less than or equal to 1.00 W must be no more than 0.10 W above the nominal value.
Duration of "non-off mode" T _i	The measured value must be no more than the nominal value of T _i plus 10%.
Airborne acoustic noise emissions	Under review

⁽¹⁾Nominal value means the value declared by the manufacturer

Test report no. / Prüfbericht Nr.: CN26L8YX 001

Test object:

Article : Dishwasher
Type/model : GADW14
Manufacturer /supplier : BIDCOM S.R.L
Type plate information : 220-240V~ 50Hz 1900W



Energy label information : N/A

Test report no. / Prüfbericht Nr.: CN26L8YX 001

Test result:

1. Test conditions

Ambient temperature	21.4~24.5 °C
Relative humidity of air	51.3~57.3 %
Water inlet temperature	14.5~16.0 °C
Flow rate pressure	225~254 kPa
Voltage	220 V ± 2% V, 50Hz ± 1% Hz
Water hardness	2.46~2.71 mmol/l
Detergent	Reference Type "D"
Rinse agent	Reference rinse agent Formula "III"
Regeneration salt	Sodium chloride/ Seaways

a) Test machine

GADW10

Cleaning program	ECO
Detergent dosing	22g
Clear rinse agent	d5
Loading	14 place setting
Softener setting	H3
Installation	Free-standing
Other machine settings	N/A

b) Reference machine

Miele G 1222 SC

c) Standby measurement

Measurement instrument	WT210, YOKOGAWA
Accuracy	0.1%
Voltage	220V, 50Hz
Uncertainty	0.2% (K=2)
Standby mode	Off mode / Non-off mode / Delay start

Test report no. / Prüfbericht Nr.: CN26L8YX 001

1.1 Determination of cleaning performance

Soiling	IEC 60436, clause 6.3		
Evaluation	IEC 60436. clause 7.3		
Cleaning performance I_C :	1.16		
In W_C :	0.007		
	$C_{TESTM.}$	$C_{Ref.}$	I_C
1. Trial:	4.21	3.63	1.16
2. Trial:	4.19	3.63	1.16
3. Trial:	4.21	3.61	1.17
4. Trial:	4.19	3.64	1.15
5. Trial:	4.22	3.62	1.17
Mean value:	4.20	3.63	1.16

1.2 Determination of the drying efficiency

Evaluation	EN 60436, clause 7.2		
Drying performance I_D :	1.14		
In W_D :	0.017		
	$D_{TESTM.}$	$D_{Ref.}$	I_D
1. Trial:	0.94	0.83	1.13
2. Trial:	0.95	0.84	1.14
3. Trial:	0.95	0.83	1.14
4. Trial:	0.95	0.82	1.16
5. Trial:	0.94	0.84	1.12
Mean value:	0.95	0.83	1.14

Test report no. / Prüfbericht Nr.: CN26L8YX 001

2 Determination of the Standby consumption

2.1 Power consumption in Off-mode

Average power, 0:00:00 – 0:15:00	0.45 W
----------------------------------	--------

2.2 Power consumption in Non-off mode

Average power, 0:00:00 – 0:15:00	0.48 W (without information display)
----------------------------------	--------------------------------------

Duration of Non-off mode	5 minutes
--------------------------	-----------

2.3 Power consumption in delay start

Average power, 0:00:00 – 0:15:00	1.12 W
----------------------------------	--------

Delay start setting	max. 24 hours
---------------------	---------------

Test report no. / Prüfbericht Nr.: CN26L8YX 001

Loading scheme



Test report no. / Prüfbericht Nr.: CN26L8YX 001

Test data:

Order No.		170442611					
Sample		GADW14					
Place settings		14					
Program		ECO					
Detergent dosage		22g, Type D					
Rinse aid setting		d5					
Cleaning evaluation							
Total-cleaning Index according IEC 60436							
	Cycle	Cycle	Cycle	Cycle	Cycle	Cycle	Mean value
		1	2	3	4	5	
C _{Testm.}	Cleaning index (test machine)	4.21	4.19	4.21	4.19	4.22	4.20
C _{Ref.}	Cleaning index (reference machine)	3.63	3.63	3.61	3.64	3.62	3.63
I _c	Total cleaning performance index	1.16	1.16	1.16	1.15	1.17	1.16
InI _c		0.148	0.148	0.148	0.140	0.157	0.148
In Wc	Half range of the logarithmic cleaning confidence interval	0.007					
Consumptions							
	Cycle	Cycle	Cycle	Cycle	Cycle	Cycle	Mean value
		1	2	3	4	5	
Energycons. (kWh)		0.820	0.788	0.791	0.799	0.800	0.800
Watercons. (l)		9.7	9.6	9.7	9.5	9.6	9.6
Program time (min)		220	219	220	220	219	220
Softener regeneration							
Date		Refer to cover page					

Test report no. / Prüfbericht Nr.: CN26L8YX 001

Order No.		170442611					
Sample		Miele G 1222 SC, reference					
Place settings		12					
Program		Reference EN/IEC					
Detergent dosage		20g, Type D					
Rinse aid setting		3					
Cleaning evaluation							
Total-cleaning Index according IEC 60436							
	Cycle	Cycle	Cycle	Cycle	Cycle	Cycle	Mean value
		1	2	3	4	5	
C _{Ref.}	Cleaning index (reference machine)	3.63	3.63	3.61	3.64	3.62	3.63
Consumptions							
	Cycle / Versuch	Cycle	Cycle	Cycle	Cycle	Cycle	Mean value
		1	2	3	4	5	
Energycons. (kWh)		1.253	1.254	1.258	1.259	1.252	1.254
Watercons. (l)		14.7	14.7	14.7	17.4	14.7	14.7
Program time (min)		95	96	96	97	95	96
Softener regeneration					X		
Date		Refer to cover page					

Test report no. / Prüfbericht Nr.: CN26L8YX 001

Order No.		170442611					
Sample		GADW14					
Place settings		14					
Program		ECO					
Detergent dosage		22g, Type D					
Rinse aid setting		d5					
Drying evaluation							
Total-drying Index according IEC 60436							
	Cycle	Cycle	Cycle	Cycle	Cycle	Cycle	Mean value
		1	2	3	4	5	
D_{Testm.}	Drying index (test machine)	0.94	0.95	0.95	0.95	0.94	0.95
D_{Ref}	Drying index (reference machine)	0.83	0.84	0.83	0.82	0.84	0.83
I_D	Total drying performance index	1.13	1.14	1.14	1.16	1.12	1.14
InI_D		0.122	0.131	0.131	0.148	0.113	0.131
In W_D	Half range of the logarithmic cleaning confidence interval	0.017					
Date		Refer to cover page					

Test report no. / Prüfbericht Nr.: CN26L8YX 001

Annex: Product photo



This test report relates exclusively to the a. m. test sample. This test report is not permitted to be published in extracts without permission of the test laboratory. This test report does not grant entitlement to carry any test mark on this or similar products. In case of divergent interpretations of the German and English texts, the German text shall prevail. / *Dieser Prüfbericht bezieht sich nur auf das o.g. Prüfmuster und darf ohne Genehmigung der Prüfstelle nicht auszugsweise vervielfältigt werden. Dieser Bericht berechtigt nicht zur Verwendung eines Prüfzeichens auf dieses oder ähnliche Produkte. Sollte der Inhalt des Untersuchungsberichtes einer Auslegung bedürfen, so ist der deutsche Text maßgebend.*

End of test report