

Q1 (56)	
Total Marks	

PRACTICAL WORK REPORT

Name	: AWANGKU NURFIKRI BIN AWANGKU SOPHIAN	Registration No.	: 20DIT24F1012
Code & Course	: DFP40443 FULL STACK WEB DEVELOPMENT	Class	: DIT4B
Lecturer	: MOHAMMAD AZLAN BIN ABDUL AZIZ	Date	: 10/02/2026

Question 1:

<<index.html>> - name your file here

PracticalWork1

----- config/app_config.php

----- includes/header.php

/footer.php

----- login.php

----- quiz.php

<<insert your page screen shot here >>

- Successful Login Page

[Home](#)[Quiz](#)[Logout](#)

PHP Knowledge Questions

Answer ALL questions.

Enter your name to begin

Your Name:

©2026 All rights reserved

- Correct user input username and password

[Home](#)[Quiz](#)[Logout](#)

User: student1

Score: 0

What does PHP stands for?

Your answer:

©2026 All rights reserved

- If user input is error or incorrect. (Invalid Username or Password)

[Home](#)[Quiz](#)[Logout](#)

PHP Knowledge Questions

Answer ALL questions.

Enter your name to begin

Invalid Username or Password

Your Name:

©2026 All rights reserved

- User will be redirect to quiz.php page. Now, they can start answer the quiz.

[Home](#)[Quiz](#)[Logout](#)

User:student1
Score:0

What does PHP stands for?

Your answer

©2026 All rights reserved



User:student1
Score:0

What does PHP stands for?

Your answer

©2026 All rights reserved



User:student1
Score:1

What does HTML stands for?

Your answer

©2026 All rights reserved



User:student1
Score:2

What does CSS stands for?

Your answer

©2026 All rights reserved

- The final score after answering all the quiz will be shown on result page as shown below.

homeQuizOutput

Your Score: 3

©2026 All rights reserved

Your Score: 3

©2026 All rights reserved

<< copy and paste your code your here >>

- app_config.php

```
<?php
session_start();
define('APP_NAME','Quizzer- PHP Quiz System');

$users = [
    'student1' => 'pass123',
    'teacher'=> 'root',
    'guest' => 'visitor'
];
?>
```

- header.php

```
<?php
$loggedIn= isset($_SESSION['username']);

?>
<!DOCTYPE html>
<html>
<head>
    <link
href="https://cdn.jsdelivrivr.net/npm/bootstrap@5.3.8/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
sRI14kxILFvY47J16cr9ZwB07vP4J8+LH7qKQnuqkuIAvNWLzeN8tE5YBujZqJLB"
crossorigin="anonymous">
    <script
```

```

src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.8/dist/js/bootstrap.bundle.min
.js" integrity="sha384-
FKyoEForCGlyvwx9Hj09JcYn3nv7wiPVLz7YYwJrWVcXK/BmnVDxM+D2scQbITxI"
crossorigin="anonymous"></script>
</head>
<body>
    <header>
        <nav class="navbar navbar-expand-lg navbar-light bg-dark text-white p-
3 mb-4">
            <a href='login.php'>Home</a>
            <button class="navbar-toggler" type="button" data-
toggle="collapse" data-target="#navbarNav" aria-controls="navbarNav" aria-
expanded="false" aria-label="Toggle navigation">
                <span class="navbar-toggler-icon"></span>
            </button>
<?php if($loggedIn): ?>
            <a href='quiz.php'>Quiz</a>
            <a href='login.php'>Logout</a>
<?php else: ?>
            <a href='login.php'>Login</a>
<?php endif; ?>

        </nav>
    </header>
    <main>

```

- footer.php

```

</main>
<footer class="text-center py-5">

<p>&copy;<?php echo date('Y') ?> All rights reserved</p>
</footer>
</body>
</html>

```

- login.php

```

<?php
// login.php - Entry point for the quiz system
require_once 'config/app_config.php';
$error='';
if($_SERVER['REQUEST_METHOD'] === 'POST'){
    $username = htmlspecialchars($_POST['username']);
    $password = htmlspecialchars($_POST['password']);

    if(isset($users[$username]) && $users[$username] === $password){
        //sekiranya benar
        $_SESSION['username'] = $username;
        $_SESSION['score'] = 0;
        $_SESSION['soalanSemasa'] = 0;
    }
}

```

```

        header('Location: quiz.php');
    } else {
        //sekiranya tidak benar
        $error="Invalid Username or Password";
    }
}

$pageTitle = 'Login';
require_once 'includes/header.php';
?>

<div class="container mt-5">
<h1 class="text-center">PHP Knowledge Questions</h1>
<p>Answer ALL questions.</p>
<p>Enter your name to begin</p>
    <?php if ($error): ?>
        <?php echo $error ?>
    <?php endif; ?>
<form method="POST" action="login.php">
    Your Name:

    <input type="text" name="username" required>
    <input type="password" name="password" required>
    <input type="submit" value="Start Quiz">
</form> </div>
<?php require_once 'includes/footer.php'; ?>

```

- quiz.php

```

<?php

require_once 'config/app_config.php';
require_once 'includes/header.php';

$questions=[
    ['question' => 'What does PHP stands for?', 'answer' => 'Hypertext
Preprocessor'],
    ['question' => 'What does HTML stands for?', 'answer' => 'Hypertext Markup
Language'],
    ['question' => 'What does CSS stands for?', 'answer' => 'Cascading Style
Sheets'],
];

if(!isset($_SESSION['soalanSemasa'])){
    $_SESSION['soalanSemasa'] = 0;
    $_SESSION['score'] = 0;
}

if($_SERVER['REQUEST_METHOD'] === 'POST'){
    $userAnswer = $_POST['answer'];
    $currentQ = $_SESSION['soalanSemasa'];
}

```

```

$correctAnswer = $questions[$currentQ]['answer'];

if(strcasecmp($userAnswer,$correctAnswer) === 0){
    $_SESSION['score']++;
}

$_SESSION['soalanSemasa']++;

if( $_SESSION['soalanSemasa'] >= count($questions)){
    header('Location: result.php');
    exit;
}

header('Location: quiz.php');
exit;
}

$currentIndex = $_SESSION['soalanSemasa'];

$currentQuestion = $questions[$currentIndex];

?>
<div class="container mt-5">
User:<?php echo htmlspecialchars($_SESSION['username']); ?><br>
Score:<?php echo $_SESSION['score'];?>
<br><br>
<?php echo $currentQuestion['question'] ?>
<form action="quiz.php" method="POST">
Your answer
<input type="text" name="answer">
<input type="submit" value="Submit Answer" class="btn btn-primary">
</form>
</div>
<?php
require_once 'includes/footer.php';
?>

```

- result.php

```

<?php
require_once 'config/app_config.php';
require_once 'includes/header.php';

echo "<h2 style='text-align: center;'>Your Score: " . $_SESSION['score'] .
"</h2>";

require_once 'includes/footer.php';
?>

```