

Q1 (56)	
Total Marks	

PRACTICAL WORK REPORT

Name	: AWANGKU NURFIKRI BIN AWANGKU SOPHIAN	Registration No.	: 20DIT24F1012
Code & Course	: DFP40443 FULL STACK WEB DEVELOPMENT	Class	: DIT4B
Lecturer	: MOHD AZLAN BIN ABDUL AZIZ	Date	: 16/04/2026


Question 1:

Name your file here

ecommerce_app
 ----- config/db.php
 ----- product_images/(Image.png)
 ----- add_product.php
 ----- delete_product.php
 ----- edit_product.php
 ----- view_product.php
 ----- ecommerce_db.sql
 ----- ecommerce.png


<<insert your page screen shot here >>

• ecommerce_db.sql



id	product_name	price	image_path
1	Ghost of Tsushima DIRECTOR'S CUT	236.93	product_images/1776313332_69e063f4f2aa9.jpg
2	Resident Evil 2 Remake	157.94	product_images/1776313429_69e06455dd121....
3	Resident Evil 3 Remake	157.94	product_images/1776313480_69e0648862ef3.jpg
4	Resident Evil 4 Remake	157.94	product_images/1776313536_69e064c0211e9.jpg
5	Resident Evil Requiem Deluxe Edition	270.90	product_images/1776313164_69e0634c1a174.jpg
6	Resident Evil 7: Biohazard	78.95	product_images/1776313612_69e0650ca1784.jpg
7	Resident Evil Village	78.95	product_images/1776313661_69e0653daa497....
NULL	NULL	NULL	NULL

• add_product.php



View Products Add Product Edit Product Delete Product

Add New Product


Product ID

Product Name


Price (RM)

Product Image
 No file chosen
Only JPG and PNG files under 2MB are allowed

- **view_product.php**



- **edit_product.php**



Choose File

No file chosen

Upload JPG, PNG, or GIF images only. Leave empty to keep current image.

Current Image Preview

Update Product

Cancel

Edit Another Product

Product Reference List

ID	Product Name	Price	Action
1	Ghost of Tsushima DIRECTOR'S CUT	RM236.93	Edit
2	Resident Evil 2 Remake	RM157.94	Edit
3	Resident Evil 3 Remake	RM157.94	Edit
4	Resident Evil 4 Remake	RM157.94	Edit
5	Resident Evil Requiem Deluxe Edition	RM270.90	Edit
6	Resident Evil 7: Biohazard	RM78.95	Edit
7	Resident Evil Village	RM78.95	Edit

• delete_product.php

[View Products](#)
[Add Product](#)
[Edit Product](#)
[Delete Product](#)

Delete Product

Find Product to Delete

Enter Product ID

Search Product

Product Reference List

ID	Product Name	Price	Action
1	Ghost of Tsushima DIRECTOR'S CUT	RM236.93	Delete
2	Resident Evil 2 Remake	RM157.94	Delete
3	Resident Evil 3 Remake	RM157.94	Delete
4	Resident Evil 4 Remake	RM157.94	Delete
5	Resident Evil Requiem Deluxe Edition	RM270.90	Delete
6	Resident Evil 7: Biohazard	RM78.95	Delete
7	Resident Evil Village	RM78.95	Delete

[View Products](#)
[Add Product](#)
[Edit Product](#)
[Delete Product](#)

Delete Product

⚠ Confirm Deletion

Warning! Are you sure you want to delete this product? This action cannot be undone.

Product ID:

7

Product Name:

Resident Evil Village

Price:

RM78.95

Image:

Yes, Delete Product

Cancel

View All Products

Product Reference List

ID	Product Name	Price	Action
----	--------------	-------	--------

<< copy and paste your code your here >>

- **ecommerce_db.sql**

```
CREATE TABLE `products` (  
  `id` int(11) NOT NULL AUTO_INCREMENT,  
  `product_name` varchar(45) DEFAULT NULL,  
  `price` decimal(10,2) DEFAULT NULL,  
  `image_path` varchar(45) DEFAULT NULL,  
  PRIMARY KEY (`id`)
```

- **db.php**

```
<?php  
  
$host = "localhost";  
$user = "root";  
$pass = "";  
$dbname = "ecommerce_db";  
  
$conn = mysqli_connect($host, $user, $pass, $dbname);  
  
if (!$conn){  
    die("Connection failed: " . mysqli_connect_error());  
}  
  
?>
```

- **add_product.php**

```
<?php
require_once "config/db.php";
$message = "";
$messageType = "";
$product_name = $price = "";
$product_name_err = $price_err = $image_err = "";

// Create product_images directory if it doesn't exist
if (!is_dir('product_images')) {
    mkdir('product_images', 0777, true);
}

if ($_SERVER["REQUEST_METHOD"] == "POST") {

    $id = trim($_POST["product_id"] ?? "");
    $product_name = trim($_POST["product_name"] ?? "");
    $price = trim($_POST["price"] ?? "");

    if (empty($product_name)) {
        $product_name_err = "Product name is required";
    }

    if (empty($price)) {
        $price_err = "Price is required";
    } elseif (!is_numeric($price) || $price <= 0) {
        $price_err = "Price must be a valid positive number";
    }

    // Check if ID already exists
    $check_stmt = $conn->prepare("SELECT id FROM products WHERE id = ?");
    $check_stmt->bind_param("s", $id);
    $check_stmt->execute();
    $check_stmt->store_result();

    if ($check_stmt->num_rows > 0) {
        $message = "Error: Product with ID '$id' already exists!";
        $messageType = "danger";
    }
    $check_stmt->close();

    $image_path = "";
    if (empty($message)) {
        if (isset($_FILES["image_path"]) && $_FILES["image_path"]["error"] == 0) {
            $target_dir = "product_images/";
            $file_extension = strtolower(pathinfo($_FILES["image_path"]["name"],
PATHINFO_EXTENSION));
            $allowed_extensions = ["jpg", "jpeg", "png"];

            if ($_FILES["image_path"]["size"] > 2 * 1024 * 1024) {
                $image_err = "File size must be less than 2MB";
            } elseif (!in_array($file_extension, $allowed_extensions)) {
                $image_err = "Only JPG, JPEG, and PNG files are allowed";
            } else {

                $new_filename = time() . "_" . uniqid() . "." . $file_extension;
                $target_file = $target_dir . $new_filename;

                if (move_uploaded_file($_FILES["image_path"]["tmp_name"], $target_file)) {
                    $image_path = $target_file;
                } else {
                    $image_err = "Error uploading file";
                }
            }
        }
    }
}
```

```

    } else {
        $image_err = "Product image is required";
    }
}

if (empty($product_name_err) && empty($price_err) && empty($image_err) &&
empty($message)) {
    $stmt = $conn->prepare("INSERT INTO products (id, product_name, price, image_path)
VALUES (?, ?, ?, ?)");

    if ($stmt) {
        $stmt->bind_param("ssds", $id, $product_name, $price, $image_path);

        if ($stmt->execute()) {
            $message = "Product added successfully!";
            $messageType = "success";
            // Clear form
            $product_name = $price = "";
            $_POST = array();
        } else {
            $message = "Error: " . $stmt->error;
            $messageType = "danger";
        }
        $stmt->close();
    } else {
        $message = "Error: " . $conn->error;
        $messageType = "danger";
    }
}
}
?>

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.8/dist/css/bootstrap.min.css">
    <title>Add Product</title>
    <script>
        function validateForm() {
            let productId = document.getElementById("product_id").value.trim();
            let productName = document.getElementById("product_name").value.trim();
            let price = document.getElementById("price").value.trim();
            let image = document.getElementById("image_path").files[0];
            let errors = "";

            document.getElementById("id_error").innerHTML = "";
            document.getElementById("name_error").innerHTML = "";
            document.getElementById("price_error").innerHTML = "";
            document.getElementById("image_error").innerHTML = "";

            if (productId === "") {
                errors += "• Product ID is required\n";
                document.getElementById("id_error").innerHTML = "Product ID is required";
            } else if (isNaN(productId) || parseInt(productId) <= 0) {
                errors += "• Product ID must be a positive number\n";
                document.getElementById("id_error").innerHTML = "Product ID must be a positive
number";
            }

            if (productName === "") {
                errors += "• Product name is required\n";

```

```

        document.getElementById("name_error").innerHTML = "Product name is required";
    }

    if (price === "") {
        errors += "• Price is required\n";
        document.getElementById("price_error").innerHTML = "Price is required";
    } else if (isNaN(price) || parseFloat(price) <= 0) {
        errors += "• Price must be a valid positive number\n";
        document.getElementById("price_error").innerHTML = "Price must be a valid positive
number";
    }

    if (!image) {
        errors += "• Please select an image file\n";
        document.getElementById("image_error").innerHTML = "Please select an image file";
    } else {
        let fileExt = image.name.split('.').pop().toLowerCase();
        if (fileExt !== 'jpg' && fileExt !== 'jpeg' && fileExt !== 'png') {
            errors += "• Only JPG, JPEG, and PNG files are allowed\n";
            document.getElementById("image_error").innerHTML = "Only JPG, JPEG, and PNG
files are allowed";
        }
        if (image.size > 2 * 1024 * 1024) {
            errors += "• File size must be less than 2MB\n";
            document.getElementById("image_error").innerHTML = "File size must be less than
2MB";
        }
    }
}

if (errors !== "") {
    alert("Please fix the following errors:\n" + errors);
    return false;
}
return true;
}
</script>
</head>
<body>
<nav class="navbar navbar-expand-lg bg-body-tertiary">
    <div class="container-fluid">
        <a class="navbar-brand" href="view_product.php">
            View Products
        </a>
        <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarNav">
            <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse" id="navbarNav">
            <ul class="navbar-nav">
                <li class="nav-item">
                    <a class="nav-link active" href="add_product.php">Add Product</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link" href="edit_product.php">Edit Product</a>
                </li>
                <li class="nav-item">
                    <a class="nav-link" href="delete_product.php">Delete Product</a>
                </li>
            </ul>
        </div>
    </div>
</nav>

```

```

<?php if ($message): ?>
    <div class="container mt-3">
        <div class="alert alert-<?php echo $messageType; ?> alert-dismissible fade show"
        role="alert">
            <?php echo htmlspecialchars($message); ?>
            <button type="button" class="btn-close" data-bs-dismiss="alert"></button>
        </div>
    </div>
<?php endif; ?>

<div class="container mt-3">
    <div class="card m-4">
        <div class="card-header bg-dark text-white">
            <h2 class="card-title">Add New Product</h2>
        </div>
        <div class="card-body bg-secondary text-white">
            <form method="POST" action="" enctype="multipart/form-data" onsubmit="return
validateForm()">
                <div class="mb-3">
                    <label for="product_id" class="form-label">Product ID</label>
                    <input type="number" name="product_id" id="product_id" class="form-control"
value="<?php echo htmlspecialchars($_POST['product_id'] ?? ''); ?>" required>
                    <div id="id_error" class="text-warning small"></div>
                </div>

                <div class="mb-3">
                    <label for="product_name" class="form-label">Product Name</label>
                    <input type="text" name="product_name" id="product_name" class="form-control"
value="<?php echo htmlspecialchars($product_name); ?>" required>
                    <div id="name_error" class="text-warning small"><?php echo $product_name_err;
?></div>
                </div>

                <div class="mb-3">
                    <label for="price" class="form-label">Price (RM)</label>
                    <input type="number" step="0.01" name="price" id="price" class="form-control"
value="<?php echo htmlspecialchars($price); ?>" required>
                    <div id="price_error" class="text-warning small"><?php echo $price_err; ?></div>
                </div>

                <div class="mb-3">
                    <label for="image_path" class="form-label">Product Image</label>
                    <input type="file" class="form-control" id="image_path" name="image_path"
accept="image/jpeg,image/png">
                    <div id="image_error" class="text-warning small"><?php echo $image_err; ?></div>
                    <small class="text-white">Only JPG and PNG files under 2MB are allowed</small>
                </div>

                <input type="submit" class="btn btn-primary" value="Add Product">
                <a href="view_product.php" class="btn btn-warning">Cancel</a>
            </form>
        </div>
    </div>
</div>

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.8/dist/js/bootstrap.bundle.min.js"></script>
</body>
</html>

```

- **delete_product.php**

```
<?php
require_once "config/db.php";
$message = "";
$messageType = "";
$product_to_delete = null;

if ($_SERVER["REQUEST_METHOD"] == "POST" && isset($_POST["confirm_delete"])) {
    $id = $_POST["id"];

    $sql = "DELETE FROM products WHERE id = ?";
    $stmt = $conn->prepare($sql);
    $stmt->bind_param("i", $id);

    if ($stmt->execute()) {
        $message = "Product deleted successfully!";
        $messageType = "success";
        $product_to_delete = null;
    } else {
        $message = "Error: " . $stmt->error;
        $messageType = "danger";
    }
    $stmt->close();
}

if (isset($_GET['id']) && !empty($_GET['id']) && isset($_POST['confirm_delete'])) {
    $id = $_GET['id'];
    $sql = "SELECT * FROM products WHERE id = ?";
    $stmt = $conn->prepare($sql);
    $stmt->bind_param("i", $id);
    $stmt->execute();
    $result = $stmt->get_result();
    $product_to_delete = $result->fetch_assoc();
    $stmt->close();
}
?>

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.8/dist/css/bootstrap.min.css">
    <title>Delete Product</title>
</head>
<body>
<nav class="navbar navbar-expand-lg bg-body-tertiary">
    <div class="container-fluid">
        <a class="navbar-brand" href="view_product.php">
            View Products
        </a>
        <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle
navigation">
            <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse" id="navbarNav">
            <ul class="navbar-nav">
                <li class="nav-item">
                    <a class="nav-link" href="add_product.php">Add Product</a>
                </li>
            </ul>
        </div>
    </div>
</nav>
</body>
</html>
```

```

        </li>
        <li class="nav-item">
            <a class="nav-link" href="edit_product.php">Edit Product</a>
        </li>
        <li class="nav-item">
            <a class="nav-link active" href="delete_product.php">Delete Product</a>
        </li>
    </ul>
</div>
</div>
</nav>

<div class="container mt-4">
    <h1 class="mb-4">Delete Product</h1>

    <?php if ($message): ?>
        <div class="alert alert-<?php echo $messageType; ?> alert-dismissible fade show"
        role="alert">
            <?php echo $message; ?>
            <button type="button" class="btn-close" data-bs-dismiss="alert" aria-
            label="Close"></button>
        </div>
    <?php endif; ?>

    <!-- Search form to find product -->
    <?php if (!$product_to_delete && !isset($_POST['confirm_delete'])): ?>
    <div class="card mb-4">
        <div class="card-header bg-danger text-white">
            <h5 class="mb-0">Find Product to Delete</h5>
        </div>
        <div class="card-body">
            <form method="GET" action="">
                <div class="row g-3">
                    <div class="col-md-6">
                        <label for="id" class="form-label">Enter Product ID</label>
                        <input type="number" class="form-control" id="id" name="id" required
                        placeholder="e.g., 1">
                    </div>
                    <div class="col-md-6 d-flex align-items-end">
                        <button type="submit" class="btn btn-danger">Search Product</button>
                    </div>
                </div>
            </form>
        </div>
    </div>
    <?php endif; ?>

    <!-- Confirmation form -->
    <?php if ($product_to_delete): ?>
    <div class="card border-danger">
        <div class="card-header bg-danger text-white">
            <h5 class="mb-0">⚠️ Confirm Deletion</h5>
        </div>
        <div class="card-body">
            <div class="alert alert-warning">
                <strong>Warning!</strong> Are you sure you want to delete this product? This action
                cannot be undone.
            </div>

            <div class="row">
                <div class="col-md-6">
                    <table class="table table-bordered">
                        <tr>
                            <th style="width: 150px;">Product ID:</th>
                            <td><?php echo $product_to_delete['id']; ?></td>
                        </tr>
                    </table>
                </div>
            </div>
        </div>
    </div>
    <?php endif; ?>

```

```

        </tr>
        <tr>
            <th>Product Name:</th>
            <td><strong><?php echo
htmlspecialchars($product_to_delete['product_name']); ?></strong></td>
        </tr>
        <tr>
            <th>Price:</th>
            <td>RM<?php echo number_format($product_to_delete['price'], 2); ?></td>
        </tr>
        <?php if (!empty($product_to_delete['description'])): ?>
        <tr>
            <th>Description:</th>
            <td><?php echo htmlspecialchars(substr($product_to_delete['description'], 0,
100)); ?></td>
        </tr>
        <?php endif; ?>
        <tr>
            <th>Image:</th>
            <td>
                <?php if (!empty($product_to_delete['image_path'])): ?>
                    
                    <?php else: ?>
                        No image
                    <?php endif; ?>
                </td>
            </tr>
        </table>
    </div>
</div>

    <form method="POST" action="" onsubmit="return confirm('Are you absolutely sure you
want to delete this product? This action cannot be undone!');">
        <input type="hidden" name="id" value="<?php echo $product_to_delete['id']; ?>">

        <div class="d-flex gap-2">
            <button type="submit" name="confirm_delete" class="btn btn-danger">Yes, Delete
Product</button>
            <a href="delete_product.php" class="btn btn-secondary">Cancel</a>
            <a href="view_product.php" class="btn btn-info">View All Products</a>
        </div>
    </form>
</div>
</div>
<?php elseif (isset($_GET['id']) && !$product_to_delete && !isset($_POST['confirm_delete'])):
?>
    <div class="alert alert-warning">
        <strong>Warning!</strong> No product found with ID: <?php echo
htmlspecialchars($_GET['id']); ?>
        <br><br>
        <a href="delete_product.php" class="btn btn-primary btn-sm">Try Again</a>
    </div>
<?php endif; ?>

<!-- Quick product list for reference -->
<div class="card mt-4">
    <div class="card-header bg-secondary text-white">
        <h5 class="mb-0">Product Reference List</h5>
    </div>
    <div class="card-body" style="max-height: 300px; overflow-y: auto;">

```

```

<table class="table table-sm table-striped">
  <thead>
    <tr>
      <th>ID</th>
      <th>Product Name</th>
      <th>Price</th>
      <th>Action</th>
    </tr>
  </thead>
  <tbody>
    <?php
      $sql = "SELECT id, product_name, price FROM products ORDER BY id";
      $result = mysqli_query($conn, $sql);
      if (mysqli_num_rows($result) > 0) {
        while($row = mysqli_fetch_assoc($result)) {
          echo "<tr>";
          echo "<td>" . $row['id'] . "</td>";
          echo "<td>" . htmlspecialchars($row['product_name']) . "</td>";
          echo "<td>RM" . number_format($row['price'], 2) . "</td>";
          echo "<td><a href='delete_product.php?id=" . $row['id'] . "' class='btn btn-sm
btn-danger' onclick='return confirm(\"Are you sure you want to delete \" .
htmlspecialchars($row['product_name']) . "?\")>Delete</a></td>";
          echo "</tr>";
        }
      } else {
        echo "<tr><td colspan='4' class='text-center'>No products found</td></tr>";
      }
    <?>
  </tbody>
</table>
</div>
</div>
</div>

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.8/dist/js/bootstrap.bundle.min.js"></script>
</body>
</html>

```

- **edit_product.php**

```
<?php
require_once "config/db.php";
$message = "";
$messageType = "";

if ($_SERVER["REQUEST_METHOD"] == "POST" && isset($_POST["update_product"])) {
    $id = $_POST["id"];
    $product_name = $_POST["product_name"];
    $price = $_POST["price"];
    $image_path = $_POST["current_image_path"];

    if (isset($_FILES["image_path"]) && $_FILES["image_path"]["error"] == 0) {
        $target_dir = "product_images/";
        $file_name = basename($_FILES["image_path"]["name"]);
        $file_extension = strtolower(pathinfo($file_name, PATHINFO_EXTENSION));

        $unique_name = uniqid() . "_" . time() . "." . $file_extension;
        $target_file = $target_dir . $unique_name;

        $allowed_types = array("jpg", "jpeg", "png", "gif");
        if (in_array($file_extension, $allowed_types)) {
            if (move_uploaded_file($_FILES["image_path"]["tmp_name"], $target_file)) {
                $image_path = $target_file;
            } else {
                $message = "Error: Failed to upload image.";
                $messageType = "danger";
            }
        } else {
            $message = "Error: Only JPG, JPEG, PNG & GIF files are allowed.";
            $messageType = "danger";
        }
    }

    $sql = "UPDATE products SET product_name=?, price=?, image_path=? WHERE id=?";
    $stmt = $conn->prepare($sql);
    $stmt->bind_param("sdsi", $product_name, $price, $image_path, $id);

    if ($stmt->execute()) {
        $message = "Product updated successfully!";
        $messageType = "success";
    } else {
        $message = "Error: " . $stmt->error;
        $messageType = "danger";
    }
    $stmt->close();
}

$product = null;
if (isset($_GET['id']) && !empty($_GET['id'])) {
    $id = $_GET['id'];
    $sql = "SELECT * FROM products WHERE id = ?";
    $stmt = $conn->prepare($sql);
    $stmt->bind_param("i", $id);
    $stmt->execute();
    $result = $stmt->get_result();
    $product = $result->fetch_assoc();
    $stmt->close();
}
?>

<!DOCTYPE html>
```

```

<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.8/dist/css/bootstrap.min.css">
  <title>Edit Product</title>
</head>
<body>
<nav class="navbar navbar-expand-lg bg-body-tertiary">
  <div class="container-fluid">
    <a class="navbar-brand" href="view_product.php">
      View Products
    </a>
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarNav">
      <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="navbarNav">
      <ul class="navbar-nav">
        <li class="nav-item">
          <a class="nav-link" href="add_product.php">Add Product</a>
        </li>
        <li class="nav-item">
          <a class="nav-link active" href="edit_product.php">Edit Product</a>
        </li>
        <li class="nav-item">
          <a class="nav-link" href="delete_product.php">Delete Product</a>
        </li>
      </ul>
    </div>
  </div>
</nav>

<div class="container mt-4">
  <h1 class="mb-4">Edit Product</h1>

  <?php if ($message): ?>
    <div class="alert alert-<?php echo $messageType; ?> alert-dismissible fade show"
role="alert">
      <?php echo $message; ?>
      <button type="button" class="btn-close" data-bs-dismiss="alert"></button>
    </div>
  <?php endif; ?>

  <!-- Search form to find product -->
  <?php if (!$product && !isset($_POST['update_product'])): ?>
  <div class="card mb-4">
    <div class="card-header bg-primary text-white">
      <h5 class="mb-0">Find Product to Edit</h5>
    </div>
    <div class="card-body">
      <form method="GET" action="">
        <div class="row g-3">
          <div class="col-md-6">
            <label for="id" class="form-label">Enter Product ID</label>
            <input type="number" class="form-control" id="id" name="id" required
placeholder="e.g., 1">
          </div>
          <div class="col-md-6 d-flex align-items-end">
            <button type="submit" class="btn btn-primary">Search Product</button>
          </div>
        </div>
      </form>
    </div>
  </div>
  </div>

```

```

        </form>
    </div>
</div>
<?php endif; ?>

<!-- Edit form -->
<?php if ($product): ?>
<div class="card">
    <div class="card-header bg-success text-white">
        <h5 class="mb-0">Edit Product #<?php echo $product['id']; ?></h5>
    </div>
    <div class="card-body">
        <form method="POST" action="" enctype="multipart/form-data">
            <input type="hidden" name="id" value="<?php echo $product['id']; ?>">

            <div class="mb-3">
                <label for="product_id" class="form-label">Product ID</label>
                <input type="text" class="form-control" id="product_id" name="product_id"
                    value="<?php echo $product['id']; ?>" disabled>

            <div class="mb-3">
                <label for="product_name" class="form-label">Product Name *</label>
                <input type="text" class="form-control" id="product_name" name="product_name"
                    value="<?php echo htmlspecialchars($product['product_name']); ?>" required>
            </div>

            <div class="mb-3">
                <label for="price" class="form-label">Price ($) *</label>
                <input type="number" step="0.01" class="form-control" id="price" name="price"
                    value="<?php echo $product['price']; ?>" required>
            </div>

            <div class="mb-3">
                <label for="image_path" class="form-label">Product Image</label>
                <input type="file" class="form-control" id="image_path" name="image_path"
                    accept="image/*">
                <input type="hidden" name="current_image_path" value="<?php echo
                    htmlspecialchars($product['image_path'] ?? ''); ?>">
                <small class="form-text text-muted">Upload JPG, PNG, or GIF images only. Leave
                    empty to keep current image.</small>
            </div>

            <?php if (!empty($product['image_path'])): ?>
            <div class="mb-3">
                <label class="form-label">Current Image Preview</label><br>
                
            </div>
            <?php endif; ?>

            <div class="d-flex gap-2">
                <button type="submit" name="update_product" class="btn btn-success">Update
                    Product</button>
                <a href="view_product.php" class="btn btn-secondary">Cancel</a>
                <a href="edit_product.php" class="btn btn-info">Edit Another Product</a>
            </div>
        </form>
    </div>
</div>
<?php elseif (isset($_GET['id']) && !$product): ?>
<div class="alert alert-warning">
    <strong>Warning!</strong> No product found with ID: <?php echo

```

```

htmlspecialchars($_GET['id']); ?>
    <br><br>
    <a href="edit_product.php" class="btn btn-primary btn-sm">Try Again</a>
</div>
<?php endif; ?>

<!-- Quick product list for reference -->
<div class="card mt-4">
    <div class="card-header bg-secondary text-white">
        <h5 class="mb-0">Product Reference List</h5>
    </div>
    <div class="card-body" style="max-height: 300px; overflow-y: auto;">
        <table class="table table-sm table-striped">
            <thead>
                <tr>
                    <th>ID</th>
                    <th>Product Name</th>
                    <th>Price</th>
                    <th>Action</th>
                </tr>
            </thead>
            <tbody>
                <?php
                $sql = "SELECT id, product_name, price FROM products ORDER BY id";
                $result = mysqli_query($conn, $sql);
                if (mysqli_num_rows($result) > 0) {
                    while($row = mysqli_fetch_assoc($result)) {
                        echo "<tr>";
                        echo "<td>" . $row['id'] . "</td>";
                        echo "<td>" . htmlspecialchars($row['product_name']) . "</td>";
                        echo "<td>RM" . number_format($row['price'], 2) . "</td>";
                        echo "<td><a href='edit_product.php?id=" . $row['id'] . "' class='btn btn-sm btn-";
primary>Edit</a></td>";
                        echo "</tr>";
                    }
                } else {
                    echo "<tr><td colspan='4' class='text-center'>No products found</td></tr>";
                }
                ?>
            </tbody>
        </table>
    </div>
</div>
</div>

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.8/dist/js/bootstrap.bundle.min.js"></script>
</body>
</html>

```

- **view_product.php**

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.8/dist/css/bootstrap.min.css">
  <title>E-Commerce Shop</title>
</head>
<body>
<nav class="navbar navbar-expand-lg bg-body-tertiary">
  <div class="container-fluid">
    <a class="navbar-brand" href="view_product.php">
      View Products
    </a>
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-
target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle
navigation">
      <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="navbarNav">
      <ul class="navbar-nav">
        <li class="nav-item">
          <a class="nav-link" href="add_product.php">Add Product</a>
        </li>
        <li class="nav-item">
          <a class="nav-link" href="edit_product.php">Edit Product</a>
        </li>
        <li class="nav-item">
          <a class="nav-link" href="delete_product.php">Delete Product</a>
        </li>
      </ul>
    </div>
  </div>
</nav>

<div class="container mt-4">
  <h1 class="p-3">Product List</h1>
  <div class="card shadow">
    <div class="rounded-3 overflow-hidden border-0">
      <table class="table table-striped table-hover table-primary table-rounded mb-0">
        <thead>
          <tr>
            <th>ID</th>
            <th>Product Name</th>
            <th>Price</th>
            <th>Image</th>
          </tr>
        </thead>
        <tbody class="table-group-divider table-dark">
          <?php
            include 'config/db.php';

            $sql = "SELECT * FROM products";
            $result = mysqli_query($conn, $sql);

            if (mysqli_num_rows($result) > 0) {
              while($row = mysqli_fetch_assoc($result)) {
                echo "<tr>";
                echo "<td>" . ($row["id"] ?? $row["product_id"] ?? 'N/A') . "</td>";
```

```

        echo "<td>" . ($row["product_name"] ?? $row["name"] ?? 'No name') . "</td>";
        echo "<td>RM " . number_format($row["price"] ?? 0, 2) . "</td>";
        echo "<td>";
        if (!empty($row["image_path"])) {
            echo "<img src='" . htmlspecialchars($row["image_path"]) . "' width='80'
height='80' alt='Product image' style='border-radius: 5px;' onerror='\"this.onerror=null;
this.src='https://via.placeholder.com/80?text=No+Image';\">";
        } else {
            echo "No image";
        }
        echo "</td>";
        echo "</tr>";
    }
} else {
    echo "<tr><td colspan='4' class='text-center'>No products found.</td></tr>";
}

mysqli_close($conn);
?>
</tbody>
</table>
</div>
</div>

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.8/dist/js/bootstrap.bundle.min.js"></script>
</body>
</html>

```