

[Tutorials](#)▼[Exercises](#)▼[Services](#)▼[Sign Up](#)[Log in](#)[CSS](#) [JAVASCRIPT](#) [SQL](#) [PYTHON](#) [JAVA](#) [PHP](#) [HOW TO](#) [W3.CSS](#) [C](#)

Learn how to protect your profits against
FX risk without locking up your capital.

[GET YOUR FREE GUIDE](#)



jQuery Quiz Results

Score: 20 of 25

80% Correct:

Question 1:

Which of the following is correct?

✓ jQuery is a JavaScript Library

Your answer

jQuery is a JSON Library

Question 2:

jQuery uses CSS selectors to select elements?

✓ True

Your answer

False

Question 3:

Which sign does jQuery use as a shortcut for jQuery?

[Tutorials ▼](#)[Exercises ▼](#)[Services ▼](#)[Sign Up](#)[Log in](#)[CSS](#)[JAVASCRIPT](#)[SQL](#)[PYTHON](#)[JAVA](#)[PHP](#)[HOW TO](#)[W3.CSS](#)[C](#)

the ? Sign

Question 4:

Look at the following selector: \$("div"). What does it select?

✓ All div elements

Your answer

The first div element

Question 5:

Is jQuery a library for client scripting or server scripting?

✓ Client scripting

Your answer

Server scripting

Question 6:

Is it possible to use jQuery together with AJAX?

✓ Yes

Your answer

No

Question 7:

The jQuery html() method works for both HTML and XML documents

[Tutorials ▼](#)[Exercises ▼](#)[Services ▼](#)[Sign Up](#)[Log in](#)[≡](#) [CSS](#) [JAVASCRIPT](#) [SQL](#) [PYTHON](#) [JAVA](#) [PHP](#) [HOW TO](#) [W3.CSS](#) [C](#)

Question 8:

What is the correct jQuery code to set the background color of all p elements to red?

✗ `$("p").style("background-color","red");`

Your answer

`$("p").css("background-color","red");`

Correct answer

`$("p").manipulate("background-color","red");`

`$("p").layout("background-color","red");`

Question 9:

With jQuery, look at the following selector: `$("div.intro")`. What does it select?

✗ The first div element with `class="intro"`

Your answer

All div elements with `class="intro"`

Correct answer

All div elements with `id="intro"`

The first div element with `id="intro"`

Question 10:

Which jQuery method is used to hide selected elements?

✓ `hide()`

Your answer

`hidden()`

[Tutorials ▼](#)[Exercises ▼](#)[Services ▼](#)[Sign Up](#)[Log in](#)[≡](#) [CSS](#) [JAVASCRIPT](#) [SQL](#) [PYTHON](#) [JAVA](#) [PHP](#) [HOW TO](#) [W3.CSS](#) [C](#)

Question 11:

Which jQuery method is used to set one or more style properties for selected elements?

✓ `css()`

Your answer

`style()`

`html()`

Question 12:

Which jQuery method is used to perform an asynchronous HTTP request?

✓ `jQuery.ajax()`

Your answer

`jQuery.ajaxAsync()`

`jQuery.ajaxSetup()`

Question 13:

What is the correct jQuery code for making all div elements 100 pixels high?

✗ `$("div").height="100"`

Your answer

`$("div").height(100)`

Correct answer

`$("div").yPos(100)`

[Tutorials](#) ▼[Exercises](#) ▼[Services](#) ▼[Sign Up](#)[Log in](#)[CSS](#) [JAVASCRIPT](#) [SQL](#) [PYTHON](#) [JAVA](#) [PHP](#) [HOW TO](#) [W3.CSS](#) [C](#)

✓ To use jQuery, you can refer to a hosted jQuery library at Google

Your answer

To use jQuery, you must buy the jQuery library at www.jquery.com

To use jQuery, you do not have to do anything. Most browsers (Internet Explorer, Chrome, Firefox and Opera) have the jQuery library built in the browser

Question 15:

What scripting language is jQuery written in?

✓ JavaScript

Your answer

C++

VBScript

C#

Question 16:

Which jQuery function is used to prevent code from running, before the document is finished loading?

✓ `$(document).ready()`

Your answer

`$(document).load()`

`$(body).onload()`

[Tutorials ▼](#)[Exercises ▼](#)[Services ▼](#)[Sign Up](#)[Log in](#)[≡](#) [CSS](#) [JAVASCRIPT](#) [SQL](#) [PYTHON](#) [JAVA](#) [PHP](#) [HOW TO](#) [W3.CSS](#) [C](#)

✓ noConflict()

Your answer

nameConflict()

noNameConflict()

conflict()

Question 18:

Which jQuery method is used to switch between adding/removing one or more classes (for CSS) from selected elements?

✓ toggleClass()

Your answer

switchClass()

altClass()

switch()

Question 19:

Look at the following selector: \$("div p"). What does it select?

✓ All p elements inside a div element

Your answer

The first p element inside a div element

All div elements with a p element

[Tutorials ▼](#)[Exercises ▼](#)[Services ▼](#)[Sign Up](#)[Log in](#)[CSS](#) [JAVASCRIPT](#) [SQL](#) [PYTHON](#) [JAVA](#) [PHP](#) [HOW TO](#) [W3.CSS](#) [C](#)

✗ Yes

Your answer

No

Correct answer

Question 21:

Look at the following selector: \$("p#intro"). What does it select?

✓ The p element with id="intro"

Your answer

All p elements with class="intro"

Question 22:

Which jQuery method is used to remove selected elements?

✓ Both methods can be used

Your answer

detach()

remove()

Question 23:

Look at the following selector: \$(":disabled"). What does it select?

✓ All disabled input elements

Your answer

All elements that does not contain the text "disabled"

All hidden elements

[Tutorials ▼](#)[Exercises ▼](#)[Services ▼](#)[Sign Up](#)[Log in](#)[≡](#) [CSS](#) [JAVASCRIPT](#) [SQL](#) [PYTHON](#) [JAVA](#) [PHP](#) [HOW TO](#) [W3.CSS](#) [C](#)

Question 24:

Which jQuery method returns the direct parent element of the selected element?

✓ ☒ parent()

Your answer

☐ parents()

☐ ancestors()

☐ ancestor()

Question 25:

The jQuery animate() method can be used to animate ANY CSS property?

✗ ☒ All properties except the shorthand properties

Your answer

☐ Yes

☐ Only properties containing numeric values

Correct answer

[Study jQuery in our jQuery Tutorial](#)

Kickstart your career


[Tutorials ▼](#)[Exercises ▼](#)[Services ▼](#)[Sign Up](#)[Log in](#)[CSS](#)[JAVASCRIPT](#)[SQL](#)[PYTHON](#)[JAVA](#)[PHP](#)[HOW TO](#)[W3.CSS](#)[C](#)

course

Get certified



ADVERTISEMENT

[Tutorials ▼](#)[Exercises ▼](#)[Services ▼](#)[Sign Up](#)[Log in](#)[CSS](#)[JAVASCRIPT](#)[SQL](#)[PYTHON](#)[JAVA](#)[PHP](#)[HOW TO](#)[W3.CSS](#)[C](#)



Tutorials ▼

Exercises ▼

Services ▼



Sign Up

Log in



CSS

JAVASCRIPT

SQL

PYTHON

JAVA

PHP

HOW TO

W3.CSS

C



ADVERTISEMENT

ADVERTISEMENT

[Tutorials ▼](#)[Exercises ▼](#)[Services ▼](#)[Sign Up](#)[Log in](#)[CSS](#)[JAVASCRIPT](#)[SQL](#)[PYTHON](#)[JAVA](#)[PHP](#)[HOW TO](#)[W3.CSS](#)[C](#)

ADVERTISEMENT

[SPACES](#)[UPGRADE](#)[NEWSLETTER](#)[GET CERTIFIED](#)[REPORT ERROR](#)

Top Tutorials

- [HTML Tutorial](#)
- [CSS Tutorial](#)
- [JavaScript Tutorial](#)
- [How To Tutorial](#)
- [SQL Tutorial](#)
- [Python Tutorial](#)
- [W3.CSS Tutorial](#)
- [Bootstrap Tutorial](#)

Top References

- [HTML Reference](#)
- [CSS Reference](#)
- [JavaScript Reference](#)
- [SQL Reference](#)
- [Python Reference](#)
- [W3.CSS Reference](#)
- [Bootstrap Reference](#)
- [PHP Reference](#)

[Tutorials](#) ▼[Exercises](#) ▼[Services](#) ▼[Sign Up](#)[Log in](#)[CSS](#)[JAVASCRIPT](#)[SQL](#)[PYTHON](#)[JAVA](#)[PHP](#)[HOW TO](#)[W3.CSS](#)[C](#)[HTML Examples](#)[CSS Examples](#)[JavaScript Examples](#)[How To Examples](#)[SQL Examples](#)[Python Examples](#)[W3.CSS Examples](#)[Bootstrap Examples](#)[PHP Examples](#)[Java Examples](#)[XML Examples](#)[jQuery Examples](#)[HTML Certificate](#)[CSS Certificate](#)[JavaScript Certificate](#)[Front End Certificate](#)[SQL Certificate](#)[Python Certificate](#)[PHP Certificate](#)[jQuery Certificate](#)[Java Certificate](#)[C++ Certificate](#)[C# Certificate](#)[XML Certificate](#)[FORUM](#)[ABOUT](#)

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning.

Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness

of all content. While using W3Schools, you agree to have read and accepted our [terms of use](#), [cookie and privacy policy](#).

Copyright 1999-2023 by Refsnes Data. All Rights Reserved. [W3Schools is Powered by W3.CSS](#).