

# CodeAssistant 报告

(由自动审查与测试生成系统输出)

## Contents

<b>1</b>	<b>代码审查 (Review)</b>	<b>1</b>
1.1	概览	1
1.2	严重性分布	1
1.3	工具分布	1
1.4	DS 规则分布	1
1.5	Top 20 问题	2
1.6	复杂度摘要	3
<b>2</b>	<b>测试生成 (TestGen)</b>	<b>176</b>
2.1	指标	176
2.2	覆盖率报告	176

---

## 1 代码审查 (Review)

### 1.1 概览

- 问题总数: 123
- 高/中/低: 28 / 17 / 78
- 工具数: 3
- DS 规则命中总数: 19

### 1.2 严重性分布

- low: 78
- high: 28
- medium: 17

### 1.3 工具分布

- rule-plugin: 99
- ds-rule: 19
- ast-rule: 5

### 1.4 DS 规则分布

- DS\_PANDAS\_SETTINGWITHCOPY: 19

## 1.5 Top 20 问题

1. **[high] ds-rule DS\_PANDAS\_SETTINGWITHCOPY**  
位置: `manage.py:141`  
说明: Chained indexing may trigger SettingWithCopy; use `.loc/.iloc`.
2. **[high] rule-plugin PY\_RESOURCE\_LEAK**  
位置: `manage.py:448`  
说明: `open()` 调用应在 `with` 语句中使用以确保正确关闭
3. **[high] rule-plugin PY\_RESOURCE\_LEAK**  
位置: `manage.py:190`  
说明: `open()` 调用应在 `with` 语句中使用以确保正确关闭
4. **[high] rule-plugin PY\_RESOURCE\_LEAK**  
位置: `manage.py:792`  
说明: `open()` 调用应在 `with` 语句中使用以确保正确关闭
5. **[low] rule-plugin PY\_LOOP\_INVARIANT**  
位置: `manage.py:532`  
说明: 考虑在循环外计算长度, 避免每次迭代都重新计算
6. **[low] rule-plugin PY\_LOOP\_INVARIANT**  
位置: `manage.py:413`  
说明: 考虑在循环外计算长度, 避免每次迭代都重新计算
7. **[low] rule-plugin PY\_LOOP\_INVARIANT**  
位置: `manage.py:418`  
说明: 考虑在循环外计算长度, 避免每次迭代都重新计算
8. **[low] rule-plugin PY\_LOOP\_INVARIANT**  
位置: `manage.py:532`  
说明: 考虑在循环外计算长度, 避免每次迭代都重新计算
9. **[high] ds-rule DS\_PANDAS\_SETTINGWITHCOPY**  
位置: `manage_api.py:141`  
说明: Chained indexing may trigger SettingWithCopy; use `.loc/.iloc`.
10. **[high] rule-plugin PY\_RESOURCE\_LEAK**  
位置: `manage_api.py:448`  
说明: `open()` 调用应在 `with` 语句中使用以确保正确关闭
11. **[high] rule-plugin PY\_RESOURCE\_LEAK**  
位置: `manage_api.py:190`  
说明: `open()` 调用应在 `with` 语句中使用以确保正确关闭
12. **[high] rule-plugin PY\_RESOURCE\_LEAK**  
位置: `manage_api.py:792`  
说明: `open()` 调用应在 `with` 语句中使用以确保正确关闭
13. **[low] rule-plugin PY\_LOOP\_INVARIANT**  
位置: `manage_api.py:532`  
说明: 考虑在循环外计算长度, 避免每次迭代都重新计算

14. [low] rule-plugin PY\_LOOP\_INVARIANT  
位置: `manage_api.py:413`  
说明: 考虑在循环外计算长度, 避免每次迭代都重新计算
15. [low] rule-plugin PY\_LOOP\_INVARIANT  
位置: `manage_api.py:418`  
说明: 考虑在循环外计算长度, 避免每次迭代都重新计算
16. [low] rule-plugin PY\_LOOP\_INVARIANT  
位置: `manage_api.py:532`  
说明: 考虑在循环外计算长度, 避免每次迭代都重新计算
17. [high] ds-rule DS\_PANDAS\_SETTINGWITHCOPY  
位置: `scripts/secmonkey_role_setup.py:211`  
说明: Chained indexing may trigger SettingWithCopy; use `.loc/.iloc`.
18. [high] ds-rule DS\_PANDAS\_SETTINGWITHCOPY  
位置: `security_monkey/auditor.py:422`  
说明: Chained indexing may trigger SettingWithCopy; use `.loc/.iloc`.
19. [high] ds-rule DS\_PANDAS\_SETTINGWITHCOPY  
位置: `security_monkey/auditor.py:423`  
说明: Chained indexing may trigger SettingWithCopy; use `.loc/.iloc`.
20. [high] ds-rule DS\_PANDAS\_SETTINGWITHCOPY  
位置: `security_monkey/auditor.py:424`  
说明: Chained indexing may trigger SettingWithCopy; use `.loc/.iloc`.

## 1.6 复杂度摘要

- 来源: Radon Cyclomatic Complexity (CC)
- 说明: 等级通常为 A (简单) 到 F (复杂), 括号内为复杂度分数

文件	类型	符号 (函数/方法)	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/manage.py	F	<code>add_override_scores</code>	D	27
D:/code_assistant/Git_repo/Netflix__security_monkey/manage.py	F	<code>add_override_score</code>	C	15
D:/code_assistant/Git_repo/Netflix__security_monkey/manage.py	F	<code>sync_swag</code>	C	13
D:/code_assistant/Git_repo/Netflix__security_monkey/manage.py	F	<code>_parse_accounts</code>	B	7
D:/code_assistant/Git_repo/Netflix__security_monkey/manage.py	F	<code>sync_networks</code>	B	7
D:/code_assistant/Git_repo/Netflix__security_monkey/manage.py	F	<code>amazon_accounts</code>	B	6
D:/code_assistant/Git_repo/Netflix__security_monkey/manage.py	F	<code>create_user</code>	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/manage.py	F	<code>delete_unjustified_issues</code>	A	3

(续下页)

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/manage.py	F	export_environment_summary	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/manage.py	F	add_watcher_config	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/manage.py	C	APIServer	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/manage.py	M	APIServer.__call__	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/manage.py	C	AddAccount	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/manage.py	M	AddAccount.__call__	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/manage.py	F	run_change_reporter	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/manage.py	F	find_changes	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/manage.py	F	audit_changes	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/manage.py	F	backup_config_to_json	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/manage.py	F	sync_jira	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/manage.py	F	toggle_active_user	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/manage.py	F	disable_accounts	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/manage.py	F	enable_accounts	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/manage.py	F	_parse_tech_names	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/manage.py	F	main	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/manage.py	M	AddAccount.get_options	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/manage.py	F	drop_db	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/manage.py	F	clear_expired_exceptions	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/manage.py	F	delete_account	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/manage.py	F	fetch_aws_canonical_ids	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/manage.py	F	clean_stale_issues	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/manage.py	M	APIServer.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/manage.py	M	APIServer.get_options	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/manage.py	M	AddAccount.__init__	A	1

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/manage_api.py	F	add_override_scores	D	27
D:/code_assistant/Git_repo/Netflix__security_monkey/manage_api.py	F	add_override_score	C	15
D:/code_assistant/Git_repo/Netflix__security_monkey/manage_api.py	F	sync_swag	C	13
D:/code_assistant/Git_repo/Netflix__security_monkey/manage_api.py	F	_parse_accounts	B	7
D:/code_assistant/Git_repo/Netflix__security_monkey/manage_api.py	F	sync_networks	B	7
D:/code_assistant/Git_repo/Netflix__security_monkey/manage_api.py	F	amazon_accounts	B	6
D:/code_assistant/Git_repo/Netflix__security_monkey/manage_api.py	F	create_user	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/manage_api.py	F	delete_unjustified_issues	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/manage_api.py	F	export_environment_summary	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/manage_api.py	F	add_watcher_config	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/manage_api.py	C	APIServer	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/manage_api.py	M	APIServer.handle	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/manage_api.py	C	AddAccount	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/manage_api.py	M	AddAccount.handle	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/manage_api.py	F	run_change_reporter	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/manage_api.py	F	find_changes	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/manage_api.py	F	audit_changes	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/manage_api.py	F	backup_config_to_json	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/manage_api.py	F	sync_jira	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/manage_api.py	F	toggle_active_user	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/manage_api.py	F	disable_accounts	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/manage_api.py	F	enable_accounts	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/manage_api.py	F	_parse_tech_names	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/manage_api.py	F	main	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/manage_api.py	M	AddAccount.get_options	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/manage_api.py	F	drop_db	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/manage_api.py	F	clear_expired_exceptions	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/manage_api.py	F	delete_account	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/manage_api.py	F	fetch_aws_canonical_ids	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/manage_api.py	F	clean_stale_issues	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/manage_api.py	M	APIServer.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/manage_api.py	M	APIServer.get_options	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/manage_api.py	M	AddAccount.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/env-config/config-docker.py	F	env_to_bool	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/env.py	F	run_migrations_offline	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/env.py	F	run_migrations_online	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/00c1dabdbe85_lengthen_account_name.py	F	upgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/00c1dabdbe85_lengthen_account_name.py	F	downgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/0ae4ef82b244_.py	F	upgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/0ae4ef82b244_.py	F	downgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/11f081cf54e2_.py	F	upgrade	B	6
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/11f081cf54e2_.py	F	downgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/11f081cf54e2_.py	C	AccountType	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/11f081cf54e2_.py	C	Account	A	1

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/11f081cf54e2_.py	C	AccountTypeCustomValues	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/1583a48cb978_.py	F	upgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/1583a48cb978_.py	F	downgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/15e39d43395f_.py	F	upgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/15e39d43395f_.py	F	downgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/1727fb4309d8_.py	F	upgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/1727fb4309d8_.py	F	downgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/1a863bd1acb1_.py	F	upgrade	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/1a863bd1acb1_.py	F	downgrade	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/1a863bd1acb1_.py	C	Technology	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/1c847ae1209a_.py	F	upgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/1c847ae1209a_.py	F	downgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/2705e6e13a8f_.py	F	upgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/2705e6e13a8f_.py	F	downgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/2ce75615b24d_.py	F	upgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/2ce75615b24d_.py	F	downgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/2ea41f4610fd_.py	F	upgrade	A	1

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/2ea41f4610fd_.py	F	downgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/331ca47ce8ad_.py	F	upgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/331ca47ce8ad_.py	F	downgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/4ac52090a637_.py	F	upgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/4ac52090a637_.py	F	downgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/51170afa2b48_custom_role_name.py	F	upgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/51170afa2b48_custom_role_name.py	F	downgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/538eeb160af6_.py	F	upgrade	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/538eeb160af6_.py	F	downgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/538eeb160af6_.py	C	User	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/55725cc4bf25_.py	F	update_custom_value	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/55725cc4bf25_.py	F	update_from_custom_value	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/55725cc4bf25_.py	F	upgrade	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/55725cc4bf25_.py	F	downgrade	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/55725cc4bf25_.py	C	Account	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/55725cc4bf25_.py	C	AccountTypeCustomValues	A	1

（续下页）



文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/57f648d4b597_.py	F	upgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/57f648d4b597_.py	F	downgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/595e27f36454_.py	F	upgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/595e27f36454_.py	F	downgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/5bd631a1b748_.py	F	upgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/5bd631a1b748_.py	F	downgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/5bd631a1b748_.py	C	ItemAudit	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/61a6fd4b4500_.py	F	upgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/61a6fd4b4500_.py	F	downgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/6245d75fa12_exceptions_table.py	F	upgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/6245d75fa12_exceptions_table.py	F	downgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/67ea2aac5ea0_.py	F	upgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/67ea2aac5ea0_.py	F	downgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/6b9d673d8e30_added_index_for_itemrevision_created.py	F	upgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/6b9d673d8e30_added_index_for_itemrevision_created.py	F	downgrade	A	1

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/6d2354fb841c_.py	F	upgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/6d2354fb841c_.py	F	downgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/7c54b06e227b_.py	F	upgrade	B	6
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/7c54b06e227b_.py	F	downgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/7c54b06e227b_.py	C	AccountType	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/7c54b06e227b_.py	C	Account	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/7c54b06e227b_.py	C	AccountTypeCustomValues	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/7c54b06e227b_.py	C	ExceptionLogs	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/7c54b06e227b_.py	C	ItemAudit	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/7c54b06e227b_.py	C	Item	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/7c54b06e227b_.py	C	ItemComment	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/7c54b06e227b_.py	C	ItemRevisionComment	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/7c54b06e227b_.py	C	ItemRevision	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/7c54b06e227b_.py	C	CloudTrailEntry	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/7c54b06e227b_.py	C	Technology	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/908b0085d28d_.py	F	upgrade	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/908b0085d28d_.py	C	User	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/908b0085d28d_.py	F	downgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/908b0085d28d_.py	M	User.__str__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/a9fe9c93ed75_.py	F	remove_duplicate_issue_items	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/a9fe9c93ed75_.py	F	remove_duplicate_association	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/a9fe9c93ed75_.py	F	remove_duplicate_role_users	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/a9fe9c93ed75_.py	F	upgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/a9fe9c93ed75_.py	F	downgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/a9fe9c93ed75_.py	C	IssueItemAssociation	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/a9fe9c93ed75_.py	C	AssociationTable	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/a9fe9c93ed75_.py	C	RolesUsers	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/ad23a56abf25_.py	F	upgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/ad23a56abf25_.py	F	downgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/ae5c0a6aebb3_.py	F	upgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/ae5c0a6aebb3_.py	F	downgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/b8ccf5b8089b_.py	F	upgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/b8ccf5b8089b_.py	F	downgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/bfb550a500ab_.py	F	retrieve_arn	B	7

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/bfb550a500ab_.py	F	sub_list	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/bfb550a500ab_.py	F	sub_dict	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/bfb550a500ab_.py	F	upgrade	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/bfb550a500ab_.py	F	durable_hash	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/bfb550a500ab_.py	F	hash_item	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/bfb550a500ab_.py	F	hash_config	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/bfb550a500ab_.py	F	ephemeral_paths_for_item	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/bfb550a500ab_.py	F	downgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/bfb550a500ab_.py	C	Technology	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/bfb550a500ab_.py	C	Item	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/bfb550a500ab_.py	C	ItemRevision	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/c01df2202a9_.py	F	upgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/c01df2202a9_.py	F	downgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/c93f246859f7_.py	F	upgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/c93f246859f7_.py	F	downgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/c9dd06c919ac_.py	F	upgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/c9dd06c919ac_.py	F	downgrade	A	1

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/d08d0b37788a_.py	F	upgrade	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/d08d0b37788a_.py	F	downgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/d08d0b37788a_.py	C	Account	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/d08d0b37788a_.py	C	AccountType	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/daee17da2abd_.py	F	upgrade	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/daee17da2abd_.py	F	downgrade	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/daee17da2abd_.py	C	Technology	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/e0a6af364a3f_.py	F	upgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/e0a6af364a3f_.py	F	downgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/ea2739ecd874_.py	F	upgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/ea2739ecd874_.py	F	downgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/fb592c81e71_.py	F	upgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/migrations/versions/fb592c81e71_.py	F	downgrade	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_env_config_config_docker_9fd98fb5.py	F	test_env_to_bool__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_env_config_config_docker_9fd98fb5.py	F	test_env_to_bool__edge_cases	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_env_config_config_docker_9fd98fb5.py	F	test_env_to_bool__property_based		2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_drop_db__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_run_change_reporter__basic_smoke		3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_find_changes__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_audit_changes__basic_smoke		3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_delete_unjustified_issues__basic_smoke		3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_export_environment_summary__basic_smoke		3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_backup_config_to_json__basic_smoke		3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_sync_jira__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_clear_expired_exceptions__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_amazon_accounts__basic_smoke		3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_create_user__basic_smoke	A	3

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_toggle_active_user__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_disable_accounts__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_enable_accounts__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_add_override_score__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_add_override_scores__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_delete_account__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_add_watcher_config__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_fetch_aws_canonical_ids__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_clean_stale_issues__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_sync_swag__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_sync_networks__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_main__basic_smoke	A	3

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_drop_db__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_drop_db__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_run_change_reporter__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_run_change_reporter__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_find_changes__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_find_changes__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_audit_changes__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_audit_changes__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_delete_unjustified_issues__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_delete_unjustified_issues__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_export_environment_summary__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_export_environment_summary__property_based	A	2

（续下页）



文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_backup_config_to_json__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_backup_config_to_json__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_sync_jira__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_sync_jira__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_clear_expired_exceptions__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_clear_expired_exceptions__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_amazon_accounts__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_amazon_accounts__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_create_user__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_create_user__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_toggle_active_user__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_toggle_active_user__property_based	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_disable_accounts__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_disable_accounts__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_enable_accounts__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_enable_accounts__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_add_override_score__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_add_override_score__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_add_override_scores__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_add_override_scores__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_delete_account__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_delete_account__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_add_watcher_config__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_add_watcher_config__property_based	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_fetch_aws_canonical_ids__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_fetch_aws_canonical_ids__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_clean_stale_issues__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_clean_stale_issues__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_sync_swag__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_sync_swag__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_sync_networks__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_sync_networks__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_main__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_3156ad13.py	F	test_main__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_drop_db__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_run_change_reporter__basic_smoke	A	3

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_find_changes__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_audit_changes__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_delete_unjustified_issues__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_export_environment_summary__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_backup_config_to_json__basic_smoke	B	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_sync_jira__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_clear_expired_exceptions__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_amazon_accounts__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_create_user__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_toggle_active_user__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_disable_accounts__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_enable_accounts__basic_smoke	A	3

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_add_override_score__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_add_override_scores__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_delete_account__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_add_watcher_config__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_fetch_aws_canonical_ids__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_clean_stale_issues__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_sync_swag__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_sync_networks__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_main__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_drop_db__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_drop_db__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_run_change_reporter__edge_cases	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_run_change_reporter__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_find_changes__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_find_changes__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_audit_changes__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_audit_changes__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_delete_unjustified_issues__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_delete_unjustified_issues__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_export_environment_summary__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_export_environment_summary__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_backup_config_to_json__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_backup_config_to_json__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_sync_jira__edge_cases	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_sync_jira__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_clear_expired_exceptions__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_clear_expired_exceptions__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_amazon_accounts__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_amazon_accounts__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_create_user__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_create_user__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_toggle_active_user__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_toggle_active_user__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_disable_accounts__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_disable_accounts__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_enable_accounts__edge_cases	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_enable_accounts__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_add_override_score__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_add_override_score__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_add_override_scores__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_add_override_scores__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_delete_account__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_delete_account__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_add_watcher_config__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_add_watcher_config__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_fetch_aws_canonical_ids__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_fetch_aws_canonical_ids__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_clean_stale_issues__edge_cases	A	2

（续下页）



文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_clean_stale_issues__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_sync_swag__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_sync_swag__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_sync_networks__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_sync_networks__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_main__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_manage_api_8e08d141.py	F	test_main__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_env_1d5e98f8.py	F	test_run_migrations_offline__basic_smoke	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_env_1d5e98f8.py	F	test_run_migrations_online__basic_smoke	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_env_1d5e98f8.py	F	test_run_migrations_offline__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_env_1d5e98f8.py	F	test_run_migrations_offline__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_env_1d5e98f8.py	F	test_run_migrations_online__edge_cases	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_env_1d5e98f8.py	F	test_run_migrations_online__property_based	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_00c1dabdbe85_lengthen_account_name_671e5b13.py	F	test_upgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_00c1dabdbe85_lengthen_account_name_671e5b13.py	F	test_downgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_00c1dabdbe85_lengthen_account_name_671e5b13.py	F	test_upgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_00c1dabdbe85_lengthen_account_name_671e5b13.py	F	test_upgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_00c1dabdbe85_lengthen_account_name_671e5b13.py	F	test_downgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_00c1dabdbe85_lengthen_account_name_671e5b13.py	F	test_downgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_0ae4ef82b244_a10b7dcb.py	F	test_upgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_0ae4ef82b244_a10b7dcb.py	F	test_downgrade__basic_smoke	A	3

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_0ae4ef82b244_a10b7dcb.py	F	test_upgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_0ae4ef82b244_a10b7dcb.py	F	test_upgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_0ae4ef82b244_a10b7dcb.py	F	test_downgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_0ae4ef82b244_a10b7dcb.py	F	test_downgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_11f081cf54e2_5b4c7111.py	F	test_upgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_11f081cf54e2_5b4c7111.py	F	test_downgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_11f081cf54e2_5b4c7111.py	F	test_upgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_11f081cf54e2_5b4c7111.py	F	test_upgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_11f081cf54e2_5b4c7111.py	F	test_downgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_11f081cf54e2_5b4c7111.py	F	test_downgrade__property_based	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_1583a48cb978_e162f8ac.py	F	test_upgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_1583a48cb978_e162f8ac.py	F	test_downgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_1583a48cb978_e162f8ac.py	F	test_upgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_1583a48cb978_e162f8ac.py	F	test_upgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_1583a48cb978_e162f8ac.py	F	test_downgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_1583a48cb978_e162f8ac.py	F	test_downgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_15e39d43395f_8a803580.py	F	test_upgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_15e39d43395f_8a803580.py	F	test_downgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_15e39d43395f_8a803580.py	F	test_upgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_15e39d43395f_8a803580.py	F	test_upgrade__property_based	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_15e39d43395f_8a803580.py	F	test_downgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_15e39d43395f_8a803580.py	F	test_downgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_1727fb4309d8_885b4442.py	F	test_upgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_1727fb4309d8_885b4442.py	F	test_downgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_1727fb4309d8_885b4442.py	F	test_upgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_1727fb4309d8_885b4442.py	F	test_upgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_1727fb4309d8_885b4442.py	F	test_downgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_1727fb4309d8_885b4442.py	F	test_downgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_1a863bd1acb1_c6768a82.py	F	test_upgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_1a863bd1acb1_c6768a82.py	F	test_downgrade__basic_smoke	A	3

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_1a863bd1acb1_c6768a82.py	F	test_upgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_1a863bd1acb1_c6768a82.py	F	test_upgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_1a863bd1acb1_c6768a82.py	F	test_downgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_1a863bd1acb1_c6768a82.py	F	test_downgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_1c847ae1209a_21e2cc98.py	F	test_upgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_1c847ae1209a_21e2cc98.py	F	test_downgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_1c847ae1209a_21e2cc98.py	F	test_upgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_1c847ae1209a_21e2cc98.py	F	test_upgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_1c847ae1209a_21e2cc98.py	F	test_downgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_1c847ae1209a_21e2cc98.py	F	test_downgrade__property_based	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_2705e6e13a8f_2fc89a34.py	F	test_upgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_2705e6e13a8f_2fc89a34.py	F	test_downgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_2705e6e13a8f_2fc89a34.py	F	test_upgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_2705e6e13a8f_2fc89a34.py	F	test_upgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_2705e6e13a8f_2fc89a34.py	F	test_downgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_2705e6e13a8f_2fc89a34.py	F	test_downgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_2ce75615b24d_5d38f217.py	F	test_upgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_2ce75615b24d_5d38f217.py	F	test_downgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_2ce75615b24d_5d38f217.py	F	test_upgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_2ce75615b24d_5d38f217.py	F	test_upgrade__property_based	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_2ce75615b24d_5d38f217.py	F	test_downgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_2ce75615b24d_5d38f217.py	F	test_downgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_2ea41f4610fd_a075904c.py	F	test_upgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_2ea41f4610fd_a075904c.py	F	test_downgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_2ea41f4610fd_a075904c.py	F	test_upgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_2ea41f4610fd_a075904c.py	F	test_upgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_2ea41f4610fd_a075904c.py	F	test_downgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_2ea41f4610fd_a075904c.py	F	test_downgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_331ca47ce8ad_6549354a.py	F	test_upgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_331ca47ce8ad_6549354a.py	F	test_downgrade__basic_smoke	A	3

（续下页）



文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_331ca47ce8ad_6549354a.py	F	test_upgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_331ca47ce8ad_6549354a.py	F	test_upgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_331ca47ce8ad_6549354a.py	F	test_downgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_331ca47ce8ad_6549354a.py	F	test_downgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_4ac52090a637_98ad0211.py	F	test_upgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_4ac52090a637_98ad0211.py	F	test_downgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_4ac52090a637_98ad0211.py	F	test_upgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_4ac52090a637_98ad0211.py	F	test_upgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_4ac52090a637_98ad0211.py	F	test_downgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_4ac52090a637_98ad0211.py	F	test_downgrade__property_based	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_51170afa2b48_custom_role_name_6da73e3e.py	F	test_upgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_51170afa2b48_custom_role_name_6da73e3e.py	F	test_downgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_51170afa2b48_custom_role_name_6da73e3e.py	F	test_upgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_51170afa2b48_custom_role_name_6da73e3e.py	F	test_upgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_51170afa2b48_custom_role_name_6da73e3e.py	F	test_downgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_51170afa2b48_custom_role_name_6da73e3e.py	F	test_downgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_538eeb160af6_cd27a488.py	F	test_upgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_538eeb160af6_cd27a488.py	F	test_downgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_538eeb160af6_cd27a488.py	F	test_upgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_538eeb160af6_cd27a488.py	F	test_upgrade__property_based	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_538eeb160af6_cd27a488.py	F	test_downgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_538eeb160af6_cd27a488.py	F	test_downgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_55725cc4bf25_9893f587.py	F	test_update_custom_value__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_55725cc4bf25_9893f587.py	F	test_update_from_custom_value__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_55725cc4bf25_9893f587.py	F	test_upgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_55725cc4bf25_9893f587.py	F	test_downgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_55725cc4bf25_9893f587.py	F	test_update_custom_value__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_55725cc4bf25_9893f587.py	F	test_update_custom_value__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_55725cc4bf25_9893f587.py	F	test_update_from_custom_value__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_55725cc4bf25_9893f587.py	F	test_update_from_custom_value__property_based	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_55725cc4bf25_9893f587.py	F	test_upgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_55725cc4bf25_9893f587.py	F	test_upgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_55725cc4bf25_9893f587.py	F	test_downgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_55725cc4bf25_9893f587.py	F	test_downgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_57f648d4b597_b08d508e.py	F	test_upgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_57f648d4b597_b08d508e.py	F	test_downgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_57f648d4b597_b08d508e.py	F	test_upgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_57f648d4b597_b08d508e.py	F	test_upgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_57f648d4b597_b08d508e.py	F	test_downgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_57f648d4b597_b08d508e.py	F	test_downgrade__property_based	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_595e27f36454_ec8a35d9.py	F	test_upgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_595e27f36454_ec8a35d9.py	F	test_downgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_595e27f36454_ec8a35d9.py	F	test_upgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_595e27f36454_ec8a35d9.py	F	test_upgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_595e27f36454_ec8a35d9.py	F	test_downgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_595e27f36454_ec8a35d9.py	F	test_downgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_5bd631a1b748_fb1cdb8c.py	F	test_upgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_5bd631a1b748_fb1cdb8c.py	F	test_downgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_5bd631a1b748_fb1cdb8c.py	F	test_upgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_5bd631a1b748_fb1cdb8c.py	F	test_upgrade__property_based	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_5bd631a1b748_fb1cdb8c.py	F	test_downgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_5bd631a1b748_fb1cdb8c.py	F	test_downgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_61a6fd4b4500_83d4657a.py	F	test_upgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_61a6fd4b4500_83d4657a.py	F	test_downgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_61a6fd4b4500_83d4657a.py	F	test_upgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_61a6fd4b4500_83d4657a.py	F	test_upgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_61a6fd4b4500_83d4657a.py	F	test_downgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_61a6fd4b4500_83d4657a.py	F	test_downgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_6245d75fa12_exceptions_table_d2e57ad1.py	F	test_upgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_6245d75fa12_exceptions_table_d2e57ad1.py	F	test_downgrade__basic_smoke	A	3

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_6245d75fa12_exceptions_table_d2e57ad1.py	F	test_upgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_6245d75fa12_exceptions_table_d2e57ad1.py	F	test_upgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_6245d75fa12_exceptions_table_d2e57ad1.py	F	test_downgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_6245d75fa12_exceptions_table_d2e57ad1.py	F	test_downgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_67ea2aac5ea0_93aa9206.py	F	test_upgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_67ea2aac5ea0_93aa9206.py	F	test_downgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_67ea2aac5ea0_93aa9206.py	F	test_upgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_67ea2aac5ea0_93aa9206.py	F	test_upgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_67ea2aac5ea0_93aa9206.py	F	test_downgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_67ea2aac5ea0_93aa9206.py	F	test_downgrade__property_based	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_6b9d673d8e30_added_index_for_itemrevision_created_3205b1e9.py	F	test_upgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_6b9d673d8e30_added_index_for_itemrevision_created_3205b1e9.py	F	test_downgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_6b9d673d8e30_added_index_for_itemrevision_created_3205b1e9.py	F	test_upgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_6b9d673d8e30_added_index_for_itemrevision_created_3205b1e9.py	F	test_upgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_6b9d673d8e30_added_index_for_itemrevision_created_3205b1e9.py	F	test_downgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_6b9d673d8e30_added_index_for_itemrevision_created_3205b1e9.py	F	test_downgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_6d2354fb841c_d01d4144.py	F	test_upgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_6d2354fb841c_d01d4144.py	F	test_downgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_6d2354fb841c_d01d4144.py	F	test_upgrade__edge_cases	A	2

（续下页）



文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_6d2354fb841c_d01d4144.py	F	test_upgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_6d2354fb841c_d01d4144.py	F	test_downgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_6d2354fb841c_d01d4144.py	F	test_downgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_7c54b06e227b_10892e09.py	F	test_upgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_7c54b06e227b_10892e09.py	F	test_downgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_7c54b06e227b_10892e09.py	F	test_upgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_7c54b06e227b_10892e09.py	F	test_upgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_7c54b06e227b_10892e09.py	F	test_downgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_7c54b06e227b_10892e09.py	F	test_downgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_908b0085d28d_aa782afa.py	F	test_upgrade__basic_smoke	A	3

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_908b0085d28d_aa782afa.py	F	test_downgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_908b0085d28d_aa782afa.py	F	test_upgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_908b0085d28d_aa782afa.py	F	test_upgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_908b0085d28d_aa782afa.py	F	test_downgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_908b0085d28d_aa782afa.py	F	test_downgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_a9fe9c93ed75_2bd4d6b0.py	F	test_remove_duplicate_issue_items__basic_smoke		
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_a9fe9c93ed75_2bd4d6b0.py	F	test_remove_duplicate_association__basic_smoke		
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_a9fe9c93ed75_2bd4d6b0.py	F	test_remove_duplicate_role_users__basic_smoke		
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_a9fe9c93ed75_2bd4d6b0.py	F	test_upgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_a9fe9c93ed75_2bd4d6b0.py	F	test_downgrade__basic_smoke	A	3

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_a9fe9c93ed75_2bd4d6b0.py	F	test_remove_duplicate_issue_items__edge_cases		2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_a9fe9c93ed75_2bd4d6b0.py	F	test_remove_duplicate_issue_items__property_based		2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_a9fe9c93ed75_2bd4d6b0.py	F	test_remove_duplicate_association__edge_cases		2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_a9fe9c93ed75_2bd4d6b0.py	F	test_remove_duplicate_association__property_based		2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_a9fe9c93ed75_2bd4d6b0.py	F	test_remove_duplicate_role_users__edge_cases		2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_a9fe9c93ed75_2bd4d6b0.py	F	test_remove_duplicate_role_users__property_based		2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_a9fe9c93ed75_2bd4d6b0.py	F	test_upgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_a9fe9c93ed75_2bd4d6b0.py	F	test_upgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_a9fe9c93ed75_2bd4d6b0.py	F	test_downgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_a9fe9c93ed75_2bd4d6b0.py	F	test_downgrade__property_based	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_ad23a56abf25_1265c1b3.py	F	test_upgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_ad23a56abf25_1265c1b3.py	F	test_downgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_ad23a56abf25_1265c1b3.py	F	test_upgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_ad23a56abf25_1265c1b3.py	F	test_upgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_ad23a56abf25_1265c1b3.py	F	test_downgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_ad23a56abf25_1265c1b3.py	F	test_downgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_ae5c0a6aebb3_5e17abdd.py	F	test_upgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_ae5c0a6aebb3_5e17abdd.py	F	test_downgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_ae5c0a6aebb3_5e17abdd.py	F	test_upgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_ae5c0a6aebb3_5e17abdd.py	F	test_upgrade__property_based	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_ae5c0a6aeb3_5e17abdd.py	F	test_downgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_ae5c0a6aeb3_5e17abdd.py	F	test_downgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_b8ccf5b8089b_49b51b9a.py	F	test_upgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_b8ccf5b8089b_49b51b9a.py	F	test_downgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_b8ccf5b8089b_49b51b9a.py	F	test_upgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_b8ccf5b8089b_49b51b9a.py	F	test_upgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_b8ccf5b8089b_49b51b9a.py	F	test_downgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_b8ccf5b8089b_49b51b9a.py	F	test_downgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_bfb550a500ab_f0ecb80f.py	F	test_sub_list__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_bfb550a500ab_f0ecb80f.py	F	test_sub_dict__basic_smoke	A	3

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_bfb550a500ab_f0ecb80f.py	F	test_retrieve_arn__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_bfb550a500ab_f0ecb80f.py	F	test_hash_item__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_bfb550a500ab_f0ecb80f.py	F	test_durable_hash__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_bfb550a500ab_f0ecb80f.py	F	test_hash_config__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_bfb550a500ab_f0ecb80f.py	F	test_ephemeral_paths_for_item__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_bfb550a500ab_f0ecb80f.py	F	test_upgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_bfb550a500ab_f0ecb80f.py	F	test_downgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_bfb550a500ab_f0ecb80f.py	F	test_sub_list__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_bfb550a500ab_f0ecb80f.py	F	test_sub_list__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_bfb550a500ab_f0ecb80f.py	F	test_sub_dict__edge_cases	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_bfb550a500ab_f0ecb80f.py	F	test_sub_dict__property_basedA		2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_bfb550a500ab_f0ecb80f.py	F	test_retrieve_arn__edge_casesA		2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_bfb550a500ab_f0ecb80f.py	F	test_retrieve_arn__property_based		2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_bfb550a500ab_f0ecb80f.py	F	test_hash_item__edge_cases A		2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_bfb550a500ab_f0ecb80f.py	F	test_hash_item__property_basedA		2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_bfb550a500ab_f0ecb80f.py	F	test_durable_hash__edge_casesA		2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_bfb550a500ab_f0ecb80f.py	F	test_durable_hash__property_based		2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_bfb550a500ab_f0ecb80f.py	F	test_hash_config__edge_cases A		2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_bfb550a500ab_f0ecb80f.py	F	test_hash_config__property_based		2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_bfb550a500ab_f0ecb80f.py	F	test_ephemeral_paths_for_itemA_edge_cases		2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_bfb550a500ab_f0ecb80f.py	F	test_ephemeral_paths_for_itemA_property2_based		
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_bfb550a500ab_f0ecb80f.py	F	test_upgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_bfb550a500ab_f0ecb80f.py	F	test_upgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_bfb550a500ab_f0ecb80f.py	F	test_downgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_bfb550a500ab_f0ecb80f.py	F	test_downgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_c01df2202a9_a1324f04.py	F	test_upgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_c01df2202a9_a1324f04.py	F	test_downgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_c01df2202a9_a1324f04.py	F	test_upgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_c01df2202a9_a1324f04.py	F	test_upgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_c01df2202a9_a1324f04.py	F	test_downgrade__edge_cases	A	2

（续下页）



文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_c01df2202a9_a1324f04.py	F	test_downgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_c93f246859f7_df31d9ed.py	F	test_upgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_c93f246859f7_df31d9ed.py	F	test_downgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_c93f246859f7_df31d9ed.py	F	test_upgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_c93f246859f7_df31d9ed.py	F	test_upgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_c93f246859f7_df31d9ed.py	F	test_downgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_c93f246859f7_df31d9ed.py	F	test_downgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_c9dd06c919ac_a5b728c6.py	F	test_upgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_c9dd06c919ac_a5b728c6.py	F	test_downgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_c9dd06c919ac_a5b728c6.py	F	test_upgrade__edge_cases	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_c9dd06c919ac_a5b728c6.py	F	test_upgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_c9dd06c919ac_a5b728c6.py	F	test_downgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_c9dd06c919ac_a5b728c6.py	F	test_downgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_d08d0b37788a_5fb23dc2.py	F	test_upgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_d08d0b37788a_5fb23dc2.py	F	test_downgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_d08d0b37788a_5fb23dc2.py	F	test_upgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_d08d0b37788a_5fb23dc2.py	F	test_upgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_d08d0b37788a_5fb23dc2.py	F	test_downgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_d08d0b37788a_5fb23dc2.py	F	test_downgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_dae17da2abd_22632f14.py	F	test_upgrade__basic_smoke	A	3

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_daae17da2abd_22632f14.py	F	test_downgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_daae17da2abd_22632f14.py	F	test_upgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_daae17da2abd_22632f14.py	F	test_upgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_daae17da2abd_22632f14.py	F	test_downgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_daae17da2abd_22632f14.py	F	test_downgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_e0a6af364a3f_974c0128.py	F	test_upgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_e0a6af364a3f_974c0128.py	F	test_downgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_e0a6af364a3f_974c0128.py	F	test_upgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_e0a6af364a3f_974c0128.py	F	test_upgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_e0a6af364a3f_974c0128.py	F	test_downgrade__edge_cases	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_e0a6af364a3f_974c0128.py	F	test_downgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_ea2739ecd874_e67e6596.py	F	test_upgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_ea2739ecd874_e67e6596.py	F	test_downgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_ea2739ecd874_e67e6596.py	F	test_upgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_ea2739ecd874_e67e6596.py	F	test_upgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_ea2739ecd874_e67e6596.py	F	test_downgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_ea2739ecd874_e67e6596.py	F	test_downgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_fb592c81e71_97cf68fe.py	F	test_upgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_fb592c81e71_97cf68fe.py	F	test_downgrade__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_fb592c81e71_97cf68fe.py	F	test_upgrade__edge_cases	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_fb592c81e71_97cf68fe.py	F	test_upgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_fb592c81e71_97cf68fe.py	F	test_downgrade__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_migrations_versions_fb592c81e71_97cf68fe.py	F	test_downgrade__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_scripts_secmonkey_role_setup_8944a789.py	F	test_main__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_scripts_secmonkey_role_setup_8944a789.py	F	test_main__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_scripts_secmonkey_role_setup_8944a789.py	F	test_main__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_account_manager_9f8cfb03.py	F	test_load_all_account_types__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_account_manager_9f8cfb03.py	F	test_get_account_by_id__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_account_manager_9f8cfb03.py	F	test_get_account_by_name__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_account_manager_9f8cfb03.py	F	test_delete_account_by_id__basic_smoke	A	3

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_account_manager_9f8cfb03.py	F	test_delete_account_by_name__basic_smoke	basic_smoke	1
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_account_manager_9f8cfb03.py	F	test_bulk_disable_accounts__basic_smoke	basic_smoke	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_account_manager_9f8cfb03.py	F	test_bulk_enable_accounts__basic_smoke	basic_smoke	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_account_manager_9f8cfb03.py	F	test_load_all_account_types__edge_cases	edge_cases	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_account_manager_9f8cfb03.py	F	test_load_all_account_types__property_based	property_based	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_account_manager_9f8cfb03.py	F	test_get_account_by_id__edge_cases	edge_cases	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_account_manager_9f8cfb03.py	F	test_get_account_by_id__property_based	property_based	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_account_manager_9f8cfb03.py	F	test_get_account_by_name__edge_cases	edge_cases	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_account_manager_9f8cfb03.py	F	test_get_account_by_name__property_based	property_based	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_account_manager_9f8cfb03.py	F	test_delete_account_by_id__edge_cases	edge_cases	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_account_manager_9f8cfb03.py	F	test_delete_account_by_id__property_based	2	
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_account_manager_9f8cfb03.py	F	test_delete_account_by_name__edge_cases	2	
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_account_manager_9f8cfb03.py	F	test_delete_account_by_name__property_based	2	
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_account_manager_9f8cfb03.py	F	test_bulk_disable_accounts__edge_cases	2	
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_account_manager_9f8cfb03.py	F	test_bulk_disable_accounts__property_based	2	
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_account_manager_9f8cfb03.py	F	test_bulk_enable_accounts__edge_cases	2	
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_account_manager_9f8cfb03.py	F	test_bulk_enable_accounts__property_based	2	
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_alerter_9760a909.py	F	test_get_subject__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_alerter_9760a909.py	F	test_report_content__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_alerter_9760a909.py	F	test_get_subject__edge_cases	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_alerter_9760a909.py	F	test_get_subject__property_based		2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_alerter_9760a909.py	F	test_report_content__edge_cases		2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_alerter_9760a909.py	F	test_report_content__property_based		2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_auditor_20f070e5.py	F	test_add__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_auditor_20f070e5.py	F	test_add__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_auditor_20f070e5.py	F	test_add__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_backup_afb79fd2.py	F	test_backup_config_to_json__basic_smoke		3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_backup_afb79fd2.py	F	test_standardize_name__basic_smoke		3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_backup_afb79fd2.py	F	test_backup_config_to_json__edge_cases		2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_backup_afb79fd2.py	F	test_backup_config_to_json__property_based		2

（续下页）



文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_backup_afb79fd2.py	F	test_standardize_name__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_backup_afb79fd2.py	F	test_standardize_name__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_datastore_d6be5784.py	F	test_durable_hash__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_datastore_d6be5784.py	F	test_hash_item__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_datastore_d6be5784.py	F	test_store_exception__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_datastore_d6be5784.py	F	test_clear_old_exceptions__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_datastore_d6be5784.py	F	test_delete_item_revisions_by_date__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_datastore_d6be5784.py	F	test_durable_hash__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_datastore_d6be5784.py	F	test_durable_hash__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_datastore_d6be5784.py	F	test_hash_item__edge_cases	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_datastore_d6be5784.py	F	test_hash_item__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_datastore_d6be5784.py	F	test_store_exception__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_datastore_d6be5784.py	F	test_store_exception__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_datastore_d6be5784.py	F	test_clear_old_exceptions__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_datastore_d6be5784.py	F	test_clear_old_exceptions__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_datastore_d6be5784.py	F	test_delete_item_revisions_by_date__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_datastore_d6be5784.py	F	test_delete_item_revisions_by_date__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_datastore_utils_99fb06a6.py	F	test_persist_item__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_datastore_utils_99fb06a6.py	F	test_is_active__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_datastore_utils_99fb06a6.py	F	test_create_revision__basic_smoke	A	3

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_datastore_utils_99fb06a6.py	F	test_create_item_aws__basic_smoke		3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_datastore_utils_99fb06a6.py	F	test_create_item__basic_smokeA		3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_datastore_utils_99fb06a6.py	F	test_detect_change__basic_smoke		3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_datastore_utils_99fb06a6.py	F	test_result_from_item__basic_smoke		3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_datastore_utils_99fb06a6.py	F	test_inactivate_old_revisionsA__basic_smoke		
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_datastore_utils_99fb06a6.py	F	test_persist_item__edge_casesA		2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_datastore_utils_99fb06a6.py	F	test_persist_item__property_based		2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_datastore_utils_99fb06a6.py	F	test_is_active__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_datastore_utils_99fb06a6.py	F	test_is_active__property_basedA		2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_datastore_utils_99fb06a6.py	F	test_create_revision__edge_cases		2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_datastore_utils_99fb06a6.py	F	test_create_revision__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_datastore_utils_99fb06a6.py	F	test_create_item_aws__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_datastore_utils_99fb06a6.py	F	test_create_item_aws__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_datastore_utils_99fb06a6.py	F	test_create_item__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_datastore_utils_99fb06a6.py	F	test_create_item__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_datastore_utils_99fb06a6.py	F	test_detect_change__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_datastore_utils_99fb06a6.py	F	test_detect_change__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_datastore_utils_99fb06a6.py	F	test_result_from_item__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_datastore_utils_99fb06a6.py	F	test_result_from_item__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_datastore_utils_99fb06a6.py	F	test_inactivate_old_revisions__edge_cases	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_datastore_utils_99fb06a6.py	F	test_inactivate_old_revisionsA_property2_based		
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_decorators_b73beade.py	F	test_crossdomain__basic_smokeA		3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_decorators_b73beade.py	F	test_record_exception__basic_smoke		3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_decorators_b73beade.py	F	test_iter_account_region__basic_smoke		3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_decorators_b73beade.py	F	test_get_regions__basic_smokeA		3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_decorators_b73beade.py	F	test_crossdomain__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_decorators_b73beade.py	F	test_crossdomain__property_based		2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_decorators_b73beade.py	F	test_record_exception__edge_cases		2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_decorators_b73beade.py	F	test_record_exception__property_based		2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_decorators_b73beade.py	F	test_iter_account_region__edge_cases	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_decorators_b73beade.py	F	test_iter_account_region__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_decorators_b73beade.py	F	test_get_regions__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_decorators_b73beade.py	F	test_get_regions__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_drop_db__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_run_change_reporter__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_find_changes__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_audit_changes__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_delete_unjustified_issues__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_export_environment_summary__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_backup_config_to_json__basic_smoke	A	3

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_sync_jira__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_delete_revisions_by_date__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_clear_expired_exceptions__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_amazon_accounts__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_create_user__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_toggle_active_user__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_disable_accounts__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_enable_accounts__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_add_override_score__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_add_override_scores__basic_smoke	A	3

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_delete_account__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_add_watcher_config__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_fetch_aws_canonical_ids__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_clean_stale_issues__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_sync_swag__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_sync_networks__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_main__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_drop_db__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_drop_db__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_run_change_reporter__edge_cases	A	2

（续下页）



文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_run_change_reporter__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_find_changes__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_find_changes__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_audit_changes__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_audit_changes__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_delete_unjustified_issues__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_delete_unjustified_issues__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_export_environment_summary__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_export_environment_summary__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_backup_config_to_json__edge_cases	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_backup_config_to_json__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_sync_jira__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_sync_jira__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_delete_revisions_by_date__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_delete_revisions_by_date__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_clear_expired_exceptions__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_clear_expired_exceptions__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_amazon_accounts__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_amazon_accounts__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_create_user__edge_cases	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_create_user__property_based	2	
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_toggle_active_user__edge_cases	2	
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_toggle_active_user__property_based	2	
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_disable_accounts__edge_cases	2	
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_disable_accounts__property_based	2	
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_enable_accounts__edge_cases	2	
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_enable_accounts__property_based	2	
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_add_override_score__edge_cases	2	
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_add_override_score__property_based	2	
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_add_override_scores__edge_cases	2	

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_add_override_scores__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_delete_account__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_delete_account__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_add_watcher_config__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_add_watcher_config__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_fetch_aws_canonical_ids__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_fetch_aws_canonical_ids__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_clean_stale_issues__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_clean_stale_issues__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_sync_swag__edge_cases	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_sync_swag__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_sync_networks__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_sync_networks__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_main__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_manage_0639855e.py	F	test_main__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_monitors_186dc504.py	F	test_get_monitors__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_monitors_186dc504.py	F	test_get_monitors_and_dependencies__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_monitors_186dc504.py	F	test_all_monitors__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_monitors_186dc504.py	F	test_get_monitors__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_monitors_186dc504.py	F	test_get_monitors__property_based	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_monitors_186dc504.py	F	test_get_monitors_and_dependencies__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_monitors_186dc504.py	F	test_get_monitors_and_dependencies__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_monitors_186dc504.py	F	test_all_monitors__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_monitors_186dc504.py	F	test_all_monitors__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_watcher_cb239254.py	F	test_ensure_item_has_latest_revision_id__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_watcher_cb239254.py	F	test_ensure_item_has_latest_revision_id__edge_cases	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey_watcher_cb239254.py	F	test_ensure_item_has_latest_revision_id__property_based	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey___init_951bd33e.py	F	test_healthcheck__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey___init_951bd33e.py	F	test_csrf_error__basic_smoke	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey___init_951bd33e.py	F	test_send_email__basic_smoke	A	3

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey__init_951bd33e.py	F	test_healthcheck__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey__init_951bd33e.py	F	test_healthcheck__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey__init_951bd33e.py	F	test_csrf_error__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey__init_951bd33e.py	F	test_csrf_error__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey__init_951bd33e.py	F	test_send_email__edge_cases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/reports/Netflix__security_monkey/generated_tests/test_security_monkey__init_951bd33e.py	F	test_send_email__property_based	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/scripts/secmonkey_role_setup.py	F	main	B	8
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/account_manager.py	M	AccountManager._update_custom_fields	B	8
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/account_manager.py	F	delete_account_by_id	B	6
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/account_manager.py	M	AccountManager.update	B	6
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/account_manager.py	F	bulk_disable_accounts	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/account_manager.py	F	bulk_enable_accounts	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/account_manager.py	C	AccountManagerType	A	3

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/account_manager.py	C	AccountManager	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/account_manager.py	M	AccountManager.is_compatible_with_account_type		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/account_manager.py	F	load_all_account_types	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/account_manager.py	F	_get_or_create_account_type	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/account_manager.py	M	AccountManagerType.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/account_manager.py	C	CustomFieldConfig	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/account_manager.py	M	AccountManager.sync	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/account_manager.py	M	AccountManager.create	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/account_manager.py	M	AccountManager.lookup_account_by_identifier		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/account_manager.py	F	get_account_by_id	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/account_manager.py	F	get_account_by_name	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/account_manager.py	F	delete_account_by_name	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/account_manager.py	M	CustomFieldConfig.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/account_manager.py	M	AccountManager.sanitize_account_identifier		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/account_manager.py	M	AccountManager.sanitize_account_name		1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/account_manager.py	M	AccountManager._load	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/account_manager.py	M	AccountManager._populate_account		1

（续下页）



文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/alerter.py	M	Alerter.report	B	9
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/alerter.py	C	Alerter	B	8
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/alerter.py	F	get_subject	B	6
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/alerter.py	M	Alerter.__init__	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/alerter.py	F	report_content	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor.save_issues	C	18
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	C	AuditorType	C	11
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor.link_to_support_item_issues	C	11
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	AuditorType.__init__	B	10
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor._issue_matches_listeners	B	10
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor.create_report	B	10
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor.load_policies	B	8
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor.inspect_entity	B	8
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor.add_issue	B	8
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor._check_for_override_score	B	8
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor.inspect_entity_account	B	7
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor._merge_cidrs	B	6

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor.audit_objects	B	6
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor.get_watcher_support_items	B	6
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	C	Auditor	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor.__init__	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor._load_userids	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor.inspect_entity_cidr	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor.get_auditor_support_items	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor._get_account	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor.inspect_entity_arn	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	F	add	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Entity.__str__	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor._load_vpccs	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor._load_natgateways	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor._load_accounts	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor.inspect_entity_generic	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor.record_internet_access	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor._is_current_method_disabled	A	3

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor.read_previous_items	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor.email_report	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor._sum_item_score	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	C	Entity	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor._load_object_store	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor._load_s3_buckets	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor._load_vpces	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor._load_elasticips	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor._load_network_whitelist	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor.record_friendly_access	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor.record_thirdparty_access	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor.record_unknown_access	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor.read_previous_items_for_account	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor._create_auditor_settings	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor._set_auditor_setting_for_issue	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor.link_to_support_item	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	C	Categories	A	1

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Entity.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Entity.from_tuple	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Entity.__repr__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor._load_related_items	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor.inspect_entity_s3	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor.inspect_entity_useridA		1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor.inspect_entity_vpc	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor.inspect_entity_vpce	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor.record_cross_account_root		1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor.record_arn_parse_issueA		1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor.prep_for_audit	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditor.py	M	Auditor.applies_to_account	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/backup.py	F	backup_config_to_json	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/backup.py	F	_backup_items_in_account	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/backup.py	F	standardize_name	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/backup.py	F	_serialize_item_to_file	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/cloudaux_batched_watcher.py	C	CloudAuxBatchedWatcher	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/cloudaux_batched_watcher.py	M	CloudAuxBatchedWatcher.slurp_list	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/cloudaux_batched_watcher.py	M	CloudAuxBatchedWatcher.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/cloudaux_batched_watcher.py	M	CloudAuxBatchedWatcher.slurp	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/cloudaux_watcher.py	M	CloudAuxWatcher._get_account_name	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/cloudaux_watcher.py	C	CloudAuxChangeItem	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/cloudaux_watcher.py	C	CloudAuxWatcher	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/cloudaux_watcher.py	M	CloudAuxWatcher._get_assume_role	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/cloudaux_watcher.py	M	CloudAuxWatcher._add_exception_fields_to_kwargs	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/cloudaux_watcher.py	M	CloudAuxWatcher._flatten_iter_response	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/cloudaux_watcher.py	M	CloudAuxChangeItem.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/cloudaux_watcher.py	M	CloudAuxWatcher.list_method	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/cloudaux_watcher.py	M	CloudAuxWatcher.get_method	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/cloudaux_watcher.py	M	CloudAuxWatcher.get_name_from_list_output	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/cloudaux_watcher.py	M	CloudAuxWatcher.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/cloudaux_watcher.py	M	CloudAuxWatcher._get_regions	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/cloudaux_watcher.py	M	CloudAuxWatcher.slurp	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/cloudaux_watcher.py	M	CloudAuxChangeItem.from_item	A	1

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	M	Datastore.store	C	15
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	M	Datastore.get_all_ctype_filtered	C	12
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	F	store_exception	B	10
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	F	delete_item_revisions_by_date	B	9
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	C	Datastore	B	6
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	M	Datastore._get_item	B	6
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	C	ItemAuditScore	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	M	ItemAuditScore.get_account_pattern_audit_score	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	C	Account	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	F	durable_hash	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	M	Account.getCustom	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	M	Datastore._delete_duplicate_item	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	F	clear_old_exceptions	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	C	User	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	C	ItemAudit	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	M	ItemAudit.sub_ids	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	C	Item	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	M	Item.score	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	M	Item.unjustified_score	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	C	ItemComment	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	M	ItemAuditScore.add_or_update_pattern_score	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	F	hash_item	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	C	AccountType	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	C	AccountTypeCustomValues	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	C	Technology	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	C	Role	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	M	User.__str__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	M	ItemAudit.__str__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	M	ItemAudit.__repr__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	M	ItemAudit.key	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	M	ItemAudit.copy_unlinked	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	C	AuditorSettings	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	M	Item.score	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	M	Item.unjustified_score	A	1

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	M	Item.latest_config	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	M	ItemComment.__str__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	M	ItemComment.__repr__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	C	ItemRevision	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	C	CloudTrailEntry	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	C	ItemRevisionComment	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	C	NetworkWhitelistEntry	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	C	IgnoreListEntry	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	C	ExceptionLogs	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	C	AccountPatternAuditScore	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	C	WatcherConfig	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	M	Datastore.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	M	Datastore.get	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	M	Datastore.get_audit_issues	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore.py	M	Datastore._set_latest_revision	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore_utils.py	F	persist_item	B	7
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore_utils.py	F	detect_change	A	4

（续下页）



文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore_utils.py	F	is_active	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore_utils.py	F	create_item_aws	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore_utils.py	F	create_item	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore_utils.py	F	inactivate_old_revisions	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore_utils.py	F	create_revision	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/datastore_utils.py	F	result_from_item	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/decorators.py	F	crossdomain	B	8
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/decorators.py	F	get_regions	B	7
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/decorators.py	F	record_exception	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/decorators.py	F	iter_account_region	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/exceptions.py	C	InvalidARN	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/exceptions.py	C	InvalidSourceOwner	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/exceptions.py	C	InvalidAWSJSON	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/exceptions.py	C	BotoConnectionIssue	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/exceptions.py	C	S3PermissionsIssue	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/exceptions.py	C	S3ACLReturnedNoneDisplayName	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/exceptions.py	C	AWSRateLimitReached	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/exceptions.py	C	AccountNameExists	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/exceptions.py	C	ZoneIDNotFound	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/exceptions.py	C	GitHubCredsError	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/exceptions.py	C	InvalidResponseCodeFromGitHubError	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/exceptions.py	C	InvalidResponseCodeFromGitHubRepoError	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/exceptions.py	C	UnableToIssueGoogleAuthToken	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/exceptions.py	C	UnableToAccessGoogleEmail	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/exceptions.py	C	InvalidCeleryConfigurationType	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/exceptions.py	C	SecurityMonkeyException	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/exceptions.py	M	InvalidARN.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/exceptions.py	M	InvalidARN.__str__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/exceptions.py	M	InvalidSourceOwner.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/exceptions.py	M	InvalidSourceOwner.__str__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/exceptions.py	M	InvalidAWSJSON.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/exceptions.py	M	InvalidAWSJSON.__str__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/exceptions.py	M	BotoConnectionIssue.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/exceptions.py	M	BotoConnectionIssue.__str__	A	1

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/exceptions.py	M	S3PermissionsIssue.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/exceptions.py	M	S3PermissionsIssue.__str__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/exceptions.py	M	S3ACLReturnedNoneDisplayName.A_init__		1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/exceptions.py	M	S3ACLReturnedNoneDisplayName.A_str__		1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/exceptions.py	M	AWSRateLimitReached.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/exceptions.py	M	AWSRateLimitReached.__str__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/exceptions.py	M	AccountNameExists.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/exceptions.py	M	AccountNameExists.__str__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/exceptions.py	M	ZoneIDNotFound.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/exceptions.py	M	ZoneIDNotFound.__str__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/exceptions.py	M	GitHubCredsError.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/exceptions.py	M	GitHubCredsError.__str__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/exceptions.py	M	InvalidResponseCodeFromGitHubError.__init__		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/exceptions.py	M	InvalidResponseCodeFromGitHubError.__str__		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/exceptions.py	M	InvalidResponseCodeFromGitHubRepoError.1_init__		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/exceptions.py	M	InvalidResponseCodeFromGitHubRepoError.1_str__		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/exceptions.py	M	UnableToIssueGoogleAuthToken.A_init__		1

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/exceptions.py	M	UnableToAccessGoogleEmail.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/exceptions.py	M	InvalidCeleryConfigurationType.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/jirasync.py	M	JiraSync.add_or_update_issue	C	14
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/jirasync.py	M	JiraSync.__init__	C	11
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/jirasync.py	C	JiraSync	B	7
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/jirasync.py	M	JiraSync.sync_issues	B	6
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/jirasync.py	M	JiraSync.transition_issue	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/jirasync.py	M	JiraSync.close_issue	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/jirasync.py	M	JiraSync.open_issue	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/manage.py	F	add_override_scores	D	27
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/manage.py	F	add_override_score	C	15
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/manage.py	F	sync_swag	C	13
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/manage.py	F	_parse_accounts	B	7
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/manage.py	F	sync_networks	B	7
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/manage.py	F	amazon_accounts	B	6
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/manage.py	F	create_user	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/manage.py	F	delete_unjustified_issues	A	3

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/manage.py	F	export_environment_summary	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/manage.py	F	delete_revisions_by_date	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/manage.py	F	add_watcher_config	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/manage.py	C	APIServer	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/manage.py	M	APIServer.__call__	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/manage.py	C	AddAccount	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/manage.py	M	AddAccount.__call__	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/manage.py	F	run_change_reporter	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/manage.py	F	find_changes	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/manage.py	F	audit_changes	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/manage.py	F	backup_config_to_json	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/manage.py	F	sync_jira	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/manage.py	F	toggle_active_user	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/manage.py	F	disable_accounts	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/manage.py	F	enable_accounts	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/manage.py	F	_parse_tech_names	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/manage.py	F	main	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/manage.py	M	AddAccount.get_options	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/manage.py	F	drop_db	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/manage.py	F	clear_expired_exceptions	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/manage.py	F	delete_account	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/manage.py	F	fetch_aws_canonical_ids	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/manage.py	F	clean_stale_issues	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/manage.py	M	APIServer.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/manage.py	M	APIServer.get_options	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/manage.py	M	AddAccount.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/monitors.py	F	_find_dependent_monitors	B	10
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/monitors.py	F	_set_dependency_hierarchies	B	7
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/monitors.py	F	all_monitors	B	6
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/monitors.py	F	get_monitors	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/monitors.py	C	Monitor	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/monitors.py	F	get_monitors_and_dependencies	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/monitors.py	M	Monitor.__init__	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/reporter.py	M	Reporter.get_items_to_audit	B	9

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/reporter.py	C	Reporter	B	6
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/reporter.py	M	Reporter.get_monitors_to_run	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/reporter.py	M	Reporter.get_intervals	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/reporter.py	M	Reporter.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watcher.py	M	Watcher.find_modified	C	16
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watcher.py	M	Watcher.save	C	11
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watcher.py	M	Watcher.wrap_aws_rate_limited_callback	B	8
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watcher.py	M	ChangeItem.from_items	B	8
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watcher.py	M	Watcher.find_deleted	B	7
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watcher.py	M	Watcher.find_changes_batch	B	7
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watcher.py	M	Watcher.issues_found	B	6
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watcher.py	M	Watcher.__init__	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watcher.py	M	Watcher.location_in_exception_map	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watcher.py	M	Watcher.find_new	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watcher.py	F	ensure_item_has_latest_revision_id	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watcher.py	C	WatcherType	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watcher.py	C	Watcher	A	4

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watcher.py	M	Watcher.check_ignore_list	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watcher.py	M	Watcher.find_changes	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watcher.py	M	Watcher.find_deleted_batch	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watcher.py	M	ChangeItem.__init__	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watcher.py	M	WatcherType.__init__	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watcher.py	M	Watcher.prep_for_batch_slurp	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watcher.py	M	Watcher.read_previous_items	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watcher.py	M	Watcher.is_changed	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watcher.py	C	ChangeItem	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watcher.py	M	Watcher.slurp_exception	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watcher.py	M	Watcher.get_interval	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watcher.py	M	Watcher.is_active	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watcher.py	M	Watcher.prep_for_slurp	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watcher.py	M	Watcher.created	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watcher.py	M	Watcher.deleted	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watcher.py	M	Watcher.changed	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watcher.py	M	Watcher.slurp_list	A	1

（续下页）



文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watcher.py	M	Watcher.slurp	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watcher.py	M	Watcher.plural_name	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watcher.py	M	Watcher.singular_name	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watcher.py	M	Watcher.ephemerals_skipped	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watcher.py	M	ChangeItem.config	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watcher.py	M	ChangeItem.location	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watcher.py	M	ChangeItem.get_pdiff_html	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watcher.py	M	ChangeItem._dict_for_template	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watcher.py	M	ChangeItem.description	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watcher.py	M	ChangeItem.save	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/__init__.py	F	setup_logging	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/__init__.py	C	GroupWriteRotatingFileHandler	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/__init__.py	M	GroupWriteRotatingFileHandlerAdoRollover	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/__init__.py	F	healthcheck	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/__init__.py	F	csrf_error	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/__init__.py	F	send_email	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/account_managers/aws_account.py	C	AWSAccountManager	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/account_managers/aws_account.py	M	AWSAccountManager.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/account_managers/aws_account.py	M	AWSAccountManager.sanitize_account_identifier		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/account_managers/gcp_account.py	C	GCPAccountManager	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/account_managers/gcp_account.py	M	GCPAccountManager.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/account_managers/gcp_account.py	M	GCPAccountManager.lookup_account_by_identifier		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/account_managers/gcp_account.py	M	GCPAccountManager._populate_account		1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/account_managers/github_account.py	C	GitHubAccountManager	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/account_managers/github_account.py	M	GitHubAccountManager.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/account_managers/openstack_account.py	C	OpenStackAccountManager	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/account_managers/openstack_account.py	M	OpenStackAccountManager.__init__		1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/alerters/custom_alerter.py	C	AlerterType	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/alerters/custom_alerter.py	M	AlerterType.__init__	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/alerters/custom_alerter.py	F	report_auditor_changes	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/alerters/custom_alerter.py	F	report_watcher_changes	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/alerters/slack_alerter.py	C	SlackAlerter	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/alerters/slack_alerter.py	M	SlackAlerter.report_auditor_changes		4

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/alerters/slack_alerter.py	M	SlackAlerter.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/acm.py	C	ACMAuditor	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/acm.py	M	ACMAuditor.check_upcoming_expiration		3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/acm.py	M	ACMAuditor.check_future_expiration		3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/acm.py	M	ACMAuditor.check_expired	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/acm.py	M	ACMAuditor.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/cloudtrail.py	C	CloudTrailAuditor	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/cloudtrail.py	M	CloudTrailAuditor.check_if_cloudtrail_in_all_regions		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/cloudtrail.py	M	CloudTrailAuditor.check_if_cloudtrail_is_enabled		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/cloudtrail.py	M	CloudTrailAuditor.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/ebs_snapshot.py	M	EBSSnapshotAuditor.check_unknown_access		4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/ebs_snapshot.py	C	EBSSnapshotAuditor	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/ebs_snapshot.py	M	EBSSnapshotAuditor._get_permissions		3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/ebs_snapshot.py	M	EBSSnapshotAuditor.check_friendly_access		3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/ebs_snapshot.py	M	EBSSnapshotAuditor.check_thirdparty_access		3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/ebs_snapshot.py	M	EBSSnapshotAuditor.check_marketplace_access		3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/ebs_snapshot.py	M	EBSSnapshotAuditor.check_internet_accessible		3

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/ebs_snapshot.py	M	EBSSnapshotAuditor.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/ec2_image.py	M	EC2ImageAuditor.check_unknown_cross_account	B	6
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/ec2_image.py	C	EC2ImageAuditor	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/ec2_image.py	M	EC2ImageAuditor.prep_for_audit	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/ec2_image.py	M	EC2ImageAuditor.check_friendly_cross_account	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/ec2_image.py	M	EC2ImageAuditor.check_thirdparty_cross_account	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/ec2_image.py	M	EC2ImageAuditor.check_internet_accessible	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/ec2_image.py	M	EC2ImageAuditor.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/elasticsearch_service.py	C	ElasticSearchServiceAuditor	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/elasticsearch_service.py	M	ElasticSearchServiceAuditor._Ainit__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/elb.py	M	ELBAuditor.check_internet_scheme	A	12
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/elb.py	M	ELBAuditor._process_reference_policy	A	11
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/elb.py	C	ELBAuditor	B	8
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/elb.py	M	ELBAuditor.check_listener_reference_policy	A	11
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/elb.py	M	ELBAuditor._process_custom_listener_policy	A	11
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/elb.py	M	ELBAuditor._get_listener_ports_and_protocols	A	11
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/elb.py	M	ELBAuditor.check_logging	A	3

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/elb.py	M	ELBAuditor.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/elbv2.py	M	ELBv2Auditor.check_internet_facing	A	7
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/elbv2.py	C	ELBv2Auditor	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/elbv2.py	M	ELBv2Auditor._get_listener_ports_and_protocols	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/elbv2.py	M	ELBv2Auditor.check_ssl_policy	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/elbv2.py	M	ELBv2Auditor.check_logging	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/elbv2.py	M	ELBv2Auditor.check_deletion_protection	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/elbv2.py	M	ELBv2Auditor.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/glacier.py	C	GlacierVaultAuditor	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/glacier.py	M	GlacierVaultAuditor.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/kms.py	C	KMSAuditor	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/kms.py	M	KMSAuditor.check_for_kms_key_rotation	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/kms.py	M	KMSAuditor.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/lambda_function.py	C	LambdaFunctionAuditor	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/lambda_function.py	M	LambdaFunctionAuditor.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/redshift.py	C	RedshiftAuditor	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/redshift.py	M	RedshiftAuditor.check_running_in_vpc	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/redshift.py	M	RedshiftAuditor.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/resource_policy_auditor.py	M	ResourcePolicyAuditor.check_unknown_cross_account	A	6
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/resource_policy_auditor.py	M	ResourcePolicyAuditor.check_root_cross_account	A	9
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/resource_policy_auditor.py	C	ResourcePolicyAuditor	B	6
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/resource_policy_auditor.py	M	ResourcePolicyAuditor.check_friendly_cross_account	B	6
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/resource_policy_auditor.py	M	ResourcePolicyAuditor.check_thirdparty_cross_account	B	6
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/resource_policy_auditor.py	M	ResourcePolicyAuditor.check_internet_accessible	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/resource_policy_auditor.py	M	ResourcePolicyAuditor.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/resource_policy_auditor.py	M	ResourcePolicyAuditor.load_resource_policies	A	6
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/route53.py	M	Route53Auditor.check_for_public_zone_with_private_re	B	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/route53.py	C	Route53Auditor	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/route53.py	M	Route53Auditor.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/s3.py	M	S3Auditor.prep_for_audit	B	9
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/s3.py	M	S3Auditor._check_acl	A	5

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/s3.py	C	S3Auditor	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/s3.py	M	S3Auditor.check_acl_unknown	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/s3.py	M	S3Auditor.check_policy_exists	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/s3.py	M	S3Auditor.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/s3.py	M	S3Auditor.check_acl_internet_accessible	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/s3.py	M	S3Auditor.check_acl_log_delivery	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/s3.py	M	S3Auditor.check_acl_friendly_legacy	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/s3.py	M	S3Auditor.check_acl_thirdparty_legacy	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/s3.py	M	S3Auditor.check_acl_friendly_canonical	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/s3.py	M	S3Auditor.check_acl_thirdparty_canonical	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/security_group.py	M	SecurityGroupAuditor._check_cross_account	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/security_group.py	M	SecurityGroupAuditor.check_securitygroup_ec2_rfc1918	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/security_group.py	M	SecurityGroupAuditor._check_internet_accessible	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/security_group.py	F	_check_empty_security_group	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/security_group.py	C	SecurityGroupAuditor	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/security_group.py	M	SecurityGroupAuditor._port_for_rule	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/security_group.py	M	SecurityGroupAuditor.__init__	A	1

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/security_group.py	M	SecurityGroupAuditor.check_friendlly_cross_account_in		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/security_group.py	M	SecurityGroupAuditor.check_friendlly_cross_account_eg		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/security_group.py	M	SecurityGroupAuditor.check_thirdparty_cross_account_		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/security_group.py	M	SecurityGroupAuditor.check_thirdparty_cross_account_		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/security_group.py	M	SecurityGroupAuditor.check_unknown_cross_account_ing		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/security_group.py	M	SecurityGroupAuditor.check_unknown_cross_account_egre		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/security_group.py	M	SecurityGroupAuditor._check_internet_cidr		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/security_group.py	M	SecurityGroupAuditor.check_internet_accessible_ingre		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/security_group.py	M	SecurityGroupAuditor.check_internet_accessible_egres		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/ses.py	C	SESAuditor	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/ses.py	M	SESAuditor.check_verified	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/ses.py	M	SESAuditor.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/sns.py	M	SNSAuditor.check_subscription_crossaccount		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/sns.py	C	SNSAuditor	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/sns.py	M	SNSAuditor.check_sns_topic_policy_empty		2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/sns.py	M	SNSAuditor.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/sqs.py	C	SQSAuditor	A	2

（续下页）



文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/sqs.py	M	SQSAuditor.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/gcp/util.py	F	process_issues	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/gcp/util.py	F	_gen_error_code	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/gcp/util.py	F	make_audit_issue	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/gcp/gce/firewall.py	M	GCEFIREWALLRULEAUDITOR._port_range_exists		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/gcp/gce/firewall.py	M	GCEFIREWALLRULEAUDITOR.inspect_source_ranges		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/gcp/gce/firewall.py	C	GCEFIREWALLRULEAUDITOR	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/gcp/gce/firewall.py	M	GCEFIREWALLRULEAUDITOR._source_ranges_open		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/gcp/gce/firewall.py	M	GCEFIREWALLRULEAUDITOR.inspect_target_tags		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/gcp/gce/firewall.py	M	GCEFIREWALLRULEAUDITOR.inspect_allowed		3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/gcp/gce/firewall.py	M	GCEFIREWALLRULEAUDITOR._target_tags_valid		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/gcp/gce/firewall.py	M	GCEFIREWALLRULEAUDITOR.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/gcp/gce/firewall.py	M	GCEFIREWALLRULEAUDITOR.check_allowed		1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/gcp/gce/firewall.py	M	GCEFIREWALLRULEAUDITOR.check_target_tags		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/gcp/gce/firewall.py	M	GCEFIREWALLRULEAUDITOR.check_source_ranges		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/gcp/gce/network.py	C	GCENetworkAuditor	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/gcp/gce/network.py	M	GCENetworkAuditor._legacy_exists		3

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/gcp/gce/network.py	M	GCENetworkAuditor.inspect_network		3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/gcp/gce/network.py	M	GCENetworkAuditor.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/gcp/gce/network.py	M	GCENetworkAuditor.check_networks		1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/gcp/gcs/bucket.py	M	GCSBucketAuditor._acl_max_owners		5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/gcp/gcs/bucket.py	M	GCSBucketAuditor._cors_method	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/gcp/gcs/bucket.py	M	GCSBucketAuditor.inspect_acl	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/gcp/gcs/bucket.py	M	GCSBucketAuditor.inspect_default_object_acl		5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/gcp/gcs/bucket.py	C	GCSBucketAuditor	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/gcp/gcs/bucket.py	M	GCSBucketAuditor.inspect_cors	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/gcp/gcs/bucket.py	M	GCSBucketAuditor._acl_allusers_exists		3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/gcp/gcs/bucket.py	M	GCSBucketAuditor.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/gcp/gcs/bucket.py	M	GCSBucketAuditor.check_cors	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/gcp/gcs/bucket.py	M	GCSBucketAuditor.check_acl	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/gcp/gcs/bucket.py	M	GCSBucketAuditor.check_default_object_acl		1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/gcp/iam/serviceaccount.py	M	IAMServiceAccountAuditor.inspect_serviceaccount		5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/gcp/iam/serviceaccount.py	M	IAMServiceAccountAuditor._actor_role		4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/gcp/iam/serviceaccount.py	C	IAMServiceAccountAuditor	A	3

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/gcp/iam/serviceaccount.py	M	IAMServiceAccountAuditor._max_keys	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/gcp/iam/serviceaccount.py	M	IAMServiceAccountAuditor.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/gcp/iam/serviceaccount.py	M	IAMServiceAccountAuditor.check_serviceaccount	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/github/org.py	M	GitHubOrgAuditor.check_for_non_two_factor_members	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/github/org.py	C	GitHubOrgAuditor	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/github/org.py	M	GitHubOrgAuditor.check_for_public_repo	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/github/org.py	M	GitHubOrgAuditor.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/github/repo.py	M	GitHubRepoAuditor.check_for_deploy_keys	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/github/repo.py	M	GitHubRepoAuditor.check_for_outside_collaborators	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/github/repo.py	C	GitHubRepoAuditor	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/github/repo.py	M	GitHubRepoAuditor.check_for_public_repo	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/github/repo.py	M	GitHubRepoAuditor.check_for_admin_teams	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/github/repo.py	M	GitHubRepoAuditor.check_if_forked_repo	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/github/repo.py	M	GitHubRepoAuditor.check_for_no_protected_branches	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/github/repo.py	M	GitHubRepoAuditor.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/github/team.py	C	GitHubTeamAuditor	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/github/team.py	M	GitHubTeamAuditor.check_for_public_team	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/github/team.py	M	GitHubTeamAuditor.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/iam_group.py	C	IAMGroupAuditor	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/iam_group.py	M	IAMGroupAuditor.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/iam_group.py	M	IAMGroupAuditor.check_attached_managed_policies	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/iam_policy.py	M	IAMPolicyAuditor.check_mutable_sensitive_services	C	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/iam_policy.py	M	IAMPolicyAuditor.library_check_attached_managed_policies	B	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/iam_policy.py	M	IAMPolicyAuditor.check_permissions	B	7
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/iam_policy.py	C	IAMPolicyAuditor	B	6
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/iam_policy.py	M	IAMPolicyAuditor.check_iam_star_privileges	B	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/iam_policy.py	M	IAMPolicyAuditor.check_iam_passrole	B	6
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/iam_policy.py	M	IAMPolicyAuditor.check_security_group_permissions	B	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/iam_policy.py	M	IAMPolicyAuditor.check_star_privileges	B	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/iam_policy.py	M	IAMPolicyAuditor.check_notaction	B	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/iam_policy.py	M	IAMPolicyAuditor.check_notresource	B	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/iam_policy.py	M	IAMPolicyAuditor.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/iam_policy.py	M	IAMPolicyAuditor.load_iam_policies	B	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/iam_role.py	C	IAMRoleAuditor	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/iam_role.py	M	IAMRoleAuditor.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/iam_role.py	M	IAMRoleAuditor.check_attached_managed_policies		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/iam_ssl.py	C	IAMSSLAuditor	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/iam_ssl.py	M	IAMSSLAuditor.check_issuer	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/iam_ssl.py	M	IAMSSLAuditor.check_cert_size_Alt_1024		3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/iam_ssl.py	M	IAMSSLAuditor.check_cert_size_Alt_2048		3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/iam_ssl.py	M	IAMSSLAuditor.check_signature_algorithm_for_md5		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/iam_ssl.py	M	IAMSSLAuditor.check_signature_algorithm_for_sha1		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/iam_ssl.py	M	IAMSSLAuditor.check_upcoming_expiration		3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/iam_ssl.py	M	IAMSSLAuditor.check_future_expiration		3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/iam_ssl.py	M	IAMSSLAuditor.check_expired	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/iam_ssl.py	M	IAMSSLAuditor.check_upload_date_for_hartbleed		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/iam_ssl.py	M	IAMSSLAuditor.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/iam_user.py	M	IAMUserAuditor.check_access_key_last_used		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/iam_user.py	M	IAMUserAuditor.check_access_key_rotation		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/iam_user.py	M	IAMUserAuditor.check_loginprofile_plus_keys		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/iam_user.py	C	IAMUserAuditor	A	4

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/iam_user.py	M	IAMUserAuditor.check_active_access_keys	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/iam_user.py	M	IAMUserAuditor.check_inactive_access_keys	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/iam_user.py	M	IAMUserAuditor.check_no_mfa	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/iam_user.py	M	IAMUserAuditor.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/iam_user.py	M	IAMUserAuditor.prep_for_audit	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/iam_user.py	M	IAMUserAuditor.check_attached_managed_policies	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/managed_policy.py	F	has_attached_resources	B	7
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/managed_policy.py	C	ManagedPolicyAuditor	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/managed_policy.py	M	ManagedPolicyAuditor.check_star_privileges	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/managed_policy.py	M	ManagedPolicyAuditor.check_iam_star_privileges	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/managed_policy.py	M	ManagedPolicyAuditor.check_permissions	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/managed_policy.py	M	ManagedPolicyAuditor.check_mutable_sensitive_service	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/managed_policy.py	M	ManagedPolicyAuditor.check_iam_passrole	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/managed_policy.py	M	ManagedPolicyAuditor.check_no_action	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/managed_policy.py	M	ManagedPolicyAuditor.check_no_resource	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/managed_policy.py	M	ManagedPolicyAuditor.check_security_group_permission	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/managed_policy.py	F	is_aws_managed_policy	A	1

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/iam/managed_policy.py	M	ManagedPolicyAuditor.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/openstack/openstack_object_container.py	M	OpenStackObjectContainerAuditor.check_access	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/openstack/openstack_object_container.py	C	OpenStackObjectContainerAuditor	A	6
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/openstack/openstack_object_container.py	M	OpenStackObjectContainerAuditor.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/openstack/openstack_security_group.py	C	OpenStackSecurityGroupAuditor	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/openstack/openstack_security_group.py	M	OpenStackSecurityGroupAuditor.check_internet_cidr	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/openstack/openstack_security_group.py	M	OpenStackSecurityGroupAuditor.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/openstack/openstack_security_group.py	M	OpenStackSecurityGroupAuditor.check_securitygroup_endpoint	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/rds/rds_db_cluster.py	M	RDSDBClusterAuditor.check_internet_accessible	A	7
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/rds/rds_db_cluster.py	C	RDSDBClusterAuditor	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/rds/rds_db_cluster.py	M	RDSDBClusterAuditor.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/rds/rds_db_cluster.py	M	RDSDBClusterAuditor._get_listener_ports_and_protocol	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/rds/rds_db_instance.py	M	RDSDBInstanceAuditor.check_internet_accessible	A	8
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/rds/rds_db_instance.py	C	RDSDBInstanceAuditor	A	4

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/rds/rds_db_instance.py	M	RDSDBInstanceAuditor.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/rds/rds_db_instance.py	M	RDSDBInstanceAuditor._get_listener_ports_and_protocols		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/rds/rds_security_group.py	M	RDSSecurityGroupAuditor.check_security_group_large_size		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/rds/rds_security_group.py	M	RDSSecurityGroupAuditor.check_security_group_zero_subnets		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/rds/rds_security_group.py	C	RDSSecurityGroupAuditor	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/rds/rds_security_group.py	M	RDSSecurityGroupAuditor.check_aws_ec2_refs		18
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/rds/rds_security_group.py	M	RDSSecurityGroupAuditor._check_inclusion_in_network		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/rds/rds_security_group.py	M	RDSSecurityGroupAuditor.check_security_group_any		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/rds/rds_security_group.py	M	RDSSecurityGroupAuditor.check_security_group_10net		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/rds/rds_security_group.py	M	RDSSecurityGroupAuditor.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/rds/rds_security_group.py	M	RDSSecurityGroupAuditor.prep_for_audit		1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/rds/rds_snapshot.py	M	RDSSnapshotAuditor.prep_for_audit		5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/rds/rds_snapshot.py	M	RDSSnapshotAuditor.check_unknown_cross_account		5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/rds/rds_snapshot.py	C	RDSSnapshotAuditor	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/rds/rds_snapshot.py	M	RDSSnapshotAuditor.check_friendly_cross_account		4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/rds/rds_snapshot.py	M	RDSSnapshotAuditor.check_thirdparty_cross_account		5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/rds/rds_snapshot.py	M	RDSSnapshotAuditor.check_internet_accessible		5

（续下页）



文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/rds/rds_snapshot.py	M	RDSSnapshotAuditor.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/vpc/vpc.py	M	VPCAuditor.check_flow_logs_enabled	A	8
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/vpc/vpc.py	C	VPCAuditor	B	6
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/vpc/vpc.py	M	VPCAuditor.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/vpc/vpn.py	C	VPNAuditor	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/vpc/vpn.py	M	VPNAuditor.check_tunnels	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auditors/vpc/vpn.py	M	VPNAuditor.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auth/models.py	C	RBACUserMixin	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auth/models.py	C	RBACRole	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auth/models.py	M	RBACRole.__init__	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auth/models.py	M	RBACRole.get_parents	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auth/models.py	M	RBACRole.get_children	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auth/models.py	M	RBACUserMixin.get_roles	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auth/models.py	M	RBACRole.add_parents	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auth/models.py	M	RBACRole.add_parent	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auth/models.py	M	RBACRole.get_by_name	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auth/modules.py	M	RBAC._authenticate	B	9

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auth/modules.py	M	AccessControllist.allow	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auth/modules.py	M	RBAC._check_permission	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auth/modules.py	C	RBAC	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auth/modules.py	M	RBAC.get_app	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auth/modules.py	M	RBAC._deny_hook	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auth/modules.py	C	AccessControllist	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auth/modules.py	M	AccessControllist.exempt	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auth/modules.py	C	_RBACState	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auth/modules.py	M	RBAC.init_app	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auth/modules.py	M	RBAC.has_permission	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auth/modules.py	M	RBAC._setup_acl	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auth/modules.py	M	AccessControllist.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auth/modules.py	M	AccessControllist.is_allowed	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auth/modules.py	M	AccessControllist.is_exempt	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auth/modules.py	M	_RBACState.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auth/modules.py	M	RBAC.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auth/modules.py	M	RBAC.check_perm	A	1

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auth/modules.py	M	RBAC.allow	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/auth/modules.py	M	RBAC.exempt	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/audit_issue_cleanup.py	F	_delete_issues	B	7
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/audit_issue_cleanup.py	F	clean_stale_issues	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/audit_issue_cleanup.py	F	clean_account_issues	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/jinja.py	F	get_jinja_env	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/PolicyDiff.py	F	diff_list	D	21
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/PolicyDiff.py	F	diff_dict	B	10
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/PolicyDiff.py	C	PolicyDiff	B	10
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/PolicyDiff.py	F	print_list	B	9
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/PolicyDiff.py	F	print_dict	B	9
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/PolicyDiff.py	M	PolicyDiff.produceDiffHTML	B	9
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/PolicyDiff.py	F	process_sub_dict	B	8
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/PolicyDiff.py	M	PolicyDiff.__init__	B	8
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/PolicyDiff.py	F	find_most_similar	B	7
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/PolicyDiff.py	F	print_item	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/PolicyDiff.py	F	str_distance	A	5

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/PolicyDiff.py	F	form_brackets	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/PolicyDiff.py	F	get_brackets	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/PolicyDiff.py	F	escape	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/PolicyDiff.py	F	i	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/PolicyDiff.py	F	remove_last_comma	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/PolicyDiff.py	F	color	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/PolicyDiff.py	F	added	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/PolicyDiff.py	F	deleted	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/PolicyDiff.py	F	same	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/route53.py	M	Route53Service._get_zone_id	B	6
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/route53.py	M	Route53Service.register	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/route53.py	C	Route53Service	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/route53.py	M	Route53Service.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/route53.py	M	Route53Service.unregister	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/s3_canonical.py	F	get_canonical_ids	B	7
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/s3_canonical.py	F	fetch_id	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/sts_connect.py	F	connect	C	13

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/utils.py	F	send_email	B	7
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/utils.py	F	find_modules	B	6
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/utils.py	F	sub_list	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/utils.py	F	sub_dict	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/utils.py	F	check_rfc_1918	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/utils.py	F	load_plugins	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/utils.py	F	get_version	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/gcp/config.py	C	ApplicationConfig	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/gcp/config.py	M	ApplicationConfig.get_version	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/gcp/config.py	C	AuditorConfig	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/gcp/error.py	C	AuditIssue	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/gcp/error.py	M	AuditIssue.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/gcp/util.py	F	get_gcp_project_creds	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/gcp/util.py	F	gcp_resource_id_builder	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/gcp/util.py	F	modify	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/gcp/util.py	F	get_user_agent	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/github/util.py	F	strip_url_fields	B	9

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/github/util.py	F	get_github_creds	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/common/github/util.py	F	iter_org	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/export/__init__.py	F	export_issues	C	16
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/export/__init__.py	F	export_items	C	15
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/migrations/env.py	F	run_migrations_offline	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/migrations/env.py	F	run_migrations_online	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/sso/header_auth.py	C	HeaderAuthExtension	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/sso/header_auth.py	M	HeaderAuthExtension.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/sso/header_auth.py	M	HeaderAuthExtension.init_app	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/sso/service.py	F	setup_user	B	10
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/sso/service.py	F	fetch_token_header_payload	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/sso/service.py	F	on_identity_loaded	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/sso/service.py	F	get_rsa_public_key	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/sso/views.py	M	Google.post	C	16
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/sso/views.py	M	Ping.post	B	9
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/sso/views.py	M	Okta.post	B	9
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/sso/views.py	M	OneLogin.post	B	8

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/sso/views.py	M	Providers.get	B	8
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/sso/views.py	M	AzureAD.validate_id_token	B	6
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/sso/views.py	C	Google	B	6
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/sso/views.py	C	Providers	B	6
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/sso/views.py	C	Ping	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/sso/views.py	C	Okta	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/sso/views.py	C	AzureAD	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/sso/views.py	M	AzureAD.get_idp_cert	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/sso/views.py	C	OneLogin	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/sso/views.py	M	OneLogin._consumer	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/sso/views.py	M	AzureAD.post	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/sso/views.py	M	Google.__init__	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/sso/views.py	M	OneLogin.prepare_from_flask_request	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/sso/views.py	M	Ping.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/sso/views.py	M	Ping.get	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/sso/views.py	M	AzureAD.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/sso/views.py	M	AzureAD.get	A	1

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/sso/views.py	M	Google._isAuthMethod	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/sso/views.py	M	Google.get	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/sso/views.py	M	OneLogin.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/sso/views.py	M	OneLogin.get	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/sso/views.py	M	Okta.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/sso/views.py	M	Okta.get	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/sso/views.py	M	Providers.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/task_scheduler/beat.py	F	setup_the_tasks	C	19
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/task_scheduler/beat.py	F	purge_it	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/task_scheduler/tasks.py	F	manual_run_change_reporter	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/task_scheduler/tasks.py	F	audit_changes	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/task_scheduler/tasks.py	F	batch_logic	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/task_scheduler/tasks.py	F	_audit_changes	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/task_scheduler/tasks.py	F	_audit_specific_changes	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/task_scheduler/tasks.py	F	task_account_tech	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/task_scheduler/tasks.py	F	task_audit	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/task_scheduler/tasks.py	F	fix_orphaned_deletions	A	4

（续下页）



文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/task_scheduler/tasks.py	F	manual_run_change_finder	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/task_scheduler/tasks.py	F	find_changes	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/task_scheduler/tasks.py	F	reporter_logic	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/task_scheduler/tasks.py	F	_post_metric	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/task_scheduler/tasks.py	F	clear_expired_exceptions	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/task_scheduler/util.py	F	get_sm_celery_config_value	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/task_scheduler/util.py	F	get_celery_config_file	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/task_scheduler/util.py	F	make_celery	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/task_scheduler/util.py	F	setup	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/__init__.py	C	SecurityMonkeyTestCase	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/__init__.py	M	SecurityMonkeyTestCase.setUp	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/__init__.py	M	SecurityMonkeyTestCase.pre_test_setup	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/__init__.py	M	SecurityMonkeyTestCase.tearDown	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_elasticsearch_service.py	C	ElasticSearchServiceTestCase	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_elasticsearch_service.py	M	ElasticSearchServiceTestCase.pre_test_setup	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_elasticsearch_service.py	M	ElasticSearchServiceTestCase.test_es_auditor	A	1

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_elb.py	M	ELBTestCase.test_process_reference_policy	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_elb.py	C	ELBTestCase	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_elb.py	M	ELBTestCase.pre_test_setup	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_elb.py	M	ELBTestCase.test_check_classic_internet_scheme_internet	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_elb.py	M	ELBTestCase.test_check_internet_scheme_internet	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_elb.py	M	ELBTestCase.test_check_internet_scheme_internet_2	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_elb.py	M	ELBTestCase.test_check_internet_scheme_internal	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_elb.py	M	ELBTestCase.test_check_internet_scheme_internal_2	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_elb.py	M	ELBTestCase.test_process_custom_listener_policy	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_elb.py	M	ELBTestCase.test_check_listener_reference_policy	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_elb.py	M	ELBTestCase.test_check_logging	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_elbv2.py	C	ELBv2TestCase	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_elbv2.py	M	ELBv2TestCase.pre_test_setup	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_elbv2.py	M	ELBv2TestCase.test_check_internet_facing	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_elbv2.py	M	ELBv2TestCase.test_check_logging	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_elbv2.py	M	ELBv2TestCase.test_check_deletion_protection	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_elbv2.py	M	ELBv2TestCase.test_check_ssl_policy_no_policy	A	1

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_iam.py	C	MockIAMObj	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_iam.py	C	IAMTestCase	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_iam.py	M	MockIAMObj.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_iam.py	M	IAMTestCase.test_cert_get_cn	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_iam.py	M	IAMTestCase.test_cert_get_subAltDomains	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_iam.py	M	IAMTestCase.test_cert_is_san	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_iam.py	M	IAMTestCase.test_cert_is_wildcard	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_iam.py	M	IAMTestCase.test_cert_get_bitsstrength	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_iam.py	M	IAMTestCase.test_cert_get_issuer	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_iam.py	M	IAMTestCase.test_get_cert_info	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_iam.py	M	IAMTestCase.test_full_admin_only	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_iam.py	M	IAMTestCase.test_managed_policy_full_admin_only	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_iam.py	M	IAMTestCase.test_managed_policy_iam_admin_only	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_iam.py	M	IAMTestCase.test_managed_policy_permissions	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_iam.py	M	IAMTestCase.test_managed_policy_iam_passrole	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_iam.py	M	IAMTestCase.test_managed_policy_iam_notaction	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_iam.py	M	IAMTestCase.test_managed_policy_iam_notsresource	A	1

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_iam.py	M	IAMTestCase.test_managed_policy_security_group_permissions		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_iam.py	M	IAMTestCase.test_managed_policy_has_attached_resource		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_iam.py	M	IAMTestCase.test_iam_full_admin_only		1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_iam.py	M	IAMTestCase.test_permissions	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_iam.py	M	IAMTestCase.test_iam_passrole	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_iam.py	M	IAMTestCase.test_iam_notaction	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_iam.py	M	IAMTestCase.test_iam_notresource	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_iam.py	M	IAMTestCase.test_iam_sg_mutation		1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_iam.py	M	IAMTestCase.test_full_admin_list_single_entry		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_iam.py	M	IAMTestCase.test_full_admin_list		1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_iam.py	M	IAMTestCase.test_iam_no_admin_list	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_iam.py	M	IAMTestCase.test_load_policies	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_iam.py	M	IAMTestCase.pre_test_setup	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_iam.py	M	IAMTestCase.test_iamrole_trust_policy	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_iam.py	M	IAMTestCase.test_iamuser_active_access_keys		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_iam.py	M	IAMTestCase.test_iamuser_inactive_access_keys		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_iam.py	M	IAMTestCase.test_iamuser_access_key_rotation		

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_iam.py	M	IAMTestCase.test_iamuser_access_key_last_used		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_iam.py	M	IAMTestCase.test_iamuser_check_no_mfa	1	
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_iam.py	M	IAMTestCase.test_iamuser_check_loginprofile_plus_ake		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_kms.py	C	KMSTestCase	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_kms.py	M	KMSTestCase.pre_test_setup	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_kms.py	M	KMSTestCase.test_check_internet_accessible		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_kms.py	M	KMSTestCase.test_check_friendly_cross_account		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_kms.py	M	KMSTestCase.test_check_thirdparty_cross_account		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_kms.py	M	KMSTestCase.test_check_unknown_cross_account		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_kms.py	M	KMSTestCase.test_check_root_cross_account		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_kms.py	M	KMSTestCase.test_check_for_kms_key_rotation		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_managed_policy.py	C	ManagedPolicyAuditorTestCase	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_managed_policy.py	M	ManagedPolicyAuditorTestCase.test_issue_on_non_aws_p		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_managed_policy.py	M	ManagedPolicyAuditorTestCase.test_issue_on_aws_polic		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_managed_policy.py	M	ManagedPolicyAuditorTestCase.test_issue_on_aws_polic		

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_resource_policy_auditor.py	M	ResourcePolicyTestCase.test_inspect_entity	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_resource_policy_auditor.py	M	ResourcePolicyTestCase.test_load_policies	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_resource_policy_auditor.py	C	ResourcePolicyTestCase	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_resource_policy_auditor.py	M	ResourcePolicyTestCase.pre_test_setup	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_resource_policy_auditor.py	M	ResourcePolicyTestCase.test_prep_for_audit	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_resource_policy_auditor.py	M	ResourcePolicyTestCase.test_check_internet_accessibility	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_resource_policy_auditor.py	M	ResourcePolicyTestCase.test_check_friendly_cross_account	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_resource_policy_auditor.py	M	ResourcePolicyTestCase.test_check_unknown_cross_account	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_resource_policy_auditor.py	M	ResourcePolicyTestCase.test_check_thirdparty_cross_account	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_resource_policy_auditor.py	M	ResourcePolicyTestCase.test_check_root_cross_account	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_s3.py	M	S3AuditorTestCase.test_s3_acl	A	34
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_s3.py	C	S3AuditorTestCase	C	11
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_s3.py	M	S3AuditorTestCase.test_check_policy_exists	A	1

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_s3.py	M	S3AuditorTestCase.pre_test_setup		1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_s3.py	M	S3AuditorTestCase.run_acl_checks		1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_security_group.py	C	SecurityGroupAuditorTestCase	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_security_group.py	M	SecurityGroupAuditorTestCase.pre_test_setup		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_security_group.py	M	SecurityGroupAuditorTestCase.test_check_securitygroup		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_security_group.py	M	SecurityGroupAuditorTestCase.test_check_internet_acc		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_security_group.py	M	SecurityGroupAuditorTestCase.test_check_internet_acc		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_sns.py	C	SNSAuditorTestCase	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_sns.py	M	SNSAuditorTestCase.pre_test_setup		1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_sns.py	M	SNSAuditorTestCase.test_check_arnstopicpolicy_empty		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/test_sns.py	M	SNSAuditorTestCase.test_check_subscriptions_crossacc		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/gcp/gce/test_firewall.py	C	FirewallTestCase	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/gcp/gce/test_firewall.py	M	FirewallTestCase.test__port_range_exists		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/gcp/gce/test_firewall.py	M	FirewallTestCase.test__target_tags_valid		

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/gcp/gce/test_firewall.py	M	FirewallTestCase.test__source_ranges_open	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/gcp/gce/test_network.py	C	NetworkTestCase	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/gcp/gce/test_network.py	M	NetworkTestCase.test__legacy_exists	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/gcp/gcs/test_bucket.py	C	BucketTestCase	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/gcp/gcs/test_bucket.py	M	BucketTestCase.test__acl_allusers_exists	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/gcp/gcs/test_bucket.py	M	BucketTestCase.test__acl_max_owners	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/gcp/iam/test_serviceaccount.py	C	IAIServiceAccountTestCase	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/gcp/iam/test_serviceaccount.py	M	IAIServiceAccountTestCase.test__max_keys	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/gcp/iam/test_serviceaccount.py	M	IAIServiceAccountTestCase.test__actor_role	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/github/test_org_auditor.py	C	GitHubOrgAuditorTestCase	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/github/test_org_auditor.py	M	GitHubOrgAuditorTestCase.pre_test_setup	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/github/test_org_auditor.py	M	GitHubOrgAuditorTestCase.test_public_repos_check	A	1

（续下页）



文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/github/test_org_auditor.py	M	GitHubOrgAuditorTestCase.testAnon_twofa_members_check		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/github/test_repo_auditor.py	C	GitHubRepoAuditorTestCase	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/github/test_repo_auditor.py	M	GitHubRepoAuditorTestCase.preAtest_setup		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/github/test_repo_auditor.py	M	GitHubRepoAuditorTestCase.testA_public_repo_check		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/github/test_repo_auditor.py	M	GitHubRepoAuditorTestCase.testA_forked_repo_check		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/github/test_repo_auditor.py	M	GitHubRepoAuditorTestCase.testA_no_protected_branches		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/github/test_repo_auditor.py	M	GitHubRepoAuditorTestCase.testA_deploy_key_check		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/github/test_repo_auditor.py	M	GitHubRepoAuditorTestCase.testA_outside_collaborators		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/github/test_repo_auditor.py	M	GitHubRepoAuditorTestCase.testA_admin_teams_check		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/github/test_team_auditor.py	C	GitHubTeamAuditorTestCase	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/github/test_team_auditor.py	M	GitHubTeamAuditorTestCase.preAtest_setup		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/github/test_team_auditor.py	M	GitHubTeamAuditorTestCase.testA_public_team_check		

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/openstack/test_openstack_security_group.py	C	OpenStackSecurityGroupAuditorTestCase		2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/openstack/test_openstack_security_group.py	M	OpenStackSecurityGroupAuditorTestCase.pre_test_setup		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/openstack/test_openstack_security_group.py	M	OpenStackSecurityGroupAuditorTestCase.test_check_sec		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/openstack/test_openstack_security_group.py	M	OpenStackSecurityGroupAuditorTestCase.test_check_int		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/openstack/test_openstack_security_group.py	M	OpenStackSecurityGroupAuditorTestCase.test_check_int		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/rds/test_rds_db_cluster.py	C	RDSDBClusterTestCase	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/rds/test_rds_db_cluster.py	M	RDSDBClusterTestCase.test_check_internet_accessible		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/rds/test_rds_db_instance.py	C	RDSDBInstanceTestCase	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/rds/test_rds_db_instance.py	M	RDSDBInstanceTestCase.test_check_internet_accessible		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/rds/test_rds_snapshot.py	C	RDSSnapshotAuditorTestCase	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/rds/test_rds_snapshot.py	M	RDSSnapshotAuditorTestCase.pre_test_setup		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/rds/test_rds_snapshot.py	M	RDSSnapshotAuditorTestCase.test_check_internet_acces		

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/rds/test_rds_snapshot.py	M	RDSSnapshotAuditorTestCase.test_check_friendly		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/rds/test_rds_snapshot.py	M	RDSSnapshotAuditorTestCase.test_check_thirdparty		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/auditors/rds/test_rds_snapshot.py	M	RDSSnapshotAuditorTestCase.test_check_unknown		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/monitor_mock.py	F	build_mock_result	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/monitor_mock.py	F	mock_get_monitors	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/monitor_mock.py	C	MockMonitor	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/monitor_mock.py	C	MockRunnableWatcher	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/monitor_mock.py	C	MockRunnableAuditor	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/monitor_mock.py	F	mock_watcher	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/monitor_mock.py	F	mock_auditor	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/monitor_mock.py	F	mock_all_monitors	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/monitor_mock.py	M	MockMonitor.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/monitor_mock.py	M	MockRunnableWatcher.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/monitor_mock.py	M	MockRunnableWatcher.slurp	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/monitor_mock.py	M	MockRunnableWatcher.save	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/monitor_mock.py	M	MockRunnableWatcher.get_interval	A	1

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/monitor_mock.py	M	MockRunnableWatcher.find_changes		1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/monitor_mock.py	M	MockRunnableAuditor.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/monitor_mock.py	M	MockRunnableAuditor.audit_objects		1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/monitor_mock.py	M	MockRunnableAuditor.save_issues		1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/monitor_mock.py	M	MockRunnableAuditor.applies_to_account		1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/monitor_mock.py	M	MockRunnableAuditor.read_previous_items		1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_auditor.py	C	AuditorTestObj	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_auditor.py	C	AuditorTestCase	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_auditor.py	M	AuditorTestCase.pre_test_setup	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_auditor.py	M	AuditorTestCase.test_save_issues		2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_auditor.py	M	AuditorTestCase.test_issue_preservation		2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_auditor.py	M	AuditorTestObj.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_auditor.py	M	AuditorTestObj.check_test	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_auditor.py	M	AuditorTestCase.tearDown	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_auditor.py	M	AuditorTestCase.test_link_to_support_item_issue		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_auditor.py	M	AuditorTestCase.test_link_to_support_item_issues		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_auditor.py	M	AuditorTestCase.test_audit_item		1

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_auditor.py	M	AuditorTestCase.test_audit_item_method_disabled	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_auditor.py	M	AuditorTestCase.test_audit_item_method_score_override	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_auditor.py	M	AuditorTestCase.test_audit_item_method_account_pattern	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_audit_issue_cleanup.py	M	AuditIssueCleanupTestCase.test_clean_stale_issues	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_audit_issue_cleanup.py	M	AuditIssueCleanupTestCase.test_clean_account_issues	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_audit_issue_cleanup.py	C	AuditIssueCleanupTestCase	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_audit_issue_cleanup.py	C	MockAuditor	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_audit_issue_cleanup.py	M	AuditIssueCleanupTestCase.pre_test_setup	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_audit_issue_cleanup.py	M	MockAuditor.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_audit_issue_cleanup.py	M	MockAuditor.applies_to_account	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_audit_issue_cleanup.py	M	AuditIssueCleanupTestCase.tearDown	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_backup.py	C	BackupTestCase	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_backup.py	F	mock_backup_items_in_account	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_backup.py	M	BackupTestCase.pre_test_setup	A	1

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_backup.py	M	BackupTestCase.tearDown	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_backup.py	M	BackupTestCase.test_backup_with_all_watchers		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_backup.py	M	BackupTestCase.test_backup_with_one_watchers		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_change_finder.py	C	SomeTestItem	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_change_finder.py	M	SomeTestItem.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_change_finder.py	C	ChangeFinderTestCase	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_change_finder.py	M	SomeTestItem.from_slurp	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_change_finder.py	M	ChangeFinderTestCase.pre_test_setup	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_change_finder.py	M	ChangeFinderTestCase.test_find_all_changes	A	
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_change_finder.py	M	ChangeFinderTestCase.test_find_account_changes	A	
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_datastore_utils.py	M	DatabaseUtilsTestCase.test_persist_item	C	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_datastore_utils.py	M	DatabaseUtilsTestCase.test_create_item	C	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_datastore_utils.py	M	DatabaseUtilsTestCase.test_hash_item	C	6
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_datastore_utils.py	M	DatabaseUtilsTestCase.test_inactivate_old_revisions	C	
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_datastore_utils.py	C	DatabaseUtilsTestCase	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_datastore_utils.py	M	DatabaseUtilsTestCase.test_create_revision	C	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_datastore_utils.py	M	DatabaseUtilsTestCase.test_detect_change	C	

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_datastore_utils.py	M	DatabaseUtilsTestCase.test_is_active	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_datastore_utils.py	C	SomeTestItem	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_datastore_utils.py	M	DatabaseUtilsTestCase.test_result_from_item	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_datastore_utils.py	M	DatabaseUtilsTestCase.test_delete_duplicate_item	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_datastore_utils.py	M	SomeTestItem.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_datastore_utils.py	C	SomeWatcher	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_datastore_utils.py	M	SomeTestItem.from_slurp	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_datastore_utils.py	M	SomeWatcher.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_datastore_utils.py	M	DatabaseUtilsTestCase.tearDown	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_datastore_utils.py	M	DatabaseUtilsTestCase.setup_db	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_exception_logging.py	M	ExceptionLoggingTestCase.test_store_exception	A	7
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_exception_logging.py	M	ExceptionLoggingTestCase.test_child_deletion_cascade	A	12
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_exception_logging.py	M	ExceptionLoggingTestCase.test_store_exception_with_n	A	12
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_exception_logging.py	C	ExceptionLoggingTestCase	B	8
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_exception_logging.py	M	ExceptionLoggingTestCase.test_safe_child_deletion_ca	A	10

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D: /code_assistant/Git_repo/Netflix__ security_monkey/security_monkey/te sts/core/test_exception_logging.py	M	ExceptionLoggingTestCase.test_Adoesnt_delete_parent_c	A	1
D: /code_assistant/Git_repo/Netflix__ security_monkey/security_monkey/te sts/core/test_exception_logging.py	M	ExceptionLoggingTestCase.test_Aexception_length	A	1
D: /code_assistant/Git_repo/Netflix__ security_monkey/security_monkey/te sts/core/test_exception_logging.py	M	ExceptionLoggingTestCase.test_Aexception_clearing	A	1
D: /code_assistant/Git_repo/Netflix__ security_monkey/security_monkey/te sts/core/test_exception_logging.py	M	ExceptionLoggingTestCase.pre_test_setup2	A	2
D: /code_assistant/Git_repo/Netflix__ security_monkey/security_monkey/te sts/core/test_exception_logging.py	M	ExceptionLoggingTestCase.tearDown	A	1
D:/code_assistant/Git_repo/Netflix__ security_monkey/security_monkey/ tests/core/test_monitors.py	C	MonitorTestCase	A	3
D:/code_assistant/Git_repo/Netflix__ security_monkey/security_monkey/ tests/core/test_monitors.py	C	MockWatcher	A	2
D:/code_assistant/Git_repo/Netflix__ security_monkey/security_monkey/ tests/core/test_monitors.py	C	MockAuditor	A	2
D:/code_assistant/Git_repo/Netflix__ security_monkey/security_monkey/ tests/core/test_monitors.py	M	MonitorTestCase.pre_test_setup	A	2
D:/code_assistant/Git_repo/Netflix__ security_monkey/security_monkey/ tests/core/test_monitors.py	M	MonitorTestCase.test_get_monitors_and_dependencies_a	A	2
D:/code_assistant/Git_repo/Netflix__ security_monkey/security_monkey/ tests/core/test_monitors.py	M	MonitorTestCase.test_get_monitors_and_dependencies_a	A	2
D:/code_assistant/Git_repo/Netflix__ security_monkey/security_monkey/ tests/core/test_monitors.py	M	MonitorTestCase.test_get_monitors_and_dependencies_n	A	2
D:/code_assistant/Git_repo/Netflix__ security_monkey/security_monkey/ tests/core/test_monitors.py	M	MockWatcher.__init__	A	1
D:/code_assistant/Git_repo/Netflix__ security_monkey/security_monkey/ tests/core/test_monitors.py	M	MockAuditor.__init__	A	1
D:/code_assistant/Git_repo/Netflix__ security_monkey/security_monkey/ tests/core/test_monitors.py	M	MonitorTestCase.tearDown	A	1

（续下页）



文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_policydiff.py	F	test_produce	C	12
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_policydiff.py	F	test_constructor	B	7
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_policydiff.py	F	test_find_most_similar	B	6
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_policydiff.py	F	test_sub_dict	B	6
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_policydiff.py	F	test_form_brackets	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_policydiff.py	F	test_print_list	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_policydiff.py	F	test_print_dict	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_policydiff.py	F	test_diff_list	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_policydiff.py	F	test_diff_dict	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_policydiff.py	F	test_get_brackets	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_policydiff.py	F	test_str_distance	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_policydiff.py	F	test_print_item	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_policydiff.py	F	test_added	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_policydiff.py	F	test_deleted	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_policydiff.py	F	test_same	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_sso_service.py	C	SSOServiceTestCase	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_sso_service.py	M	SSOServiceTestCase.test_create_user	A	1

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_watcher.py	M	WatcherTestCase.test_find_deleted_batch12		2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_watcher.py	M	WatcherTestCase.test_find_changes_batch10		2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_watcher.py	M	WatcherTestCase.test_ensure_item_has_latest_revision		2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_watcher.py	C	WatcherTestCase	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_watcher.py	C	SomeTestItem	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_watcher.py	M	WatcherTestCase.test_from_items		3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_watcher.py	M	SomeTestItem.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_watcher.py	M	WatcherTestCase.test_no_change_items		2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_watcher.py	M	WatcherTestCase.test_changed_item		2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_watcher.py	M	WatcherTestCase.test_ephemeral_change		2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_watcher.py	M	SomeTestItem.from_slurp	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_watcher.py	M	WatcherTestCase.setup_batch_data		1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_watcher.py	M	WatcherTestCase.test_save_changed_item		1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_watcher.py	M	WatcherTestCase.test_save_ephemeral_changed_item		1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/core/test_watcher.py	M	WatcherTestCase._setup_account		1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/interface/test_manager.py	C	ManageTestCase	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/interface/test_manager.py	M	ManageTestCase.test_clear_expired_exceptions		1

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/interface/test_manager.py	M	ManageTestCase.pre_test_setup	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_org.py	M	GitHubOrgWatcherTestCase.test_Bslurp	B	9
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_org.py	F	mock_slurp	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_org.py	C	GitHubOrgWatcherTestCase	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_org.py	M	GitHubOrgWatcherTestCase.test_Alist_org_teams	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_org.py	C	MockMemberDetails	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_org.py	C	MockTeamList	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_org.py	F	mock_get_org_details	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_org.py	F	mock_get_member_details	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_org.py	F	mock_list_org_teams	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_org.py	C	MockOrgDetails	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_org.py	M	MockMemberDetails.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_org.py	M	MockTeamList.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_org.py	M	GitHubOrgWatcherTestCase.test_Aget_org_details	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_org.py	M	GitHubOrgWatcherTestCase.test_Alist_org_members	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_org.py	M	GitHubOrgWatcherTestCase.test_Alist_org_outside_colla	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_org.py	M	MockOrgDetails.__init__	A	1

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_org.py	M	MockOrgDetails.json	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_org.py	M	MockMemberDetails.json	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_org.py	M	MockTeamList.json	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_org.py	M	GitHubOrgWatcherTestCase.pre_test_setup		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_repo.py	M	GitHubRepoWatcherTestCase.test_slurp_list		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_repo.py	F	mock_slurp	B	7
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_repo.py	M	GitHubRepoWatcherTestCase.test_slurp		7
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_repo.py	C	GitHubRepoWatcherTestCase	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_repo.py	M	GitHubRepoWatcherTestCase.test_list_repos		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_repo.py	M	GitHubRepoWatcherTestCase.test_list_repos_deploy_keys		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_repo.py	M	GitHubRepoWatcherTestCase.test_list_repos_protected_branches		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_repo.py	M	GitHubRepoWatcherTestCase.test_list_repos_outside_collaborators		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_repo.py	M	GitHubRepoWatcherTestCase.test_list_repos_releases		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_repo.py	M	GitHubRepoWatcherTestCase.test_list_repos_webhooks		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_repo.py	M	GitHubRepoWatcherTestCase.test_list_repos_team_permissions		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_repo.py	C	MockRepoList	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_repo.py	C	MockRepoKeyList	A	3

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_repo.py	C	MockRepoProtectedBranchesList	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_repo.py	C	MockRepoOutsideCollaboratorsList	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_repo.py	C	MockRepoReleasesList	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_repo.py	C	MockRepoWebhooksList	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_repo.py	C	MockRepoTeamsList	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_repo.py	F	mock_list_repos	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_repo.py	F	mock_list_repo_deploy_keys	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_repo.py	F	mock_list_repo_protected_branches	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_repo.py	F	mock_list_repo_outside_collaborators	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_repo.py	F	mock_list_repo_releases	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_repo.py	F	mock_list_repo_webhooks	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_repo.py	F	mock_list_repo_team_permissions	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_repo.py	M	MockRepoList.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_repo.py	M	MockRepoKeyList.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_repo.py	M	MockRepoProtectedBranchesListA__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_repo.py	M	MockRepoOutsideCollaboratorsList.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_repo.py	M	MockRepoReleasesList.__init__	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_repo.py	M	MockRepoWebhooksList.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_repo.py	M	MockRepoTeamsList.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_repo.py	M	MockRepoList.json	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_repo.py	M	MockRepoKeyList.json	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_repo.py	M	MockRepoProtectedBranchesList.json		1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_repo.py	M	MockRepoOutsideCollaboratorsList.json		1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_repo.py	M	MockRepoReleasesList.json	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_repo.py	M	MockRepoWebhooksList.json	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_repo.py	M	MockRepoTeamsList.json	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_repo.py	M	GitHubRepoWatcherTestCase.pre_test_setup		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_team.py	M	GitHubTeamWatcherTestCase.test_slurp		9
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_team.py	C	GitHubTeamWatcherTestCase	B	6
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_team.py	M	GitHubTeamWatcherTestCase.test_list_org_teams		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_team.py	C	MockTeamList	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_team.py	F	mock_list_org_teams	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_team.py	M	MockTeamList.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_team.py	M	MockTeamList.json	A	1

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/github/test_team.py	M	GitHubTeamWatcherTestCase.pre_test_setup	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/openstack/__init__.py	C	OpenStackWatcherTestCase	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/openstack/__init__.py	M	OpenStackWatcherTestCase.test_slurp	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/openstack/__init__.py	M	OpenStackWatcherTestCase.pre_test_setup	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/openstack/compute/test_instance.py	C	OpenStackInstanceWatcherTestCase	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/openstack/compute/test_instance.py	M	OpenStackInstanceWatcherTestCase.pre_test_setup	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/openstack/network/test_floating_ip.py	C	OpenStackFloatingIPWatcherTestCase	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/openstack/network/test_floating_ip.py	M	OpenStackFloatingIPWatcherTestCase.pre_test_setup	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/openstack/network/test_network.py	C	OpenStackNetworkWatcherTestCase	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/openstack/network/test_network.py	M	OpenStackNetworkWatcherTestCase.pre_test_setup	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/openstack/network/test_port.py	C	OpenStackPortWatcherTestCase	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/openstack/network/test_port.py	M	OpenStackPortWatcherTestCase.pre_test_setup	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/openstack/network/test_router.py	C	OpenStackRouterWatcherTestCase	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/openstack/network/test_router.py	M	OpenStackRouterWatcherTestCase.pre_test_setup	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/openstack/network/test_security_group.py	C	OpenStackSecurityGroupWatcherTestCase	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/openstack/network/test_security_group.py	M	OpenStackSecurityGroupWatcherTestCase.pre_test_setup	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/openstack/network/test_security_group.py	M	OpenStackSecurityGroupWatcherTestCase.test_detail_setup	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/openstack/network/test_security_group.py	M	OpenStackSecurityGroupWatcherTestCase.test_detail_function	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/openstack/network/test_subnet.py	C	OpenStackSubnetWatcherTestCase	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/openstack/network/test_subnet.py	M	OpenStackSubnetWatcherTestCase.pre_test_setup	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/openstack/object_store/test_object_container.py	C	OpenStackObjectContainerWatcherTestCase	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/openstack/object_store/test_object_container.py	M	OpenStackObjectContainerWatcherTestCase.pre_test_setup	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/watchers/test_lambda_function.py	C	LambdaFunctionWatcherTestCase	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/watchers/test_lambda_function.py	F	get_test_zip_file	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/not_used/watchers/test_lambda_function.py	M	LambdaFunctionWatcherTestCase.test_slurp	A	1

（续下页）



文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/scheduling/test_celery_scheduler.py	M	CelerySchedulerTestCase.test_find_batch_changes	C	8
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/scheduling/test_celery_scheduler.py	M	CelerySchedulerTestCase.test_Celery_beat	C	8
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/scheduling/test_celery_scheduler.py	M	CelerySchedulerTestCase.test_Celery_only_tech	C	8
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/scheduling/test_celery_scheduler.py	M	CelerySchedulerTestCase.test_Celery_ignore_tech	C	8
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/scheduling/test_celery_scheduler.py	M	CelerySchedulerTestCase.test_Fix_orphaned_deletions	C	8
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/scheduling/test_celery_scheduler.py	M	CelerySchedulerTestCase.test_Celery_skip_beat	C	8
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/scheduling/test_celery_scheduler.py	C	CelerySchedulerTestCase	B	7
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/scheduling/test_celery_scheduler.py	M	CelerySchedulerTestCase.test_Get_sm_celery_config_value	C	8
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/scheduling/test_celery_scheduler.py	M	CelerySchedulerTestCase.test_Report_batch_changes	C	8
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/scheduling/test_celery_scheduler.py	M	CelerySchedulerTestCase.test_Audit_specific_changes	C	8
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/scheduling/test_celery_scheduler.py	M	CelerySchedulerTestCase.test_Account_tech_no_account	C	8
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/scheduling/test_celery_scheduler.py	M	CelerySchedulerTestCase.test_Audit_no_account	C	8

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/scheduling/test_celery_scheduler.py	M	CelerySchedulerTestCase.add_roles		3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/scheduling/test_celery_scheduler.py	M	CelerySchedulerTestCase.test_get_celery_config_file		3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/scheduling/test_celery_scheduler.py	M	CelerySchedulerTestCase.test_celery_purge		3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/scheduling/test_celery_scheduler.py	M	CelerySchedulerTestCase.test_celery_exception_task		3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/scheduling/test_celery_scheduler.py	M	CelerySchedulerTestCase.test_audit_task2		3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/scheduling/test_celery_scheduler.py	M	CelerySchedulerTestCase.test_account_tech_task		3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/scheduling/test_celery_scheduler.py	M	CelerySchedulerTestCase.pre_test_setup	1	
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/sso/test_header_auth.py	C	HeaderAuthTestCase	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/sso/test_header_auth.py	M	HeaderAuthTestCase._get_user	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/sso/test_header_auth.py	M	HeaderAuthTestCase.test_header_auth_disabled	A	
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/sso/test_header_auth.py	M	HeaderAuthTestCase.test_header_auth_enabled	A	
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/sso/test_header_auth.py	M	HeaderAuthTestCase.test_header_auth_groups_used	A	
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/sso/test_okta.py	C	OktaTestCase	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/sso/test_okta.py	M	OktaTestCase.test_successful_authentication_redirect	A	

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/sso/test_okta.py	M	OktaTestCase.test_okta_not_enabled_in_config		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/sso/test_okta.py	M	OktaTestCase.test_okta_invalid_id_token_expired		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/sso/test_okta.py	M	OktaTestCase.test_okta_bad_secret_causes_invalid_id_token		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/utilities/test_account_utils.py	M	AccountTestUtils.test_create_aws_account		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/utilities/test_account_utils.py	M	AccountTestUtils.test_update_aws_account		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/utilities/test_account_utils.py	C	AccountTestUtils	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/utilities/test_account_utils.py	M	AccountTestUtils.test_enable_bad_accounts		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/utilities/test_account_utils.py	M	AccountTestUtils.test_disable_bad_accounts		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/utilities/test_account_utils.py	M	AccountTestUtils.test_disable_one_accounts		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/utilities/test_account_utils.py	M	AccountTestUtils.test_enable_one_accounts		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/utilities/test_account_utils.py	M	AccountTestUtils.test_disable_all_accounts		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/utilities/test_account_utils.py	M	AccountTestUtils.test_enable_all_accounts		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/utilities/test_account_utils.py	M	AccountTestUtils.pre_test_setup		1

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D: /code_assistant/Git_repo/Netflix__ security_monkey/security_monkey/te sts/utilities/test_github_utils.py	M	GitHubUtilsTestCase.test_strip_url_fields		10
D: /code_assistant/Git_repo/Netflix__ security_monkey/security_monkey/te sts/utilities/test_github_utils.py	C	GitHubUtilsTestCase	B	7
D: /code_assistant/Git_repo/Netflix__ security_monkey/security_monkey/te sts/utilities/test_github_utils.py	M	GitHubUtilsTestCase.test_get_creds_env		5
D: /code_assistant/Git_repo/Netflix__ security_monkey/security_monkey/te sts/utilities/test_github_utils.py	M	GitHubUtilsTestCase.pre_test_setup		3
D: /code_assistant/Git_repo/Netflix__ security_monkey/security_monkey/te sts/utilities/test_github_utils.py	M	GitHubUtilsTestCase.test_get_creds_file		3
D: /code_assistant/Git_repo/Netflix__ security_monkey/security_monkey/te sts/utilities/test_github_utils.py	M	GitHubUtilsTestCase.test_iter_org_decorator		3
D: /code_assistant/Git_repo/Netflix__ security_monkey/security_monkey/te sts/utilities/test_s3_canonical.py	M	S3CanonicalTestCase.test_fetch_aws_canonical_ids_com		10
D: /code_assistant/Git_repo/Netflix__ security_monkey/security_monkey/te sts/utilities/test_s3_canonical.py	M	S3CanonicalTestCase.test_get_CanonicalIds		10
D: /code_assistant/Git_repo/Netflix__ security_monkey/security_monkey/te sts/utilities/test_s3_canonical.py	C	S3CanonicalTestCase	B	10
D: /code_assistant/Git_repo/Netflix__ security_monkey/security_monkey/te sts/utilities/test_s3_canonical.py	M	S3CanonicalTestCase.test_create_account_with_canonic		9
D: /code_assistant/Git_repo/Netflix__ security_monkey/security_monkey/te sts/utilities/test_s3_canonical.py	M	S3CanonicalTestCase.test_update_account_with_canonic		8
D: /code_assistant/Git_repo/Netflix__ security_monkey/security_monkey/te sts/utilities/test_s3_canonical.py	M	S3CanonicalTestCase.pre_test_setup		2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D: /code_assistant/Git_repo/Netflix__ security_monkey/security_monkey/te sts/utilities/test_sync_network.py	C	SyncNetworksTestCase	A	4
D: /code_assistant/Git_repo/Netflix__ security_monkey/security_monkey/te sts/utilities/test_sync_network.py	M	SyncNetworksTestCase.test_add_whitelist_entries	A	1
D: /code_assistant/Git_repo/Netflix__ security_monkey/security_monkey/te sts/utilities/test_sync_network.py	M	SyncNetworksTestCase.test_add_whitelist_entries_with	A	1
D: /code_assistant/Git_repo/Netflix__ security_monkey/security_monkey/te sts/utilities/test_sync_network.py	M	SyncNetworksTestCase.test_update_whitelist_entry	A	1
D: /code_assistant/Git_repo/Netflix__ security_monkey/security_monkey/te sts/utilities/test_sync_network.py	M	SyncNetworksTestCase.test_update_whitelist_authorita	A	1
D: /code_assistant/Git_repo/Netflix__ security_monkey/security_monkey/te sts/utilities/test_sync_network.py	M	SyncNetworksTestCase.__sync_networks	A	2
D:/code_assistant/Git_repo/Netflix__ security_monkey/security_monkey/ tests/utilities/test_user_utils.py	M	UserTestUtils.test_create_user	B	6
D:/code_assistant/Git_repo/Netflix__ security_monkey/security_monkey/ tests/utilities/test_user_utils.py	C	UserTestUtils	A	4
D:/code_assistant/Git_repo/Netflix__ security_monkey/security_monkey/ tests/utilities/test_user_utils.py	M	UserTestUtils.test_toggle_active_user	A	3
D:/code_assistant/Git_repo/Netflix__ security_monkey/security_monkey/ tests/utilities/test_user_utils.py	M	UserTestUtils.pre_test_setup	A	1
D:/code_assistant/Git_repo/Netflix__ security_monkey/security_monkey/ tests/views/test_view_item.py	C	ItemApiTestCase	A	5
D:/code_assistant/Git_repo/Netflix__ security_monkey/security_monkey/ tests/views/test_view_item.py	M	ItemApiTestCase.test_first_last_seen	A	5
D:/code_assistant/Git_repo/Netflix__ security_monkey/security_monkey/ tests/views/test_view_item.py	M	ItemApiTestCase._setup_one_two_revisions	A	3
D:/code_assistant/Git_repo/Netflix__ security_monkey/security_monkey/ tests/views/test_view_watcher_conf ig.py	C	WatcherConfigApiTestCase	A	4

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/views/test_view_watcher_config.py	M	WatcherConfigApiTestCase.test_get_empty_watcher_configs		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/views/test_view_watcher_config.py	M	WatcherConfigApiTestCase.test_get_watcher_configs		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/views/test_view_watcher_config.py	C	MockWatcher	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/views/test_view_watcher_config.py	M	WatcherConfigApiTestCase.test_put_watcher_config		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/views/test_view_watcher_config.py	M	WatcherConfigApiTestCase.test_put_watcher_config_wrong		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/views/test_view_watcher_config.py	M	WatcherConfigApiTestCase.test_put_watcher_config_wrong		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/views/test_view_watcher_config.py	M	MockWatcher.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/views/__init__.py	C	SecurityMonkeyApiTestCase	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/views/__init__.py	M	SecurityMonkeyApiTestCase.login		3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/views/__init__.py	M	SecurityMonkeyApiTestCase.pre_test_setup		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/views/__init__.py	M	SecurityMonkeyApiTestCase.create_test_user		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/watchers/test_iam_role.py	M	IAMRoleSkipTestCase.test_slurp_items_with_skipped		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/watchers/test_iam_role.py	C	IAMRoleSkipTestCase	B	8
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/watchers/test_iam_role.py	M	IAMRoleTestCase.test_slurp_items		7

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/watchers/test_iam_role.py	C	IAMRoleTestCase	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/watchers/test_iam_role.py	M	IAMRoleTestCase.test_slurp_list	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/watchers/test_iam_role.py	M	IAMRoleTestCase.test_empty_slurp_list	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/watchers/test_iam_role.py	M	IAMRoleTestCase.test_slurp_items_with_exceptions	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/watchers/test_iam_role.py	M	IAMRoleTestCase.test_slurp_list_exceptions	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/watchers/test_iam_role.py	M	IAMRoleTestCase.pre_test_setup	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/watchers/test_iam_role.py	M	IAMRoleSkipTestCase.pre_test_setup	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/watchers/test_route53.py	C	Route53WatcherTestCase	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/watchers/test_route53.py	M	Route53WatcherTestCase.test_slurp	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/watchers/test_s3.py	C	S3TestCase	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/watchers/test_s3.py	M	S3TestCase.pre_test_setup	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/watchers/test_s3.py	M	S3TestCase.test_slurp	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/watchers/__init__.py	C	SecurityMonkeyWatcherTestCase	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/watchers/__init__.py	M	SecurityMonkeyWatcherTestCase.pre_test_setup	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/watchers/ec2/test_ebs_snapshot.py	C	EBSSnapshotWatcherTestCase	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/watchers/ec2/test_ebs_snapshot.py	M	EBSSnapshotWatcherTestCase.test_slurp	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/watchers/ec2/test_ebs_volume.py	C	EBSVolumeWatcherTestCase	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/watchers/ec2/test_ebs_volume.py	M	EBSVolumeWatcherTestCase.test_slurp		1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/watchers/ec2/test_ec2_image.py	C	EC2ImageWatcherTestCase	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/watchers/ec2/test_ec2_image.py	M	EC2ImageWatcherTestCase.test_slurp		1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/watchers/ec2/test_ec2_instance.py	C	EC2InstanceWatcherTestCase	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/watchers/ec2/test_ec2_instance.py	M	EC2InstanceWatcherTestCase.test_slurp		1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/watchers/rds/test_rds_db_instance.py	C	RDSDBInstanceWatcherTestCase	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/watchers/rds/test_rds_db_instance.py	M	RDSDBInstanceWatcherTestCase.test_slurp		1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/watchers/rds/test_rds_security_group.py	C	RDSecurityGroupWatcherTestCase	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/watchers/rds/test_rds_security_group.py	M	RDSecurityGroupWatcherTestCase.test_slurp		1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/watchers/rds/test_rds_subnet_group.py	C	RDSSubnetGroupWatcherTestCase	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/watchers/rds/test_rds_subnet_group.py	M	RDSSubnetGroupWatcherTestCase.test_slurp		1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/watchers/vpc/test_dhcp.py	C	DHCPTestCase	A	2

（续下页）



文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/watchers/vpc/test_dhcp.py	M	DHCPTTestCase.test_slurp	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/watchers/vpc/test_networkacl.py	C	NetworkACLWatcherTestCase	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/watchers/vpc/test_networkacl.py	M	NetworkACLWatcherTestCase.test_slurp	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/watchers/vpc/test_peering.py	C	PeeringWatcherTestCase	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/watchers/vpc/test_peering.py	M	PeeringWatcherTestCase.test_slurp	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/watchers/vpc/test_route_table.py	C	RouteTableWatcherTestCase	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/watchers/vpc/test_route_table.py	M	RouteTableWatcherTestCase.test_slurp	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/watchers/vpc/test_subnet.py	C	SubnetWatcherTestCase	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/tests/watchers/vpc/test_subnet.py	M	SubnetWatcherTestCase.test_slurp	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/account.py	M	AccountPostList.get	C	11
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/account.py	C	AccountPostList	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/account.py	C	AccountGetPutDelete	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/account.py	M	AccountGetPutDelete.put	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/account.py	M	AccountGetPutDelete.get	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/account.py	M	AccountGetPutDelete.__init__	A	1

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/account.py	M	AccountGetPutDelete.delete	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/account.py	M	AccountPostList.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/account.py	M	AccountPostList.post	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/account_bulk_update.py	C	AccountListPut	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/account_bulk_update.py	M	AccountListPut.put	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/account_bulk_update.py	M	AccountListPut.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/account_config.py	M	AccountConfigGet.get	B	7
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/account_config.py	C	AccountConfigGet	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/account_config.py	M	AccountConfigGet.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/account_pattern_audit_score.py	C	AccountPatternAuditScoreGet	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/account_pattern_audit_score.py	M	AccountPatternAuditScoreGet.get		3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/account_pattern_audit_score.py	C	AccountPatternAuditScorePost	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/account_pattern_audit_score.py	M	AccountPatternAuditScorePost.post		2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/account_pattern_audit_score.py	C	AccountPatternAuditScoreGetPutDelete		2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/account_pattern_audit_score.py	M	AccountPatternAuditScoreGetPutDelete.get		

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/account_pattern_audit_score.py	M	AccountPatternAuditScoreGetPutDelete.put		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/account_pattern_audit_score.py	M	AccountPatternAuditScoreGet.__Ainit__		1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/account_pattern_audit_score.py	M	AccountPatternAuditScorePost.A_init__		1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/account_pattern_audit_score.py	M	AccountPatternAuditScoreGetPutDelete.__init__		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/account_pattern_audit_score.py	M	AccountPatternAuditScoreGetPutDelete.delete		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/auditor_settings.py	M	AuditorSettingsGet.get	D	28
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/auditor_settings.py	C	AuditorSettingsGet	C	16
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/auditor_settings.py	C	AuditorSettingsPut	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/auditor_settings.py	M	AuditorSettingsGet.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/auditor_settings.py	M	AuditorSettingsPut.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/auditor_settings.py	M	AuditorSettingsPut.put	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/audit_scores.py	C	AuditScoresGet	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/audit_scores.py	M	AuditScoresGet.post	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/audit_scores.py	C	AuditScoreGetPutDelete	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/audit_scores.py	M	AuditScoreGetPutDelete.get	A	3

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/audit_scores.py	M	AuditScoreGetPutDelete.put	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/audit_scores.py	M	AuditScoresGet.get	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/audit_scores.py	M	AuditScoresGet.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/audit_scores.py	M	AuditScoreGetPutDelete.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/audit_scores.py	M	AuditScoreGetPutDelete.delete	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/distinct.py	M	Distinct.get	E	35
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/distinct.py	C	Distinct	C	19
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/distinct.py	M	Distinct.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/ignore_list.py	C	IgnorelistListPost	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/ignore_list.py	C	IgnoreListGetPutDelete	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/ignore_list.py	M	IgnoreListGetPutDelete.put	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/ignore_list.py	M	IgnorelistListPost.post	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/ignore_list.py	M	IgnoreListGetPutDelete.get	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/ignore_list.py	M	IgnorelistListPost.get	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/ignore_list.py	M	IgnoreListGetPutDelete.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/ignore_list.py	M	IgnoreListGetPutDelete.delete	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/item.py	C	ItemList	C	19

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/item.py	M	ItemList.get	C	18
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/item.py	C	ItemGet	B	9
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/item.py	M	ItemGet.get	B	8
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/item_comment.py	C	ItemCommentGet	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/item_comment.py	C	ItemCommentDelete	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/item_comment.py	M	ItemCommentGet.get	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/item_comment.py	C	ItemCommentPost	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/item_comment.py	M	ItemCommentDelete.delete	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/item_comment.py	M	ItemCommentPost.post	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/item_issue.py	C	ItemAuditList	C	20
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/item_issue.py	M	ItemAuditList.get	C	19
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/item_issue.py	C	ItemAuditGet	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/item_issue.py	M	ItemAuditGet.get	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/item_issue_justification.py	C	JustifyPostDelete	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/item_issue_justification.py	M	JustifyPostDelete.post	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/item_issue_justification.py	M	JustifyPostDelete.delete	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/logout.py	C	Logout	A	3

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/logout.py	M	Logout.get	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/revision.py	C	RevisionList	C	13
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/revision.py	M	RevisionList.get	C	12
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/revision.py	C	RevisionGet	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/revision.py	M	RevisionGet.get	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/revision.py	M	RevisionGet.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/revision_comment.py	C	RevisionCommentGet	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/revision_comment.py	C	RevisionCommentDelete	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/revision_comment.py	M	RevisionCommentGet.get	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/revision_comment.py	M	RevisionCommentDelete.delete	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/revision_comment.py	C	RevisionCommentPost	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/revision_comment.py	M	RevisionCommentGet.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/revision_comment.py	M	RevisionCommentDelete.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/revision_comment.py	M	RevisionCommentPost.post	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/tech_methods.py	M	TechMethodsGet.get	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/tech_methods.py	C	TechMethodsGet	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/tech_methods.py	M	TechMethodsGet.__init__	A	1

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/users.py	M	UserList.get	B	6
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/users.py	C	UserList	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/users.py	C	UserDetail	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/users.py	M	UserDetail.put	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/users.py	M	UserDetail.delete	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/users.py	C	Roles	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/users.py	M	Roles.get	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/users.py	M	UserList.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/user_settings.py	C	UserSettings	B	6
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/user_settings.py	M	UserSettings.post	B	6
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/user_settings.py	M	UserSettings.get	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/user_settings.py	C	SaveSettingsSchema	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/watcher_config.py	M	WatcherConfigPut.put	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/watcher_config.py	C	WatcherConfigGetList	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/watcher_config.py	M	WatcherConfigGetList.get	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/watcher_config.py	C	WatcherConfigPut	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/watcher_config.py	M	WatcherConfigGetList.__init__	A	1

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/watcher_config.py	M	WatcherConfigPut.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/whitelist.py	C	WhitelistListPost	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/whitelist.py	M	WhitelistListPost.get	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/whitelist.py	M	WhitelistListPost.post	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/whitelist.py	C	WhitelistGetPutDelete	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/whitelist.py	M	WhitelistGetPutDelete.get	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/whitelist.py	M	WhitelistGetPutDelete.put	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/whitelist.py	M	WhitelistGetPutDelete.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/whitelist.py	M	WhitelistGetPutDelete.delete	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/__init__.py	C	AuthenticatedService	B	6
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/__init__.py	M	AuthenticatedService.__init__	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/views/__init__.py	F	after	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/acm.py	M	ACM.slurp	C	14
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/acm.py	C	ACM	B	6
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/acm.py	C	ACMCertificate	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/acm.py	M	ACMCertificate.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/acm.py	M	ACM.describe_certificate	A	1

（续下页）



文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/acm.py	M	ACM.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/cloud_trail.py	M	CloudTrail.slurp	B	8
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/cloud_trail.py	C	CloudTrail	B	6
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/cloud_trail.py	C	CloudTrailItem	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/cloud_trail.py	M	CloudTrailItem.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/cloud_trail.py	M	CloudTrail.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/config.py	M	Config.slurp	B	8
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/config.py	C	Config	B	6
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/config.py	C	ConfigItem	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/config.py	M	ConfigItem.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/config.py	M	Config.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/config_recorder.py	C	ConfigRecorder	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/config_recorder.py	M	ConfigRecorder.describe_configuration_recorders	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/config_recorder.py	C	ConfigRecorderItem	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/config_recorder.py	M	ConfigRecorderItem.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/config_recorder.py	M	ConfigRecorder.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/config_recorder.py	M	ConfigRecorder.slurp	A	1

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/elasticsearch_service.py	C	ElasticSearchServiceItem	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/elasticsearch_service.py	C	ElasticSearchService	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/elasticsearch_service.py	M	ElasticSearchService.build_item	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/elasticsearch_service.py	M	ElasticSearchServiceItem.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/elasticsearch_service.py	M	ElasticSearchService.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/elasticsearch_service.py	M	ElasticSearchService.slurp	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/elasticsearch_service.py	M	ElasticSearchService.get_all_elasticsearch_domains_in_region	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/elastic_ip.py	M	ElasticIP.slurp	C	13
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/elastic_ip.py	C	ElasticIP	B	8
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/elastic_ip.py	C	ElasticIPItem	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/elastic_ip.py	M	ElasticIPItem.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/elastic_ip.py	M	ElasticIP.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/elb.py	M	ELB.get_method	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/elb.py	C	ELB	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/elb.py	M	ELB.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/elb.py	M	ELB.get_name_from_list_output	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/elb.py	M	ELB.list_method	A	1

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/elbv2.py	C	ELBv2	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/elbv2.py	M	ELBv2.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/elbv2.py	M	ELBv2.get_name_from_list_output	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/elbv2.py	M	ELBv2.list_method	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/elbv2.py	M	ELBv2.get_method	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/eni.py	M	ENI.slurp	C	13
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/eni.py	C	ENI	B	8
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/eni.py	C	ENIItem	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/eni.py	M	ENIItem.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/eni.py	M	ENI.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/glacier.py	C	GlacierVault	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/glacier.py	M	GlacierVault.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/glacier.py	M	GlacierVault.get_name_from_list_output	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/glacier.py	M	GlacierVault.list_method	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/glacier.py	M	GlacierVault.get_method	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/keypair.py	M	Keypair.slurp	B	8
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/keypair.py	C	Keypair	B	6

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/keypair.py	C	KeypairItem	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/keypair.py	M	KeypairItem.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/keypair.py	M	Keypair.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/kms.py	M	KMS.paged_wrap_aws_rate_limited_call	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/kms.py	M	KMS.describe_key	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/kms.py	M	KMS.list_key_policies	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/kms.py	C	KMSMasterKey	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/kms.py	C	KMS	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/kms.py	M	KMS.get_key_rotation_status	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/kms.py	M	KMSMasterKey.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/kms.py	M	KMS.connect_to_kms	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/kms.py	M	KMS.list_keys	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/kms.py	M	KMS.list_aliases	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/kms.py	M	KMS.list_grants	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/kms.py	M	KMS.get_key_policy	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/kms.py	M	KMS.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/kms.py	M	KMS.slurp	A	1

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/lambda_function.py	C	LambdaFunction	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/lambda_function.py	M	LambdaFunction.get_name_from_list_output		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/lambda_function.py	M	LambdaFunction.list_method	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/lambda_function.py	M	LambdaFunction.get_method	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/redshift.py	M	Redshift.slurp	B	9
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/redshift.py	C	Redshift	B	6
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/redshift.py	C	RedshiftCluster	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/redshift.py	M	RedshiftCluster.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/redshift.py	M	Redshift.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/route53.py	C	Route53	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/route53.py	M	Route53.list_hosted_zones	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/route53.py	M	Route53.list_resource_record_sets	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/route53.py	C	Route53Record	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/route53.py	M	Route53.process_item	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/route53.py	M	Route53Record.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/route53.py	M	Route53.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/route53.py	M	Route53.slurp	A	1

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/route53domains.py	M	Route53Domains.list_domains	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/route53domains.py	C	Route53Domains	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/route53domains.py	C	Route53DomainsItem	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/route53domains.py	M	Route53DomainsItem.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/route53domains.py	M	Route53Domains.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/route53domains.py	M	Route53Domains.connect	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/route53domains.py	M	Route53Domains.get_domain_detail	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/route53domains.py	M	Route53Domains.slurp	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/s3.py	M	S3.get_method	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/s3.py	C	S3	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/s3.py	M	S3.list_method	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/s3.py	M	S3.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/s3.py	M	S3.get_name_from_list_output	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/s3.py	M	S3._get_regions	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/security_group.py	M	SecurityGroup.slurp	D	27
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/security_group.py	C	SecurityGroup	B	9
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/security_group.py	M	SecurityGroup._build_rule	A	4

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/security_group.py	C	SecurityGroupItem	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/security_group.py	M	SecurityGroup.get_detail_level	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/security_group.py	M	SecurityGroupItem.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/security_group.py	M	SecurityGroup.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/ses.py	M	SES.slurp	C	13
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/ses.py	C	SES	B	8
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/ses.py	C	SESItem	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/ses.py	M	SESItem.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/ses.py	M	SES.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/sns.py	M	SNS.slurp	B	8
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/sns.py	C	SNS	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/sns.py	M	SNS.get_all_topics_in_region	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/sns.py	M	SNS._get_topic_subscriptions	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/sns.py	C	SNSItem	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/sns.py	M	SNS._get_sns_policy	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/sns.py	M	SNS._get_sns_name	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/sns.py	M	SNS.build_item	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/sns.py	M	SNSItem.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/sns.py	M	SNS.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/sqs.py	C	SQS	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/sqs.py	M	SQS.list_method	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/sqs.py	M	SQS.get_method	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/sqs.py	M	SQS.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/sqs.py	M	SQS.get_name_from_list_output	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/direct_connect/connection.py	M	Connection.slurp	B	7
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/direct_connect/connection.py	C	Connection	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/direct_connect/connection.py	C	ConnectionItem	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/direct_connect/connection.py	M	ConnectionItem.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/direct_connect/connection.py	M	Connection.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/direct_connect/virtual_gateway.py	M	VirtualGateway.slurp	B	7
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/direct_connect/virtual_gateway.py	C	VirtualGateway	A	5

（续下页）



文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/direct_connect/virtual_gateway.py	C	VirtualGatewayItem	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/direct_connect/virtual_gateway.py	M	VirtualGatewayItem.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/direct_connect/virtual_gateway.py	M	VirtualGateway.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/ec2/ebs_snapshot.py	F	snapshot_name	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/ec2/ebs_snapshot.py	M	EBSSnapshot.get_session	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/ec2/ebs_snapshot.py	C	EBSSnapshot	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/ec2/ebs_snapshot.py	M	EBSSnapshot.describe_snapshots	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/ec2/ebs_snapshot.py	C	EBSSnapshotItem	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/ec2/ebs_snapshot.py	M	EBSSnapshotItem.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/ec2/ebs_snapshot.py	M	EBSSnapshot.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/ec2/ebs_snapshot.py	M	EBSSnapshot.get_attribute	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/ec2/ebs_snapshot.py	M	EBSSnapshot.process_snapshot	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/ec2/ebs_snapshot.py	M	EBSSnapshot.slurp	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/ec2/ebs_volume.py	F	volume_name	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/ec2/ebs_volume.py	C	EBSVolume	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/ec2/ebs_volume.py	M	EBSVolume.describe_volumes	A	3

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/ec2/ebs_volume.py	C	EBSVolumeItem	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/ec2/ebs_volume.py	F	format_attachments	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/ec2/ebs_volume.py	M	EBSVolumeItem.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/ec2/ebs_volume.py	F	process_volume	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/ec2/ebs_volume.py	M	EBSVolume.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/ec2/ebs_volume.py	M	EBSVolume.slurp	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/ec2/ec2_image.py	C	EC2Image	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/ec2/ec2_image.py	M	EC2Image.get_name_from_list_output		1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/ec2/ec2_image.py	M	EC2Image.list_method	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/ec2/ec2_image.py	M	EC2Image.get_method	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/ec2/ec2_instance.py	C	EC2InstanceItem	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/ec2/ec2_instance.py	C	EC2Instance	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/ec2/ec2_instance.py	M	EC2InstanceItem.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/ec2/ec2_instance.py	M	EC2Instance.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/ec2/ec2_instance.py	M	EC2Instance.describe_instances	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/ec2/ec2_instance.py	M	EC2Instance.slurp	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/gcp/gce/firewall.py	C	GCEFIREWALLRuleItem	A	3

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/gcp/gce/firewall.py	C	GCEFirewallRule	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/gcp/gce/firewall.py	M	GCEFirewallRuleItem.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/gcp/gce/firewall.py	M	GCEFirewallRule.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/gcp/gce/firewall.py	M	GCEFirewallRule.slurp	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/gcp/gce/network.py	C	GCENetworkItem	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/gcp/gce/network.py	C	GCENetwork	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/gcp/gce/network.py	M	GCENetworkItem.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/gcp/gce/network.py	M	GCENetwork.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/gcp/gce/network.py	M	GCENetwork.slurp	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/gcp/gcs/bucket.py	C	GCSBucketItem	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/gcp/gcs/bucket.py	M	GCSBucketItem.__init__	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/gcp/gcs/bucket.py	C	GCSBucket	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/gcp/gcs/bucket.py	M	GCSBucket.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/gcp/gcs/bucket.py	M	GCSBucket.slurp	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/gcp/iam/serviceaccount.py	C	IAMServiceAccountItem	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/gcp/iam/serviceaccount.py	C	IAMServiceAccount	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/gcp/iam/serviceaccount.py	M	IAMServiceAccountItem.__init__	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/gcp/iam/serviceaccount.py	M	IAMServiceAccount.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/gcp/iam/serviceaccount.py	M	IAMServiceAccount.slurp	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/github/org.py	M	GitHubOrg.list_org_members	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/github/org.py	M	GitHubOrg.list_org_outside_collabs	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/github/org.py	M	GitHubOrg.list_org_teams	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/github/org.py	C	GitHubOrg	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/github/org.py	C	GitHubOrgItem	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/github/org.py	M	GitHubOrg.get_org_details	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/github/org.py	M	GitHubOrgItem.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/github/org.py	M	GitHubOrg.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/github/org.py	M	GitHubOrg.slurp	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/github/repo.py	M	GitHubRepo.list_repo_protected_branches	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/github/repo.py	M	GitHubRepo.list_repo_releases	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/github/repo.py	M	GitHubRepo.list_repo_team_permissions	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/github/repo.py	C	GitHubRepo	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/github/repo.py	M	GitHubRepo.list_org_repos	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/github/repo.py	M	GitHubRepo.list_repo_deploy_keys	A	4

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/github/repo.py	M	GitHubRepo.list_repo_outside_collaborators	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/github/repo.py	M	GitHubRepo.list_repo_webhooks	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/github/repo.py	M	GitHubRepo.slurp	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/github/repo.py	C	GitHubRepoItem	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/github/repo.py	M	GitHubRepoItem.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/github/repo.py	M	GitHubRepo.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/github/repo.py	M	GitHubRepo.slurp_list	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/github/team.py	M	GitHubTeam.list_org_teams	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/github/team.py	C	GitHubTeam	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/github/team.py	C	GitHubTeamItem	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/github/team.py	M	GitHubTeamItem.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/github/team.py	M	GitHubTeam.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/github/team.py	M	GitHubTeam.slurp	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/iam_group.py	M	IAMGroup.slurp	B	9
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/iam_group.py	C	IAMGroup	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/iam_group.py	F	all_managed_policies	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/iam_group.py	M	IAMGroup.get_all_groups	A	3

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/iam_group.py	M	IAMGroup.get_all_group_policies	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/iam_group.py	M	IAMGroup.get_all_group_users	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/iam_group.py	C	IAMGroupItem	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/iam_group.py	M	IAMGroupItem.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/iam_group.py	M	IAMGroup.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/iam_role.py	C	IAMRole	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/iam_role.py	M	IAMRole.list_method	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/iam_role.py	M	IAMRole.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/iam_role.py	M	IAMRole._get_regions	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/iam_role.py	M	IAMRole.get_name_from_list_output		1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/iam_role.py	M	IAMRole.get_method	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/iam_ssl.py	M	IAMSSL.get_all_certs_in_region	B	9
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/iam_ssl.py	C	IAMSSL	B	6
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/iam_ssl.py	F	cert_get_issuer	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/iam_ssl.py	F	cert_is_wildcard	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/iam_ssl.py	F	cert_get_domains	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/iam_ssl.py	M	IAMSSL.slurp	A	4

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/iam_ssl.py	C	IAMSSLItem	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/iam_ssl.py	F	cert_get_bitstrength	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/iam_ssl.py	F	cert_get_cn	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/iam_ssl.py	F	cert_is_san	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/iam_ssl.py	M	IAMSSLItem.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/iam_ssl.py	F	cert_get_signing_algorithm	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/iam_ssl.py	F	cert_get_serial	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/iam_ssl.py	F	cert_get_not_before	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/iam_ssl.py	F	cert_get_not_after	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/iam_ssl.py	F	get_cert_info	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/iam_ssl.py	M	IAMSSL.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/iam_user.py	C	IAMUser	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/iam_user.py	M	IAMUser.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/iam_user.py	M	IAMUser.get_name_from_list_output		1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/iam_user.py	M	IAMUser._get_regions	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/iam_user.py	M	IAMUser.list_method	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/iam_user.py	M	IAMUser.get_method	A	1

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/managed_policy.py	M	ManagedPolicy.slurp	C	12
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/managed_policy.py	C	ManagedPolicy	B	8
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/managed_policy.py	C	ManagedPolicyItem	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/managed_policy.py	M	ManagedPolicyItem.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/managed_policy.py	M	ManagedPolicy.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/saml_provider.py	C	SAMLProvider	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/saml_provider.py	M	SAMLProvider.get_name_from_list_output	1	
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/saml_provider.py	M	SAMLProvider._get_regions	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/saml_provider.py	M	SAMLProvider.list_method	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/iam/saml_provider.py	M	SAMLProvider.get_method	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/openstack/openstack_watcher.py	C	OpenStackWatcher	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/openstack/openstack_watcher.py	M	OpenStackWatcher._get_account_regions	2	
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/openstack/openstack_watcher.py	M	OpenStackWatcher.get_name_from_list_output	2	
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/openstack/openstack_watcher.py	C	OpenStackChangeItem	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/openstack/openstack_watcher.py	M	OpenStackWatcher.__init__	A	1

（续下页）



文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/openstack/openstack_watcher.py	M	OpenStackWatcher._get_openstack_creds	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/openstack/openstack_watcher.py	M	OpenStackWatcher.get_method	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/openstack/openstack_watcher.py	M	OpenStackWatcher.list_method	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/openstack/openstack_watcher.py	M	OpenStackWatcher._add_exception_fields_to_kwargs	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/openstack/openstack_watcher.py	M	OpenStackWatcher.slurp	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/openstack/openstack_watcher.py	M	OpenStackChangeItem.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/openstack/compute/openstack_instance.py	C	OpenStackInstance	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/openstack/compute/openstack_instance.py	M	OpenStackInstance.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/openstack/network/openstack_floating_ip.py	C	OpenStackFloatingIP	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/openstack/network/openstack_floating_ip.py	M	OpenStackFloatingIP.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/openstack/network/openstack_network.py	C	OpenStackNetwork	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/openstack/network/openstack_network.py	M	OpenStackNetwork.__init__	A	1

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/openstack/network/openstack_port.py	C	OpenStackPort	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/openstack/network/openstack_port.py	M	OpenStackPort.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/openstack/network/openstack_port.py	M	OpenStackPort.get_name_from_list_outputl		
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/openstack/network/openstack_router.py	C	OpenStackRouter	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/openstack/network/openstack_router.py	M	OpenStackRouter.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/openstack/network/openstack_security_group.py	C	OpenStackSecurityGroup	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/openstack/network/openstack_security_group.py	M	OpenStackSecurityGroup.get_method		2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/openstack/network/openstack_security_group.py	M	OpenStackSecurityGroup.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/openstack/network/openstack_subnet.py	C	OpenStackSubnet	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/openstack/network/openstack_subnet.py	M	OpenStackSubnet.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/openstack/object_store/openstack_object_container.py	C	OpenStackObjectContainer	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/openstack/object_store/openstack_object_container.py	M	OpenStackObjectContainer.__init__	A	1

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/openstack/object_store/openstack_object_container.py	M	OpenStackObjectContainer.get_name_from_list_output	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/openstack/object_store/openstack_object_container.py	M	OpenStackObjectContainer.get_method	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/rds/rds_cluster_snapshot.py	M	RDSClusterSnapshot.slurp	B	10
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/rds/rds_cluster_snapshot.py	C	RDSClusterSnapshot	B	7
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/rds/rds_cluster_snapshot.py	C	RDSClusterSnapshotItem	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/rds/rds_cluster_snapshot.py	M	RDSClusterSnapshotItem.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/rds/rds_cluster_snapshot.py	M	RDSClusterSnapshot.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/rds/rds_db_cluster.py	M	RDSDBCluster.slurp	B	10
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/rds/rds_db_cluster.py	C	RDSDBCluster	B	7
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/rds/rds_db_cluster.py	C	RDSClusterItem	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/rds/rds_db_cluster.py	M	RDSClusterItem.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/rds/rds_db_cluster.py	M	RDSDBCluster.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/rds/rds_db_instance.py	C	RDSDBInstanceItem	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/rds/rds_db_instance.py	C	RDSDBInstance	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/rds/rds_db_instance.py	M	RDSDBInstanceItem.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/rds/rds_db_instance.py	F	process_db_instance	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/rds/rds_db_instance.py	M	RDSDBInstance.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/rds/rds_db_instance.py	M	RDSDBInstance.describe_db_instances	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/rds/rds_db_instance.py	M	RDSDBInstance.slurp	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/rds/rds_security_group.py	M	RDSSecurityGroup.get_all_dbsecurity_groups	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/rds/rds_security_group.py	C	RDSSecurityGroup	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/rds/rds_security_group.py	C	RDSSecurityGroupItem	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/rds/rds_security_group.py	M	RDSSecurityGroupItem.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/rds/rds_security_group.py	M	RDSSecurityGroup.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/rds/rds_security_group.py	M	RDSSecurityGroup.slurp	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/rds/rds_snapshot.py	M	RDSSnapshot.slurp	C	12
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/rds/rds_snapshot.py	C	RDSSnapshot	B	8
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/rds/rds_snapshot.py	C	RDSSnapshotItem	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/rds/rds_snapshot.py	M	RDSSnapshotItem.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/rds/rds_snapshot.py	M	RDSSnapshot.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/rds/rds_subnet_group.py	M	RDSSubnetGroup.describe_db_subnet_groups	A	1

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/rds/rds_subnet_group.py	C	RDSSubnetGroup	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/rds/rds_subnet_group.py	C	RDSSubnetGroupItem	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/rds/rds_subnet_group.py	M	RDSSubnetGroupItem.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/rds/rds_subnet_group.py	M	RDSSubnetGroup.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/rds/rds_subnet_group.py	M	RDSSubnetGroup.slurp	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/dhcp.py	C	DHCPItem	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/dhcp.py	C	DHCP	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/dhcp.py	M	DHCPItem.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/dhcp.py	M	DHCP.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/dhcp.py	M	DHCP.describe_dhcp_options	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/dhcp.py	M	DHCP.slurp	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/endpoint.py	M	Endpoint.slurp	B	7
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/endpoint.py	C	Endpoint	A	5
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/endpoint.py	C	EndpointItem	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/endpoint.py	M	EndpointItem.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/endpoint.py	M	Endpoint.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/flow_log.py	M	FlowLog.slurp	B	10

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/flow_log.py	C	FlowLog	B	7
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/flow_log.py	C	FlowLogItem	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/flow_log.py	M	FlowLogItem.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/flow_log.py	M	FlowLog.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/nat_gateway.py	M	NATGateway.slurp	B	8
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/nat_gateway.py	C	NATGateway	B	6
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/nat_gateway.py	C	NATGatewayItem	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/nat_gateway.py	M	NATGatewayItem.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/nat_gateway.py	M	NATGateway.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/networkacl.py	C	NetworkACLItem	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/networkacl.py	C	NetworkACL	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/networkacl.py	M	NetworkACLItem.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/networkacl.py	M	NetworkACL.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/networkacl.py	M	NetworkACL.describe_network_acls		1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/networkacl.py	M	NetworkACL.slurp	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/peering.py	C	PeeringItem	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/peering.py	C	Peering	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/peering.py	M	PeeringItem.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/peering.py	M	Peering.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/peering.py	M	Peering.describe_vpc_peering_connections	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/peering.py	M	Peering.slurp	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/route_table.py	C	RouteTableItem	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/route_table.py	C	RouteTable	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/route_table.py	M	RouteTableItem.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/route_table.py	M	RouteTable.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/route_table.py	M	RouteTable.describe_route_tables	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/route_table.py	M	RouteTable.slurp	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/subnet.py	C	SubnetItem	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/subnet.py	C	Subnet	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/subnet.py	M	SubnetItem.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/subnet.py	M	Subnet.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/subnet.py	M	Subnet.get_all_subnets	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/subnet.py	M	Subnet.slurp	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/vpc.py	C	VPC	A	2

（续下页）

文件	类型	符号（函数/方法）	等级	分数
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/vpc.py	M	VPC.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/vpc.py	M	VPC.list_method	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/vpc.py	M	VPC._get_regions	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/vpc.py	M	VPC.get_name_from_list_output	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/vpc.py	M	VPC.get_method	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/vpn.py	M	VPN.get_name_from_list_output	A	4
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/vpn.py	C	VPN	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/vpn.py	M	VPN.get_method	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/vpn.py	C	VPNItem	A	3
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/vpn.py	M	VPNItem.__init__	A	2
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/vpn.py	M	VPN.__init__	A	1
D:/code_assistant/Git_repo/Netflix__security_monkey/security_monkey/watchers/vpc/vpn.py	M	VPN.list_method	A	1

## 2 测试生成（TestGen）

### 2.1 指标

- 写入测试文件数：55
- 覆盖函数数：200
- 输出目录：D:/code\_assistant/Git\_repo/generated\_tests

### 2.2 覆盖率报告



Name	Stmts	Miss	Cover	Missing
security_monkey/__init__.py	186	182	2%	30-369
security_monkey/account_manager.py	200	199	1%	25-398
security_monkey/alerter.py	57	55	4%	25-103
security_monkey/auditor.py	615	613	1%	26-1056
security_monkey/backup.py	30	29	3%	23-69
security_monkey/celeryconfig.py	10	10	0%	10-45
security_monkey/cloudaux_batched_watcher.py	60	60	0%	1-98
security_monkey/cloudaux_watcher.py	86	86	0%	1-138
security_monkey/constants.py	1	1	0%	25
security_monkey/datastore.py	473	472	1%	24-858
security_monkey/datastore_utils.py	84	81	4%	5-184
security_monkey/decorators.py	125	123	2%	13-190
security_monkey/exceptions.py	95	95	0%	23-203
security_monkey/jirasync.py	111	111	0%	10-168
security_monkey/manage.py	544	540	1%	20-893
security_monkey/monitors.py	78	77	1%	11-132
security_monkey/reporter.py	38	38	0%	25-84
security_monkey/watcher.py	360	359	1%	12-714
<b>TOTAL</b>	3153	3131	1%	