

Introduction

Target

Metasploitable 2 — deliberately vulnerable VM used for security practice

Tools Used

- Nmap — port scanning
- Searchsploit — vulnerability identification
- Metasploit — validation/exploitation
- NVD

Scan Summary

Total vulnerabilities found: 4

Critical (CVSS 7.0+): 2

Medium (CVSS 4.0-6.9): 0

Low (CVSS below 4.0): 2

CVE	CVSS score	Affected Service	Version	Validation	Remediation
CVE-2011-2523	9.8	Ftp	Vsftpd 2.3.4	It is confirmed to be exploitable	Upgrade vsftpd to version 2.3.5 or later, disable anonymous FTP access
CVE-2014-3566	3.4	smtp	SSL Protocol 3.0	There are no exploitable results found	Disable SSLv3, enable TLS 1.2 or higher
CVE-2015-4000	3.7	Sntp	TLS protocol 1.2	No results for any exploit	Update TLS configuration, increase DH key size to 2048 bits
CVE-2014-0224	7.4	postgresql	OpenSSL 1.0.0	No exploits found	Upgrade OpenSSL to 1.0.1h or later

Searchsploit Findings

```
(kali@kali)-[~]
$ searchsploit vsftpd 2.3.4

Exploit Title | Path
vsftpd 2.3.4 - Backdoor Command Execution | unix/remote/49757.py
vsftpd 2.3.4 - Backdoor Command Execution (Metasploit) | unix/remote/17491.rb

Shellcodes: No Results

(kali@kali)-[~]
$ searchsploit SSL protocol 3.0
Exploits: No Results
Shellcodes: No Results

(kali@kali)-[~]
$ searchsploit TLS protocol 1.2
Exploits: No Results
Shellcodes: No Results

(kali@kali)-[~]
$ searchsploit CVE-2014-0224
Exploits: No Results
Shellcodes: No Results

Metrics
CVSS Version 4.0 | CVSS Version 3.x | CVSS Version 2.0
NIST: NVD | Base Score: 9.8 | Vector: CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:H/A:H/

Source: Red Hat, Inc.
```

Overall Risk Assessment

The target system presents significant security risks, particularly CVE-2011-2523 with a CVSS score of 9.8 which is actively exploitable. Immediate patching and service updates are recommended.