PRINTVERSE / VORON V2.4r2 300

300 mm Custom BOM

Official configurator replay · New Build · Direct Feed · Blind Joints · Generic Cable Chains

Build 300 × 300 × 280 mm | Frame 460 × 460 × 480 mm | Page 1/4

Category	Part description	Qty
Fasteners	M5x40 SHCS	22
Fasteners	M5x30 BHCS	22
Fasteners	M5x16 BHCS	35
Fasteners	M5x10 BHCS	35
Fasteners	M5 Hexnut	16
Fasteners	M5 Post-install T-nut	68
Fasteners	M5 1mm Shim	42
Fasteners	M4x6 BHCS	7
Fasteners	M4 Knurled Nut (DIN 466-B)	4
Fasteners	M3x50 SHCS	2
Fasteners	M3x40 SHCS	30
Fasteners	M3x30 SHCS	25
Fasteners	M3x25 SHCS	6
Fasteners	M3x20 SHCS	22
Fasteners	M3x16 SHCS	20
Fasteners	M3x12 SHCS	41
Fasteners	M3x10 FHCS	4
Fasteners	M3x6 FHCS	8
Fasteners	M3x8 SHCS	180
Fasteners	M3x6 BHCS	11
Fasteners	M3 Hexnut	6
Fasteners	M3 Post-install T-nut	96
Fasteners	M3 Hammer Head T-nuts	60
Fasteners	M3 Washer	4
Fasteners	M3 Threaded Insert (M3x5x4)	110
Fasteners	M2x10 Self-tapping Screw	18
Motion	GT2 80T Pulley (5mm ID 6mm W)	4
Motion	GT2 20T Pulley (5mm ID 6mm W)	3
Motion	GT2 20T Pulley (5mm ID 9mm W)	4
Motion	GT2 16T Pulley (5mm ID 6mm W)	4
Motion	GT2 20T Toothed Idler (5mm ID 6mm W)	2
Motion	GT2 20T Toothed Idler (5mm ID 9mm W)	4

300 mm Custom BOM

Official configurator replay · New Build · Direct Feed · Blind Joints · Generic Cable Chains

Build 300 × 300 × 280 mm | Frame 460 × 460 × 480 mm |

Category	Part description	Qty
Motion	F695 Bearing	20
Motion	625 Bearing	12
Motion	Ø5x60mm Shaft, D Cut	4
Motion	Ø5x35mm Shaft (trim to size)	1
Motion	GT2 Belt Loop (6mm W) - 188mm	4
Motion	GT2 Open Belt LL-2GT-9 (9mm wide) - 1100mm	4
Motion	BMG Extruder Components Kit	1
Motion	Linear Rail MGN9H 350mm	6
Motion	Linear Rail MGN12H 350mm	1
Motion	GT2 Open Belt LL-2GT-6 (6mm wide) - 1800mm	2
Electronics	Omron D2F-01L Micro Switch	3
Electronics	Inductive Probe (See sourcing guide)	1
Electronics	Hotend Kit (24V)	1
Electronics	50x50x15 Centrifugal Fan (24V)	1
Electronics	40x40x10 Axial Fan (24V)	1
Electronics	Mini 12864 Display	1
Electronics	ZF Rocker Switch DPST 16A ON-OFF	1
Electronics	TycoElectronics 10EGG1-1 Filtered Power Inlet (NA/UK)	1
Electronics	TycoElectronics 10EGG1-2 Filtered Power Inlet (EU)	1
Electronics	Medium Blow Fuse 5x20mm 4A (220V mains)	2
Electronics	Medium Blow Fuse 5x20mm 8A (120v mains)	1
Electronics	Keystone CAT6 Insert (Optional)	1
Electronics	60x60x20 Fan (24V)	3
Electronics	Controller with 7+ Stepper outputs	1
Electronics	TMC2209 Stepper Motor Driver	7
Electronics	USB Cable for selected controller	1
Electronics	RaspberryPi 3B+ or better	1
Electronics	Mean Well LRS-200-24 PSU	1
Electronics	Mean Well RS-25-5 PSU	1
Electronics	Omron G3A-210B-DC5 SSR	1
Electronics	DIN Rail Mount Bracket for G3A SSR	1
Electronics	BAT85 Diode	1

300 mm Custom BOM

Official configurator replay · New Build · Direct Feed · Blind Joints · Generic Cable Chains

Build 300 × 300 × 280 mm | Frame 460 × 460 × 480 mm |

Category	Part description	Qty
Electronics	C13 Power Cord	1
Electronics	Thermal Fuse (150C)	1
Electronics	NEMA17 Motor 17HS19-2004S	6
Electronics	NEMA14 Motor 36STH20-1004AHG	1
Vibration Management	Rubber Foot (1.5x.75", 38x19mm)	4
Frame	OpenBuilds Billet Angle Corner Connector (2020)	4
Frame	Misumi HFSB5-2020-290	1
Frame	DIN 3 Rails (35mm W) - 415mm	2
Frame	Misumi HFSB5-2020-380	1
Frame	Misumi HFSB5-2020-400	2
Frame	Misumi HFSB5-2020-420-TPW	10
Frame	Misumi HFSB5-2020-480-LCP-RCP	4
Misc	Fume Extractor Carbon Filter Element	1
Misc	4mm Threaded Bowden Coupler	1
Misc	3M VHB Tape 5952	1
Misc	Loctite Blue Threadlocker Stick	1
Misc	Mobil EP1/2 Grease	1
Misc	Single Sided Foam Tape 1mm Thick (5m)	1
Misc	Single Sided Foam Tape 3mm Thick (5m)	1
Misc	Ø6x3mm Neodimium Magnet	8
Misc	PTFE Tube (4mm OD 3mm ID) - 1000mm	1
Misc	PTFE Tube (4mm OD 2mm ID) - 300mm	1
Cables	Nylon Cable Ties, Small (.07-.10", 1.8-2.7mm wide)	42
Cables	18AWG Wire (10ft/3m total)	1
Cables	20AWG High-flex Wire (10ft/3m total)	1
Cables	22-24AWG High-flex Wire (min 19 strand)(250ft/76m total)	1
Cables	Female Spade Crimp Terminal (18-22AWG, .250", 6.35mm)	7
Cables	Fork Spade Crimp Terminal (18-22AWG, #10)	5
Cables	Ring Crimp Terminal (16-22AWG, #6)	1
Cables	JST XH Connector, 3 Position Male/Female Pair plus Pins	1
Cables	Connector kit matching your controller choice (usually JST-XH)	1
Cables	Crimp Ferrule Kit (covering sizes 24AWG to 18AWG)	1

300 mm Custom BOM

Official configurator replay · New Build · Direct Feed · Blind Joints · Generic Cable Chains

Build 300 × 300 × 280 mm | Frame 460 × 460 × 480 mm |

Category	Part description	Qty
Cables	MicroFit3 Connector Plug 4 Position	4
Cables	MicroFit3 Connector Plug 3 Position	1
Cables	MicroFit3 Connector Plug 2 Position	2
Cables	MicroFit3 Connector Receptacle 4 Position	4
Cables	MicroFit3 Connector Receptacle 3 Position	1
Cables	MicroFit3 Connector Receptacle 2 Position	2
Cables	MLX Power Receptacle 3 Position (bed wiring)	1
Cables	MLX Power Plug 3 Position	1
Cables	MLX Male Pin	6
Cables	MLX Female Pin	6
Cables	MicroFit3 Female Pin	40
Cables	MicroFit3 Male Pin	40
Cables	WAGO 221-415 Lever-Nuts	3
Cables	10x10 Generic Cable Chain (355mm)	2
Cables	10x15 Generic Cable Chain (495mm)	1
Panels	Coroplast Sheet - 419x419x4 mm	2
Panels	Coroplast Sheet - 433x453x4 mm	1
Panels	Acrylic Sheet Clear - 216.5x453x3 mm	2
Panels	Acrylic Sheet Clear - 433x453x3 mm	2
Panels	Acrylic Sheet Clear - 433x433x3 mm	1
Buildplate	MIC6 5/16" Plate - 12"x12"	1
Buildplate	Adhesive Magnetic Sheet - 12"x12"	1
Buildplate	Spring Steel Flexible Print Surface - 12"x12"	1
Buildplate	Keenovo Silicone AC Heater w/ thermistor - 250x250mm (450W)	1