

Distinguishing Quantum Computing from Classical Binary Computing

Felipe do Amparo Lauria

Instituto de Biociências, Letras e Ciências Exatas, Unesp -
Universidade Estadual Paulista (São Paulo State University) Rua Cristóvão
Colombo 2265, Jd Nazareth, 15054-000, São José do Rio Preto - SP,
Brazil. e-mail: felipe.lauria@unesp.br

November 02, 2023

Abstract

This article provides an in-depth exploration of quantum computing, a groundbreaking approach to computation that stands in stark contrast to classical binary computing. Quantum computing utilizes qubits, the fundamental units of information, which can exist in multiple states simultaneously through superposition. Furthermore, qubits can become entangled, allowing for highly correlated processing and enabling quantum computers to tackle specific tasks with exceptional efficiency. The article discusses how quantum gates and interference effects are harnessed to achieve exponential speedup in solving certain problems, potentially surpassing the capabilities of classical computers. However, it also highlights the challenges and limitations in the field, including the need for error correction techniques to maintain the integrity of quantum computations.

1 Introduction


Quantum computing is at the forefront of modern technological innovation, promising to revolutionize the way we process information and solve complex problems. Unlike classical binary computing, which relies on bits to represent data as either 0 or 1, quantum computing leverages the peculiar properties of quantum mechanics. This new paradigm of computation harnesses the power of qubits, which can exist in multiple states simultaneously due to superposition and become entangled, enabling remarkable advances in computation. In this article, we delve into

the principles and key differentiators of quantum computing compared to classical binary computing. We explore how superposition, entanglement, quantum gates, and interference lead to exponential speedup and the unique challenges facing the field.

2 Arguments

article amsmath amsfonts graphicx caption

Quantum computing represents a pioneering paradigm in computation, capitalizing on the principles of quantum mechanics to execute specific calculations with remarkable efficiency, outpacing classical computers. Classical computing, which encompasses the devices we commonly employ, is grounded in bits as the elemental unit of information. Each bit assumes either a 0 or a 1 state, and classical computers operate in a sequential fashion, manipulating these bits individually.



figureA graphic that shows the variation between signals in classical computing.

Quantum computing, in stark contrast, relies on quantum bits, or qubits, as the foundational unit of information. Qubits possess a unique characteristic known as superposition, allowing them to exist simultaneously in multiple states, specifically as $|0\rangle$ and $|1\rangle$. The mathematical representation of a qubit is given by:

$$|\psi\rangle = \alpha|0\rangle + \beta|1\rangle, \quad (1)$$

where $|\psi\rangle$ is the qubit state, and α and β are complex numbers (or probabilities) such that $|\alpha|^2 + |\beta|^2 = 1$. This distinctive feature empowers quantum computers to process an extensive array of information concurrently, a capability that classical counterparts lack. Entanglement is another fundamental concept in quantum computing. When qubits become entangled, the state of one qubit becomes intrinsically linked to the state of another, irrespective of the physical distance between them. This entanglement affords quantum computers a considerable advantage in executing complex operations with greater efficiency than classical computers. Quantum computing leverages various quantum gates and operations to manipulate qubits. These gates, such as the Hadamard gate and the CNOT gate, exploit

the unique properties of superposition and entanglement to perform quantum operations. Additionally, quantum algorithms capitalize on interference effects. Superposition's capacity to entertain multiple possibilities combines with interference, which amplifies correct solutions while suppressing incorrect ones, particularly in quantum search and factoring algorithms like Grover's and Shor's. The amalgamation of superposition, entanglement, and interference can result in exponential speedup in solving specific problems. This manifests quantum computing's potential to significantly outperform classical computing for certain tasks.

3 Conclusion

However, it is essential to recognize that quantum computing is still in its nascent stages and confronts a series of challenges. Classical computing remains remarkably efficient for many routine tasks. Quantum computers are susceptible to errors stemming from various sources, including environmental factors. Thus, strategies for error correction are imperative to harness the full potential of quantum computation and maintain the integrity of quantum computations.

References

- [1] Yanofsky, Noson S.; Mannucci, Mirco A. **Quantum Computing for Computer Scientists** Cambridge university Press, 2008.