


#### 1 – Código:


Página gerada:



```
<!DOCTYPE html>
<!-- Fig. 6.2: welcome2.html -->
<!-- Printing one line with multiple statements. -->
<html>
<head>
```








```
firstNumber = window.prompt("Enter first integer");

// read in second number from user as a string
secondNumber = window.prompt("Enter second integer");

// convert numbers from strings to integers
number1 = parseInt(firstNumber);
number2 = parseInt(secondNumber);
sum = number1 + number2; // add the numbers
// display the results
document.writeln("<h1>The sum is " + sum + "</h1>");
//
-->
</script>
</head>
</html>
```



```
<!DOCTYPE html>
<!-- Fig. 6.14: welcome5.html -->
<!-- Using equality and relational operators. -->
<html>
```

```
<head>
   <meta charset="utf-8">
   <title>Using Relational Operators</title>
   <script type="text/javascript">
       var name; // string entered by the user
       var now = new Date(); // current date and time
       var hour = now.getHours(); // current hour (0-23)
       // read the name from the prompt box as a string
       name = window.prompt("Please enter your name");
       if (hour < 12)
            document.write("<h1>Good Morning, ");
       if (hour >= 12) {
           // convert to a 12-hour clock
           hour = hour - 12;
           // determine whether it is before 6 PM
           if (hour < 6)
                document.write("<h1>Good Afternoon, ");
           // determine whether it is after 6 PM
            if (hour >= 6)
                document.write("<h1>Good Evening, ");
       } // end if
       document.writeln(name +
            ", welcome to JavaScript programming!</h1>");
   </script>
</head>
<body></body>
</html>
```

