Mensagem Atual quando ocorre algum “erro/Trava”



Fazer o tratamento das mensagens :

Exemplo extraído pelo Swagger

/api/frotas/Abastecimentos/GravaAbastecimento

Com os parâmetros :

TpAbastecimento=1

&DataAbastecimento=2026-03-20T13%3A31%3A00.000Z

&IdFornecedor=e922d73d-0356-4fb9-944e-db10ba791f6b

&IdEquipamento=352a2796-7d87-421a-9985-be77c224f30d

&IdEmprd=d83b520d-4095-472c-81c0-5f3789f80322

&IdEmpresa=9526efc4-b53e-47a2-826b-673c061ae65b

&IdCentroDespesa=8ab4c66b-ee2b-4a61-9f0c-89a1515e327a

&IdInsumo=2a72f389-41fd-4ffe-8eaa-77f5f318b189

&QtdInsumo=10

&TotalAbastecimentoPosto=800

&Origem=3

&Observacao=

&NumeroControlePosto=

&Retorno=1

&Estoque=0

Response Body:

{

"MensagemDetalhada": "----------\r\nMensagem: Fornecedor sem condições de pagamento informada\n\r\nClasse: ErroTriggerProcedureSP7Exception\r\nStack: at SieconWeb.SP7.ComandosFirebird.ExecutarSQL(String instrucaoSql, IDictionary`2 parametros) in C:\\SieconWeb.SP7\\SieconWeb.SP7\\ComandosFirebird.cs:line 70\r\n at SieconWeb.SP7.Frotas.Abastecimentos.AplicacaoAbastecimentos.InsereAbastecimentoAsync(AbastecimentosInsRequisito requisito) in C:\\SieconWeb.SP7\\SieconWeb.SP7.Frotas\\Abastecimentos\\AplicacaoAbastecimentos.cs:line 186\r\n at SieconWeb.SP7.Site.Frotas.Abastecimentos.AbastecimentosController.InsereAbastecimentoAsync(AbastecimentosInsRequisito requisito) in C:\\SieconWeb.SP7\\SieconWeb.SP7.Site\\Frotas\\Abastecimentos\\AbastecimentosController.cs:line 132\r\n at lambda_method173(Closure, Object)\r\n at Microsoft.AspNetCore.Mvc.Infrastructure.ActionMethodExecutor.AwaitableObjectResultExecutor.Execute(ActionContext actionContext, IActionResultTypeMapper mapper, ObjectMethodExecutor executor, Object controller, Object[] arguments)\r\n at Microsoft.AspNetCore.Mvc.Infrastructure.ControllerActionInvoker.<InvokeActionMethodAsync>g__Awaited|12_0(ControllerActionInvoker invoker, ValueTask`1 actionResultValueTask)\r\n at rosoft.AspNetCore.Mvc.Infrastructure.ControllerActionInvoker.<InvokeNextActionFilterAsync>g__Awaited|10_0(ControllerActionInvoker invoker, Task lastTask, State next, Scope scope, Object state, Boolean isCompleted)\r\n at icrosoft.AspNetCore.Mvc.Infrastructure.ControllerActionInvoker.Rethrow(ActionExecutedContextSealed context)\r\n at Microsoft.AspNetCore.Mvc.Infrastructure.ControllerActionInvoker.Next(State& next, Scope& scope, Object& state, Boolean& isCompleted)\r\n at Microsoft.AspNetCore.Mvc.Infrastructure.ControllerActionInvoker.InvokeInnerFilterAsync()\r\n--- End of stack trace from previous location ---\r\n at Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.<InvokeNextResourceFilter>g__Awaited|25_0(ResourceInvoker invoker, Task lastTask, State next, Scope scope, Object state, Boolean isCompleted)\r\n at Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.Rethrow(ResourceExecutedContextSealed context)\r\n at Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.

Next(State& next, Scope& scope, Object& state, Boolean& isCompleted)\r\n at Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.

InvokeFilterPipelineAsync()\r\n--- End of stack trace from previous location ---\r\n at Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.<InvokeAsync>g__Logged|17_1(ResourceInvoker invoker)\r\n at Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.<InvokeAsync>g__Logged|17_1(ResourceInvoker invoker)\r\n at icrosoft.AspNetCore.Routing.EndpointMiddleware.<Invoke>g__AwaitRequestTask|7_0(Endpoint endpoint, Task requestTask, ILogger logger)\r\n at ieconWeb.API.ErrorWrappingMiddleware.Invoke (HttpContext context)\r\n----------\r\ nMensagem:E_00001\r\nFornecedor sem condições de pagamento informada\r\nAt trigger 'FRT_CTLABASTITEM_BU' line: 207, col: 11\nAt procedure 'S_FRT_API_ABAST' line: 437, col: 9\r\nClasse: rroTriggerProcedureSP7Exception\r\nStack: atirebirdSql.Data.FirebirdClient.FbCommand.ExecuteNonQuery()\r\n at SieconWeb.SP7.ComandosFirebird.ExecutarSQL(String instrucaoSql, IDictionary`2 parametros) in C:\\SieconWeb.SP7\\SieconWeb.SP7\\ComandosFirebird.cs:line 65\r\n----------\r\nMensagem: E_00001\r\nFornecedor sem condições de pagamento informada\r\nAt trigger 'FRT_CTLABASTITEM_BU' line: 207, col: 11\nAt procedure 'S_FRT_API_ABAST' line: 437, col: 9\r\nClasse: ErroTriggerProcedureSP7Exception\r\nStack: at FirebirdSql.Data.Client.Managed.Version12.GdsStatement.Execute(Int32 timeout, IDescriptorFiller descriptorFiller)\r\n at FirebirdSql.Data.FirebirdClient.FbCommand.ExecuteCommand(CommandBehavior behavior, Boolean returnsSet)\r\n at FirebirdSql.Data.FirebirdClient.FbCommand.ExecuteNonQuery()\r\n",

"Mensagem": "Fornecedor sem condições de pagamento informada\n"

}

Pegar a Tag “Mensagem” **"Fornecedor sem condições de pagamento informada”,** para visualização**.**

Esse tratamento dever ser feito para requisições de Post e Get feita ao servidor.,

Esse endPont foi usando como exemplo, mas temos todos os outros utilizados.

```
curl -X 'POST' \
  'https://demo.poliview.com.br:21000/sieconwebwebapi/api/frotas/Abastecimentos/GravaAbastecimento?TpAbastecimento=1&DataAbastecimento=2026-03-20&IdFornecedor=e922d73d-0356-4fb9-944e-db10ba791f6b&IdEquipament
  -H 'accept: text/plain' \
  -H 'Authorization: Bearer eyJhbGciOiJSUzI1NiIsImtpZCI6IlZTU0xGS1I4X05YS0pOTFhRSFE3RkJJQVBVM1ZDNUVVSVBTNUdKUkYiLCJ0eXAiOiJhdCtqd3QifQ.eyJpc3MiOiJodHRwczovL2RlbW8ucG9saXZpZXcuY29tLmJyOjIxMDAwL3NpZWNvbnN0cyIsI
  -d ''
```

Request URL

```
https://demo.poliview.com.br:21000/sieconwebwebapi/api/frotas/Abastecimentos/GravaAbastecimento?TpAbastecimento=1&DataAbastecimento=2026-03-20&IdFornecedor=e922d73d-0356-4fb9-944e-
db10ba791f6b&IdEquipamento=352a2796-7d87-421a-9985-be77c224f300&IdInsumo=2a72f389-41fd-4ffe-8eaa-77f5f318b189&QtdInsumo=10&IdEmprd=d83b520d-4095-472c-81c0-5f3789f80322&IdEmpresa=9526efc4-b53e-47a2-826b-
673c061ae65b&Origem=3&TotalAbastecimentoPosto=800&IdCentroDespesa=8ab4c66b-ee2b-4a61-9f0c-89a1515e327a
```

Server response

Code	Details
500 *Undocumented*	Error: response status is 500

Response body

```
{
  "MensagemDetalhada": "----------\r\nMensagem: Fornecedor sem condições de pagamento informada\n\r\nClasse: ErroTriggerProcedureSP7Exception\r\nStack:    a
t SieconWeb.SP7.ComandosFirebird.ExecutarSQL(String instrucaoSql, IDictionary`2 parametros) in C:\\SieconWeb.SP7\\SieconWeb.SP7\\ComandosFirebird.cs:line 70\r\n   at SieconWeb.SP7.Frotas.Abastec
imentos.AplicacaoAbastecimentos.InsereAbastecimentoAsync(AbastecimentosInsRequisito requisito) in C:\\SieconWeb.SP7\\SieconWeb.SP7.Frotas\\Abastecimentos\\AplicacaoAbastecimentos.cs:line 186\r\n
at SieconWeb.SP7.Site.Frotas.Abastecimentos.AbastecimentosController.InsereAbastecimentoAsync(AbastecimentosInsRequisito requisito) in C:\\SieconWeb.SP7\\SieconWeb.SP7.Site\\Frotas\\Abastecment
os\\AbastecimentosController.cs:line 132\r\n   at lambda_method173(Closure, Object,[]) \r\n   at Microsoft.AspNetCore.Mvc.Infrastructure.ActionMethodExecutor.AwaitableObjectResultExecutor.Execute(Ac
tionContext actionContext, IActionResultTypeMapper mapper, ObjectMethodExecutor executor, Object controller, Object[] arguments)\r\n   at Microsoft.AspNetCore.Mvc.Infrastructure.ControllerAction
Invoker.<InvokeActionMethodAsync>g__Awaited|12_0(ControllerActionInvoker invoker, ValueTask`1 actionResultValueTask)\r\n   at Microsoft.AspNetCore.Mvc.Infrastructure.ControllerActionInvoker.<Inv
okeNextActionFilterAsync>g__Awaited|10_0(ControllerActionInvoker invoker, Task lastTask, State next, Scope scope, Object state, Boolean isCompleted)\r\n   at Microsoft.AspNetCore.Mvc.Infrastruct
ure.ControllerActionInvoker.Rethrow(ActionExecutedContextSealed context)\r\n   at Microsoft.AspNetCore.Mvc.Infrastructure.ControllerActionInvoker.Next(State& next, Scope& scope, Object& state, B
oolean& isCompleted)\r\n   at Microsoft.AspNetCore.Mvc.Infrastructure.ControllerActionInvoker.InvokeInnerFilterAsync()\r\n--- End of stack trace from previous location ---\r\n   at Microsoft.Asp
NetCore.Mvc.Infrastructure.ResourceInvoker.<InvokeNextResourceFilter>g__Awaited|25_0(ResourceInvoker invoker, Task lastTask, State next, Scope scope, Object state, Boolean isCompleted)\r\n   at
Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.Rethrow(ResourceExecutedContextSealed context)\r\n   at Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.Next(State& next, Scope& s
cope, Object& state, Boolean& isCompleted)\r\n   at Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.InvokeFilterPipelineAsync()\r\n--- End of stack trace from previous location ---\r\n
at Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.<InvokeAsync>g__Logged|17_1(ResourceInvoker invoker)\r\n   at Microsoft.AspNetCore.Mvc.Infrastructure.ResourceInvoker.<InvokeAsync>g__L
ogged|17_1(ResourceInvoker invoker)\r\n   at Microsoft.AspNetCore.Routing.EndpointMiddleware.<Invoke>g__AwaitRequestTask|7_0(Endpoint endpoint, Task requestTask, ILogger logger)\r\n   at SieconW
eb.API.ErrorWrappingMiddleware.Invoke(HttpContext context)\r\n----------\r\nMensagem: E_00001\r\nFornecedor sem condições de pagamento informada\r\nAt trigg
er 'FRT_CTLABASTITEM_BU' line: 207, col: 11\nAt procedure 'S_FRT_API_ABAST' line: 437, col: 9\r\nClasse: ErroTriggerProcedureSP7Exception\r\nStack:    at FirebirdSql.Data.FirebirdClient.FbComman
d.ExecuteNonQuery()\r\n   at SieconWeb.SP7.ComandosFirebird.ExecutarSQL(String instrucaoSql, IDictionary`2 parametros) in C:\\SieconWeb.SP7\\SieconWeb.SP7\\ComandosFirebird.cs:line 65\r\n-------
----------\r\nMensagem: E_00001\r\nFornecedor sem condições de pagamento informada\r\nAt trigger 'FRT_CTLABASTITEM_BU' line: 207, col: 11\nAt procedure 'S_FRT_API_
ABAST' line: 437, col: 9\r\nClasse: ErroTriggerProcedureSP7Exception\r\nStack:    at FirebirdSql.Data.Client.Managed.Version12.GdsStatement.Execute(Int32 timeout, IDescriptorFiller descriptorFil
ler)\r\n   at FirebirdSql.Data.FirebirdClient.FbCommand.ExecuteCommand(CommandBehavior behavior, Boolean returnsSet)\r\n   at FirebirdSql.Data.FirebirdClient.FbCommand.ExecuteNonQuery()\r\n"
  "Mensagem": "Fornecedor sem condições de pagamento informada\n"
}
```

Download

Response headers

```
access-control-allow-origin: *
content-type: application/json
date: Fri,20 Mar 2026 13:43:12 GMT
server: Microsoft-IIS/10.0
strict-transport-security: max-age=2592000
x-powered-by: ASP.NET
```