```
felipe@Felipe:~$ kubectl get pods
NAME                      READY   STATUS      RESTARTS      AGE
backend-replicaset-4llr7  1/1     Running     0             30s
backend-replicaset-cl9n   1/1     Running     0             30s
```

```
felipe@Felipe:~$ kubectl delete pod backend-replicaset-4llr7
pod "backend-replicaset-4llr7" deleted
felipe@Felipe:~$ kubectl get pods
NAME                      READY   STATUS      RESTARTS      AGE
backend-replicaset-cl9nz  1/1     Running     0             4m50s
backend-replicaset-hc9jr  1/1     Running     0             9s
```

```
felipe@Felipe:~$ kubectl get pods
NAME                      READY   STATUS      RESTARTS      AGE
backend-replicaset-cl9nz  1/1     Running     0             4m50s
backend-replicaset-hc9jr  1/1     Running     0             9s
```

As imagens de cima são com documento feito em partes, as de baixo são em geral (Com banco e Beckend)!

```
felipe@Felipe:~$ kubectl get pods
NAME                       READY   STATUS            RESTARTS      AGE
backend-replicaset-cl9nz   1/1     Running           1 (42s ago)   3h1m
backend-replicaset-hc9jr   1/1     Running           1 (42s ago)   176m
banco-replicaset-pfsv2     0/1     ImagePullBackOff  0             3h22m
database-replicaset-9mx5t  1/1     Running           1 (40s ago)   3h1m
```

```
felipe@Felipe:~$ kubectl delete pod backend-replicaset-hc9jr
pod "backend-replicaset-hc9jr" deleted
felipe@Felipe:~$ kubectl get pods
NAME                       READY   STATUS            RESTARTS       AGE
backend-replicaset-cl9nz   1/1     Running           1 (2m ago)     3h2m
backend-replicaset-kmgw8   1/1     Running           0              5s
banco-replicaset-pfsv2     0/1     ImagePullBackOff  0              3h23m
database-replicaset-9mx5t  1/1     Running           1 (118s ago)   3h2m
felipe@Felipe:~$
```