

Introduction to

Presented by

Felix Hoffmann

@Felix11H

felix11h.github.io/

Slides

Slideshare:

tiny.cc/pyg-into

Source:

tiny.cc/pyg-into-github

References

- Pygame website: pygame.org
- Richard Jones' Pygame lecture:
recording on [Youtube](#)
code samples on [Bitbucket](#)
- List of keys:
pygame.org/docs/ref/key.html



This work is licensed under a [Creative Commons Attribution 4.0 International License](#).



<http://www.pygame.org>

Pygame is a Python wrapper around the SDL library (Simple DirectMedia Layer) with a few unique libraries with an emphasis on game programming, written by Pete Shinnars.

From the FAQ

Does not require OpenGL

Uses either opengl, directx, windib, X11, linux frame buffer, and many other different backends... including an ASCII art backend!

Truly portable

Supports Linux, Windows, Windows CE, BeOS, MacOS, Mac OS X, FreeBSD, NetBSD, OpenBSD, BSD/OS, Solaris, IRIX, and QNX ...

Silliness built in!

A simple Pygame example

```
1  import pygame
2
3  pygame.init()
4  screen = pygame.display.set_mode((640, 480))
5
6  color = [(0,0,0),(255,255,255)]
7  running = True
8
9  while running:
10     for event in pygame.event.get():
11         if event.type == pygame.QUIT:
12             running = False
13         if event.type == pygame.KEYDOWN:
14             color[0], color[1] = color[1],color[0]
15
16     screen.fill(color[0])
17     pygame.display.flip()
```

01-simple_pygame.py

What each element does: Importing & Initializing

```
import pygame
```

to import the Pygame module.

```
from pygame.locals import *
```

Optional. Puts limited set of constant and function in the **global namespace**.

```
pygame.init()
```

to initialize Pygame's modules (e.g. `pygame.font`). Not always needed, but recommended in *any* case.

What each element does: Setting Window & Screen

```
screen = pygame.display.set_mode((640, 480))
```

initializes a **window** with dimensions 640×480 and returns the **screen object**.

Everything to be displayed needs to be drawn on the `screen`.

Initializing a Pygame window

Together:

```
1 import pygame
2
3 pygame.init()
4 screen = pygame.display.set_mode((640, 480))
```

02-window.py

Initializing a Pygame window - Extended

```
1 import pygame
2
3 pygame.init()
4 screen = pygame.display.set_mode((640, 480))
5
6 running = True
7 while running:
8     for event in pygame.event.get():
9         if event.type == pygame.QUIT:
10             running = False
```


What each element does: The Main Loop

```
1  running = True
2  while running:
3      for event in pygame.event.get():
4          if event.type == pygame.QUIT:
5              running = False
6          if event.type == pygame.KEYDOWN:
7              color[0], color[1] = color[1],color[0]
8
9      screen.fill(color[0])
10     pygame.display.flip()
```

is the **main loop** of the game.

- ▶ listen to events → respond
- ▶ proceed the game
- ▶ draw on the screen
- ▶ stop when done

A framework for your Pygames

```
1  import pygame
2
3  pygame.init()
4  screen = pygame.display.set_mode((640, 480))
5
6  running = True
7  while running:
8      for event in pygame.event.get():
9          if event.type == pygame.QUIT:
10             running = False
11             if event.type == pygame.KEYDOWN:
12                 react_to_user_input()
13
14     do_things_the_game_does()
15     draw_everything_on_the_screen()
```

Next:

- ▶ Drawing
- ▶ User Input
- ▶ Game Events

Drawing

Drawing on the screen I

Filling the screen with a color:

```
1 blue = (0,0,255)
2 screen.fill(blue)
3 pygame.display.flip()
```

After all drawing is done, call `display.flip()` to **update** the display.

Use `pygame.draw` to draw geometric shapes. A circle:

```
1 red = (255,0,0)
2 # position (320,240), radius = 50
3 pygame.draw.circle(screen, red, (320,240), 50)
```

Drawing on the screen II

Geometric shapes available for `pygame.draw`:

```
circle(Surface, color, pos, radius, width=0)
polygon(Surface, color, pointlist, width=0)
line(Surface, color, start, end, width=1)
rect(Surface, color, Rect, width=0)
ellipse(Surface, color, Rect, width=0)
```

Example:

```
1 red = (255,0,0)
2 pygame.draw.line(screen, red, (10,50),(30,50),10)
```

Drawing on the screen - Colors

Defining a color

```
gray = (200,200,200)  
#(red, green, blue)
```

Use for example colorpicker.com:

Drawing on the screen - Positions

Defining a position:

P = (11,9)

#(x-axis, y-axis)

To the reference coordinate system

Drawing on the screen - Rects

`pygame.Rect(left, top, width, height)`

to create a Rect.

```
1 box = pygame.Rect(10, 10, 100, 40)
2 pygame.draw.rect(screen, blue, box)
3 #draws at (10,10) rectangle of width 100, height 40
```

Rect anchors:

top, left, bottom, right

topleft, bottomleft, topright, bottomright

midtop, midleft, midbottom, midright

center, centerx, centery

size, width, height

w,h

A full drawing example

```
1  import pygame
2
3  pygame.init()
4  screen = pygame.display.set_mode((640, 480))
5
6  white = (255,255,255)
7  blue = (0,0,255)
8
9  running = True
10 while running:
11     for event in pygame.event.get():
12         if event.type == pygame.QUIT:
13             running = False
14
15     screen.fill(white)
16     pygame.draw.circle(screen, blue, (320,240), 100)
17     # position (320,240), radius = 100
18
19     pygame.display.flip()
```

04-drawing.py.

User Input

Events

get all events in Pygame's event queue
`pygame.event.get()`

usually used as

```
1 for event in pygame.event.get():  
2     if event.type == YourEvent:  
3         react_to_your_event()
```

Event types

Some of the most important event types are:

```
pygame.QUIT
```

```
pygame.KEYDOWN
```

```
pygame.KEYUP
```

```
pygame.USEREVENT
```

With

```
from pygame.locals import *
```

from earlier, prefix `pygame` isn't needed.

Events

React to KEYDOWN event:

```
1 while running:
2     for event in pygame.event.get():
3         if event.type == KEYDOWN:
4             react_to_key()
```

Which key? → if event type is KEYDOWN or KEYUP event has attribute **key**.

```
1 for event in pygame.event.get():
2     if event.type == KEYDOWN:
3         if event.key == K_ESCAPE:
4             running = False
```

Pygame Keys

Some of the most important keys are:

`K_RETURN`

`K_SPACE`

`K_ESCAPE`

`K_UP`, `K_DOWN`, `K_LEFT`, `K_RIGHT`

`K_a`, `K_b`, ...

`K_0`, `K_1`, ...

Full list of keys: <http://www.pygame.org/docs/ref/key.html>

Getting continuous input

KEYDOWN is a unique event.

```
key = pygame.key.get_pressed()
```

to get keys currently pressed.

```
if key[pygame.K_UP]:  
    move_up()
```

to check and react on a specific key.

A user input example

```
1 color = [0,0,0]
2
3 while running:
4     for event in pygame.event.get():
5         if event.type == pygame.QUIT:
6             running = False
7         if event.type == KEYDOWN and event.key == K_SPACE:
8             color = [0,0,0]
9
10    keys = pygame.key.get_pressed()
11    if keys[K_UP]:
12        color = [(rgb+1)%256 for rgb in color]
13
14    screen.fill(color)
15    pygame.display.flip()
```

05-user_input.py

Pygame's Clock

Limiting the frames per second

```
clock = pygame.time.Clock()
```

to initialize the clock.

In your main loop call

```
clock.tick(60) #limit to 60 fps
```

Clock example

```
1  clock = pygame.time.Clock()
2
3  while running:
4      for event in pygame.event.get():
5          if event.type == pygame.QUIT:
6              running = False
7          if event.type == KEYDOWN and event.key == K_SPACE:
8              color = [0,0,0]
9
10     keys = pygame.key.get_pressed()
11     if keys[K_UP]:
12         color = [(rgb+1)%256 for rgb in color]
13
14     screen.fill(color)
15     pygame.display.flip()
16
17     clock.tick(60)
```

Game Events

Sprites

Pygame's **sprite class** gives convenient options for handling interactive graphical objects.

If you want to draw **and** move (or manipulate) an object, make it a sprite.

Sprites

- can be grouped together

- are easily drawn to a surface (even as a group!)

- have an update method that can be modified

- have collision detection

Basic Sprite

```
1 class SpriteExample(pygame.sprite.Sprite):  
2  
3     def __init__(self):  
4         pygame.sprite.Sprite.__init__(self)  
5  
6         self.image = #image  
7         self.rect = #rect  
8  
9     def update(self):  
10        pass
```

Sprite from a local image

```
1 class SpriteExample(pygame.sprite.Sprite):
2
3     def __init__(self):
4         pygame.sprite.Sprite.__init__(self)
5
6         self.image = pygame.image.load('local_img.png')
7         self.rect = self.image.get_rect()
8         self.rect.topleft = (80,120)
9
10    def update(self):
11        pass
```

Self-drawn sprites: Rectangle

```
1 class Rectangle(pygame.sprite.Sprite):  
2  
3     def __init__(self):  
4         pygame.sprite.Sprite.__init__(self)  
5         self.image = pygame.Surface([200, 50])  
6         self.image.fill(blue)  
7         self.rect = self.image.get_rect()  
8         self.rect.top, self.rect.left = 100, 100  
9  
10    def update(self):  
11        pass
```


Sprites: A reminder about classes

```
1 class Rectangle(pygame.sprite.Sprite):
2
3     def __init__(self, color):
4         pygame.sprite.Sprite.__init__(self)
5         self.image = pygame.Surface([200, 50])
6         self.image.fill(color)
7         self.rect = self.image.get_rect()
8         self.rect.top, self.rect.left = 100, 100
9
10    def update(self):
11        pass
```

```
1 white, blue = (255,255,255), (0,0,255)
2
3 white_rect = Rectangle(white)
4 blue_rect = Rectangle(blue)
```

Sprite groups

```
new_sprite_group = pygame.sprite.Group(sprite1)
```

to create a new sprite group containing sprite `sprite1`.

```
new_sprite_group.add(sprite2)
```

to add another sprite later.

Group updating and drawing:

```
1  #inside main loop:
2
3  new_sprite_group.update() #game events
4  new_sprite_group.draw()   #drawing
```

Framework for working with sprite groups

```
1 class NewSprite(pygame.sp...  
2     #defining a new sprite  
3  
4 newsprite = NewSprite()  
5 sprites = pygame.sprite.Group()  
6 sprites.add(newsprite)  
7  
8 while running:  
9     for event in ...  
10  
11     sprites.update() #game events  
12     sprites.draw()  
13     pygame.display.flip()
```

Sprite groups: working example

```
1 class Circle(pygame.sprite.Sprite):
2     def __init__(self):
3         pygame.sprite.Sprite.__init__(self)
4         self.image = pygame.Surface([100, 100])
5         pygame.draw.circle(self.image, blue, (50, 50), 50)
6         self.rect = self.image.get_rect()
7         self.rect.center = [320,240]
8
9 def draw.sprites():
10     screen.fill(white)
11     sprites.draw(screen)
12     pygame.display.flip()
13
14 circle = Circle()
15 sprites = pygame.sprite.Group(circle)
16
17 while running:
18     sprites.update()
19     draw.sprites()
```

Working example: Transparency

By default `pygame.Surface` is black. For transparency:

```
1 class Circle(pygame.sprite.Sprite):
2     def __init__(self):
3         pygame.sprite.Sprite.__init__(self)
4         self.image = pygame.Surface([100, 100], pygame.SRCALPHA, 32)
5         pygame.draw.circle(self.image, blue, (50, 50), 50)
6         self.image = self.image.convert_alpha()
```

08-circle.py

Sprite Collision Detection

```
pygame.sprite.collide_rect(left, right)
```

to detect collision between two sprites

```
pygame.sprite.spritecollideany(sprite, group)
```

to test if the given sprite intersects with any sprites in a Group

Have fun with **Pygame** !

Presented by

Felix Hoffmann

@Felix11H

felix11h.github.io/

Slides

Slideshare:

tiny.cc/pyg-into

Source:

tiny.cc/pyg-into-github

References

- Pygame website: pygame.org
- Richard Jones' Pygame lecture:
recording on [Youtube](#)
code samples on [Bitbucket](#)
- List of keys:
pygame.org/docs/ref/key.html



This work is licensed under a [Creative Commons Attribution 4.0 International License](#).