Routing

The frontend uses React Router DOM for client-side navigation.

Router Configuration

File: `frontend/src/App.jsx`

The application does not use a `<BrowserRouter>` with explicit routes. Instead, it uses a **tab-based architecture** where the active view is determined by the `activeTab` state variable.

```
const [activeTab, setActiveTab] = useState('dashboard');

// Render based on active tab
{activeTab === 'dashboard' && <DashboardView ... />}
{activeTab === 'tickets' && <TicketsView ... />}
{activeTab === 'departments' && <DepartmentsView />}
{activeTab === 'users' && <UsersView />}
{activeTab === 'knowledgebase' && <KnowledgeBaseView />}
{activeTab === 'admin' && <AdminPanel />}
```

Navigation Flow

Modal-Based Navigation

Many features use modals instead of route changes:

- **TicketDetailModal:** Opens from TicketsView to show ticket details
- **TicketAssignModal:** Opens from TicketDetailModal for assignment
- **DepartmentModal:** Opens from DepartmentsView for create/edit
- **UserModal:** Opens from UsersView for create/edit
- **AdvancedSearchModal:** Opens from TicketsView for search

Public Routes

Path	Component	Access
`/`	`HomePage`	Public
`/login`	`LoginPage`	Public
`/knowledge-base`	`KnowledgeBaseView`	Public (limited)

Protected Routes

All other views require authentication. The `App.jsx` component checks for a valid token before rendering the authenticated layout.

Deep Linking

Currently, the application does not support deep linking to specific tabs via URL. The active tab is managed entirely through component state. Future enhancement could involve URL-based routing for shareable links.

Previous
« Hooks

Next
Styling »

Deployment Guide

Troubleshooting

Copyright © 2026 KUCCPS. Built with Docusaurus.