Seed Data

The seed script populates the database with default data for local development and testing.

Running the Seed Script

```
cd backend
npx prisma db seed
```

Seed Contents

The seed script creates the following data:

Department

Field	Value
`name`	ICT
`code`	ICT

Users

Username	Password	Name	Role	Department
`admin`	`admin123`	System Administrator	`admin`	ICT
`itstaff`	`staff123`	IT Staff	`staff`	ICT

System Settings

Default settings are created if none exist:

Setting	Default Value
`organizationName`	KUCCPS IT Support
`organizationCode`	KUCCPS
`primaryColor`	#911414
`secondaryColor`	#d20001
`supportEmail`	itsupport@kuccps.ac.ke
`noreplyEmail`	noreply@kuccps.ac.ke
`emailFromName`	KUCCPS IT Support

Setting	Default Value
`ticketNumberPrefix`	TICK
`ticketNumberFormat`	YYYYMMDD-XXXX
`defaultPriority`	Medium
`defaultCategory`	General Issues
`defaultStatus`	Open
`maxFileSize`	10485760
`allowedFileTypes`	jpg,jpeg,png,gif,pdf,doc,docx,xls,xlsx,zip
`darkModeEnabled`	false
`contrastMode`	normal

Email Templates

Default email templates are created for:

- **ticketCreated:** Ticket creation confirmation
- **ticketUpdated:** Ticket status/priority change notification
- **ticketResolved:** Resolution notification and CSAT request

Seed Script Location

File: `backend/prisma/seed.js`

The seed script is defined in `backend/package.json`:

```
{
  "prisma": {
    "seed": "node ./prisma/seed.js"
  }
}
```

Customizing Seed Data

To customize seed data, edit `backend/prisma/seed.js`. You can add additional users, departments, or settings as needed for your environment.

Production Considerations

- **Never run `db seed` in production** — it will create duplicate records or overwrite existing data.
- **Change default passwords immediately** after seeding.
- **Use environment-specific seed scripts** for staging and production if needed.

Previous
« Migrations

Next
Prisma Usage »

Copyright © 2026 KUCCPS. Built with Docusaurus.