

Instituto Tecnológico de Cancún.


Tarea: Ejemplo de bettercap.

Kanxoc Ek Félix Gerardo.

Fundamentos de Telecomunicaciones.

Ismael Jiménez Sánchez.

Noviembre 2020.



Wireshark interface showing a packet capture on the test3.cap file. The interface includes a menu bar (Archivo, Edición, Visualización, etc.), a toolbar, and a status bar. The main display area shows a list of captured packets with columns for No., Time, Source, Destination, Protocol, Length, and Info. The selected packet (No. 46) is expanded, showing the raw data and the Hypertext Transfer Protocol details. The raw data is displayed in hexadecimal and ASCII. The Hypertext Transfer Protocol details show the request method (GET), the URI (/success.txt?ip=192.168.0.6), and the status code (200 OK).

No.	Time	Source	Destination	Protocol	Length	Info
46	0.015330	192.168.0.6	34.197.221.82	HTTP	274	GET /success.txt HTTP/1.1
47	0.020174	34.197.221.82	192.168.0.6	HTTP	274	HTTP/1.1 200 OK (text/plain)
59	0.047843	192.168.0.6	34.197.221.82	HTTP	378	GET /success.txt?ip=192.168.0.6 HTTP/1.1
63	0.062710	34.197.221.82	192.168.0.6	HTTP	274	HTTP/1.1 200 OK (text/plain)
135	0.060323	192.168.0.6	72.21.91.29	OCSP	456	Request
158	0.064380	192.168.0.6	72.21.91.29	OCSP	456	Request
168	0.762327	192.168.0.6	172.217.8.99	OCSP	463	Request
168	0.795844	72.21.91.29	192.168.0.6	OCSP	853	Response
171	0.806123	72.21.91.29	192.168.0.6	OCSP	853	Response
188	0.907574	172.217.8.99	192.168.0.6	OCSP	756	Response
359	0.356531	192.168.0.6	172.217.8.99	OCSP	462	Request
393	0.488311	172.217.8.99	192.168.0.6	OCSP	755	Response
464	0.106665	192.168.0.6	172.217.8.99	OCSP	463	Request
466	0.168737	172.217.8.99	192.168.0.6	OCSP	756	Response
619	0.146218	192.168.0.6	172.217.8.99	OCSP	463	Request
623	0.158326	172.217.8.99	192.168.0.6	OCSP	756	Response
807	0.138421	192.168.0.6	172.217.8.99	OCSP	462	Request
812	0.139732	192.168.0.6	172.217.8.99	OCSP	462	Request
814	0.211889	172.217.8.99	192.168.0.6	OCSP	755	Response
838	0.273211	172.217.8.99	192.168.0.6	OCSP	755	Response
1077	0.786164	192.168.0.6	23.111.183.74	HTTP	448	GET /login/ HTTP/1.1
1082	0.805642	23.111.183.74	192.168.0.6	HTTP	1682	HTTP/1.1 200 OK (text/html)
1085	0.962063	192.168.0.6	23.111.183.74	HTTP	362	GET /favicon.ico HTTP/1.1
1086	0.963080	23.111.183.74	192.168.0.6	HTTP	248	HTTP/1.1 500 Internal Server Error (text/plain)
1132	0.909622	192.168.0.6	23.111.183.74	HTTP	611	POST /login/loginbean.jsp HTTP/1.1 (application/x-www-form-urlencoded)
1137	0.113825	23.111.183.74	192.168.0.6	HTTP	788	HTTP/1.1 200 OK (text/plain)
1203	0.64795485	192.168.0.6	34.197.221.82	HTTP	373	GET /success.txt HTTP/1.1
1207	0.64881182	34.197.221.82	192.168.0.6	HTTP	274	HTTP/1.1 200 OK (text/plain)
1211	0.64887745	192.168.0.6	34.197.221.82	HTTP	378	GET /success.txt?ip=192.168.0.6 HTTP/1.1
1218	0.64931734	34.197.221.82	192.168.0.6	HTTP	274	HTTP/1.1 200 OK (text/plain)

Frame 46: 373 bytes on wire (2984 bits), 373 bytes captured (2984 bits)

0000 08 80 27 e8 62 52 84 ed 33 95 92 75 08 08 45 08 ...E

0010 83 07 08 80 48 08 08 08 08 3c 08 08 08 08 22 08 ...%

0020 08 52 71 3f 08 50 5e 32 0c 9c ea 82 29 3a 50 18 ...P

0030 08 05 97 33 08 08 47 45 54 29 27 75 79 63 83 05 ...T/succe

Paquetes: 1330 - Mostrado: 30 (2.3%)

Perfil: Default

Ctrl Derecha

06:43 p.m. 18/11/2020