




Organism|PeripheralVenousBlood|Aciclovir|Plasma (Peripheral Venous Blood)



Organism|PeripheralVenousBlood|Aciclovir|Plasma (Peripheral Venous Blood)




Organism|PeripheralVenousBlood|Aciclovir|Plasma (Peripheral Venous Blood)




— Aciclovir|Lipophilicity
Parameter — Applications|IV 250mg 10min|Application_1|ProtocolSchematem|Dose
— Neighborhoods|Kidney_pls_Kidney_ur|Aciclovir|Glomerular Filtration–GFR|GFR fraction

Organism|PeripheralVenousBlood|Aciclovir|Plasma (Peripheral Venous Blood)




— Aciclovir|Lipophilicity
Parameter — Applications|IV 250mg 10min|Application_1|ProtocolSchematem|Dose
— Neighborhoods|Kidney_pls_Kidney_ur|Aciclovir|Glomerular Filtration–GFR|GFR fraction


Organism|PeripheralVenousBlood|Aciclovir|Plasma (Peripheral Venous Blood)




Organism|Age




Organism|ArterialBlood|Plasma|Aciclovir



Organism|PeripheralVenousBlood|Aciclovir|Plasma (Peripheral Venous Blood)







Parameter

- Aciclovir|Lipophilicity
- Applications|IV 250mg 10min|Application_1|Protocol|Schemattem|Dose
- Neighborhoods|Kidney_pls_Kidney_ur|Aciclovir|Glomerular Filtration-GFR|GFR fraction

Organism|ArterialBlood|Plasma|Aciclovir



Organism|PeripheralVenousBlood|Aciclovir|Plasma (Peripheral Venous Blood)



Parameter

- Aciclovir|Lipophilicity
- Applications|IV 250mg 10min|Application_1|ProtocolSchematem|Dose
- Neighborhoods|Kidney_pls_Kidney_ur|Aciclovir|Glomerular Filtration-GFR|GFR fraction