


Captura de archivos ignorados



The screenshot shows the Visual Studio Code interface. The Explorer sidebar on the left displays the file structure of a project named 'PreEntrega2_TorresFelipe'. The file list includes '.vs', 'css', 'Fonts', 'html', 'images', '.gitignore', 'index.html', 'PruebasIgnorados', and 'readme.md'. The '.gitignore' file is selected, and its content is displayed in the main editor area. The content of the '.gitignore' file is:

```
.gitignore
1 PruebaIgnorados
```

The terminal window at the bottom shows the output of a git push command. The output indicates that the push was successful and provides a link to create a pull request on GitHub.

```
$ git push origin PreEntregable2_V1
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0
remote:
remote: Create a pull request for 'PreEntregable2_V1' on GitHub by visiting:
remote:   https://github.com/Felo550/CorcheaAcademy/pull/new/PreEntregable2_V1
remote:
To https://github.com/Felo550/CorcheaAcademy.git
 * [new branch]      PreEntregable2_V1 -> PreEntregable2_V1

filip@FELOPC MINGW64 /f/CursosVirtuales/CODERHOUSE_FullStack Developer/PreEntrega2_TorresFelipe (master)
$
```

The status bar at the bottom right shows the current line and column (Ln 1, Col 16), the encoding (UTF-8), the line ending (CRLF), and the file type (Ignore).

Captura de diferentes Branchs (rojo:local /Azul: github)

The screenshot shows the Visual Studio Code interface with a dark theme. The Explorer sidebar on the left shows the file structure of a project named 'PREENTREGA2_TORRESFEL...'. The main editor area displays the 'index.html' file. A 'Select a branch or tag to checkout' dialog is open in the center, showing the following options:



- + Create new branch...
- + Create new branch from...
- 🔗 Checkout detached...
- 🔗 master 8b6fb918 (red arrow pointing left)
- 🔗 PreEntregable2_V1 e1adf3e8 (red arrow pointing left)
- 🔗 origin/master Remote branch at 8b6fb918 (blue arrow pointing right)
- 🔗 origin/PreEntregable2_V1 Remote branch at e1adf3e8 (blue arrow pointing right)

The terminal window at the bottom shows the output of a 'git push' command:

```
$ git push origin PreEntregable2_V1
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0
remote:
remote: Create a pull request for 'PreEntregable2_V1' on GitHub by visiting:
remote:   https://github.com/Felo550/CorcheaAcademy/pull/new/PreEntregable2_V1
remote:
To https://github.com/Felo550/CorcheaAcademy.git
 * [new branch]      PreEntregable2_V1 -> PreEntregable2_V1

filiip@FELOPC MINGW64 /f/CursosVirtuales/CODERHOUSE_FullStack Developer/PreEntrega2_TorresFelipe (master)
$
```

The status bar at the bottom indicates the current branch is 'master' and the file encoding is UTF-8.



Preentrega 3

```
6 files changed, 525 insertions(+), 481 deletions(-)

filip@FELOPC MINGW64 /f/CursosVirtuales/CODERHOUSE_FullStack Developer/PreEntrega3_TorresFelipe (PreEntregable3_V1)
$ git remote -v
origin https://github.com/Felo550/CorcheaAcademy.git (fetch)
origin https://github.com/Felo550/CorcheaAcademy.git (push)

filip@FELOPC MINGW64 /f/CursosVirtuales/CODERHOUSE_FullStack Developer/PreEntrega3_TorresFelipe (PreEntregable3_V1)
$ git push origin PreEntregable3_V1
Enumerating objects: 19, done.
Counting objects: 100% (19/19), done.
Delta compression using up to 8 threads
Compressing objects: 100% (9/9), done.
Writing objects: 100% (10/10), 3.68 KiB | 1.23 MiB/s, done.
Total 10 (delta 7), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (7/7), completed with 5 local objects.
To https://github.com/Felo550/CorcheaAcademy.git
 458e514..c0e851f PreEntregable3_V1 -> PreEntregable3_V1

filip@FELOPC MINGW64 /f/CursosVirtuales/CODERHOUSE_FullStack Developer/PreEntrega3_TorresFelipe (PreEntregable3_V1)
$
```

Ln 67, Col 37 Spaces: 4 UTF-8 CRLF HTML Port: 5500

Felo550 / CorcheaAcademy

Type to search

<> Code

Issues

Pull requests

Actions

Projects

Wiki

Security

Insights

Settings

CorcheaAcademy

Public

Pin

Unwatch 1

Fork 0

Star 0

PreEntregable3_V1 had recent pushes 5 minutes ago

Compare & pull request

PreEntregable3_V1

3 branches

0 tags

Go to file

Add file

<> Code

Switch branches/tags

Find or create a branch...

Branches

Tags

master default

PreEntregable2_V1

✓ PreEntregable3_V1

View all branches

branch nueva para entrega 3 c0e851f 12 minutes ago 4 commits

Primer Comit del proyecto PreEntregable2 para CoderHouse last week

Primer Comit del proyecto PreEntregable2 para CoderHouse last week

Ajustar paginas restantes en branch nueva para entrega 3 12 minutes ago

Ajustar paginas restantes en branch nueva para entrega 3 12 minutes ago

Primer Comit del proyecto PreEntregable2 para CoderHouse last week

Agregando elementos para subir repositorio GitHub last week

Se agrega archivo con capturas de Manejo GitHub last week

Ajustar paginas restantes en branch nueva para entrega 3 12 minutes ago

Agregando elementos para subir repositorio GitHub last week

readme.md

Proyecto PreeEntregable2 para CoderHouse. Se trata de la pagina Web para una Academia de Musica "Corchea Academy", donde se muestran clases, profesores y informacion Basica para contacto.

About

PreEntregable2 para CoderHouse

Readme

Activity

0 stars

1 watching

0 forks

Releases

No releases published

Create a new release

Packages

No packages published

Publish your first package

Deployments 1

github-pages last week

Languages

HTML 89.9%

CSS 10.1%

Felo550 / CorcheaAcademy

Type to search

<> Code

Issues

Pull requests

Actions

Projects

Wiki

Security

Insights

Settings

CorcheaAcademy

Public

Pin

Unwatch 1

Fork 0

Star 0

Activity

All branches

All activity

All users

All time

Showing most recent first

Ajustar paginas restantes en branch nueva para entrega 3

Felo550 pushed 1 commit to `PreEntregable3_V1` • 458e514...c0e851f • 5 minutes ago

Se agrega archivo con capturas de Manejo GitHub

Felo550 created `PreEntregable3_V1` • 458e514 • 6 hours ago

Primer Comit del proyecto PreEntregable2 para CoderHouse

Felo550 created `PreEntregable2_V1` • e1adf3e • 5 days ago

Agregando elementos para subir repositorio GitHub

Felo550 created `master` • 8b6fb91 • 5 days ago

[Share feedback about this page](#)

Felo550 / CorcheaAcademy

Search Type to search

<> Code

Issues

Pull requests

Actions

Projects

Wiki

Security

Insights

Settings

Activity

All branches

All activity

All users

All time

Showing most recent first

Se ajustan paginas de manera que sean responsive, ademas de lograr fi...

Felo550 pushed 1 commit to [PreEntregable3_V1](#) • f7519f7...9e69b57 • 33 seconds ago

se agrega capturas en pdf

Felo550 pushed 1 commit to [PreEntregable3_V1](#) • c0e851f...f7519f7 • 1 hour ago

Ajustar paginas restantes en branch nueva para entrega 3

Felo550 pushed 1 commit to [PreEntregable3_V1](#) • 458e514...c0e851f • 1 hour ago

Se agrega archivo con capturas de Manejo GitHub

Felo550 created [PreEntregable3_V1](#) • 458e514 • 7 hours ago

Primer Comit del proyecto PreEntregable2 para CoderHouse













Felo550 created [PreEntregable2_V1](#) • e1adf3e • 6 days ago

Agregando elementos para subir repositorio GitHub

Felo550 created [master](#) • 8b6fb91 • 6 days ago

[Share feedback about this page](#)

Activity

<div> <div>  PreEntregable3_V1 <div>  </div> </div> <div>  All activity <div>  </div> </div> <div>  All users <div>  </div> </div> <div>  All time <div>  </div> </div> </div> <div>Showing most recent first</div>		
Se ajustan paginas de manera que sean responsive, ademas de lograr fi...		
	Felo550 pushed 1 commit • f7519f7...9e69b57 • 55 seconds ago	...
se agrega capturas en pdf		
	Felo550 pushed 1 commit • c0e851f...f7519f7 • 1 hour ago	...
Ajustar paginas restantes en branch nueva para entrega 3		
	Felo550 pushed 1 commit • 458e514...c0e851f • 1 hour ago	...
Se agrega archivo con capturas de Manejo GitHub		
	Felo550 created this branch • 458e514 • 7 hours ago	...

Prueba de manejo de ramas, actual estado sin unir ramas>

The image displays a development environment with a code editor on the left and a web browser on the right.

Code Editor (VS Code):

- Explorer:** Shows the file structure of the project, including `contacto.html`, `iniciosesion.html`, `clases.html`, `profesores.html`, `index.html`, and `readme.md`.
- Editor:** Displays the content of `iniciosesion.html`. The code includes a navigation bar with links to `index.html`, `clases.html`, `profesores.html`, `contacto.html`, and `iniciosesion.html`. The main content area contains a login form with fields for `Usuario:` and `Contraseña:`, and a button labeled `Iniciar Sesión`.
- Terminal:** Shows the output of the `git checkout master` command, indicating that the user has switched to the `master` branch.

Web Browser:

- Address Bar:** Shows the URL `127.0.0.1:5500/Activity - Felo550/Corchea Academy`.
- Page Content:** The browser displays the `iniciosesion.html` page. It features a navigation bar with links to `Inicio`, `Clases`, `Profesores`, `Contacto`, and `Iniciar Sesión`. Below the navigation bar, there is a message: "Ingresa tus credenciales para explorar el mundo de la música y continuar aprendiendo. Si eres nuevo, regístrate y únete a nuestra comunidad musical. Estamos aquí para ayudarte a alcanzar tus metas musicales. ¡Empecemos a crear música juntos!". The login form is centered on the page, with fields for `Usuario:` and `Contraseña:`, and a button labeled `Iniciar Sesión`.
- Footer:** The footer contains the text `Corchea Academy ©`, `Academia`, `Enlaces De Interés`, and `Pagos Seguros`. It also includes social media icons for Instagram, Facebook, and LinkedIn, and a list of links: `Tarifas`, `Patrocinadores`, `FAQ`, `Opiniones De Clientes`.

Luego de hacer merge con rama de preentrega 3

The image shows a development environment with three main components:

- Code Editor (VS Code):** The Explorer sidebar on the left shows a project structure with files like `contacto.html`, `iniciosesion.html`, `profesores.html`, and `index.html`. The main editor displays the HTML code for `iniciosesion.html`, which includes a Bootstrap navbar and a main content area. The terminal at the bottom shows the output of a `git diff` command, indicating changes in several files.
- Browser:** The browser window shows the URL `127.0.0.1:5500/html/iniciosesion.html`. The page content includes a navigation menu with links for `Inicio`, `Clases`, `Profesores`, `Contacto`, and `Iniciar Sesión`. Below the menu is a login form with fields for `Usuario` and `Contraseña`, and an `Ingresar` button.
- Terminal:** The terminal window shows the output of a `git diff` command, listing changes in `css/style.css`, `html/clases.html`, `html/contacto.html`, `html/iniciosesion.html`, `html/profesores.html`, and `index.html`.

Push de rama master

The image shows a development workflow. On the left, a VS Code editor displays the `inicioesion.html` file. The code includes a Bootstrap navbar with links to `clases.html`, `profesores.html`, `contacto.html`, and `inicioesion.html`. The terminal at the bottom shows the execution of `git status`, which reports that the working tree is clean and on the master branch. The status bar at the bottom of VS Code indicates the current branch is `master`.

On the right, a web browser displays the GitHub repository page for `Felo550 / CorcheaAcademy`. The 'Activity' tab is selected, showing a list of recent commits. The most recent commit is titled 'agregar .pdf actualizado' and was pushed to the `master` branch 33 seconds ago. Other recent activities include pushing to `PreEntregable3_V1` and creating new branches.

VS Code Editor Content:

```
23
24 <body class="d-flex flex-column min-vh-100">
25   <header>
26     <nav class="navbar navbar-expand-xl navbar-dark bg-dark">
27       <div class="container-fluid">
28         <button class="navbar-toggler" type="button" data-bs-toggle
29           aria-controls="navbarDark" aria-expanded="false" aria-l
30         <span class="navbar-toggler-icon"></span>
31       </button>
32       <div class="collapse navbar-collapse show" id="navbarDark">
33         <ul class="navbar-nav me-auto mb-2 mb-xl-0">
34           <li class="nav-item">
35             <a class="nav-link" aria-current="page" href="
36               width="30" height="30">Inicio</a>
37           </li>
38           <li class="nav-item">
39             <a class="nav-link" href="clases.html">Clases</
40           </li>
41           <li class="nav-item">
42             <a class="nav-link" href="profesores.html">Prof
43           </li>
44           <li class="nav-item">
45             <a class="nav-link" href="contacto.html">Contac
46           </li>
47           <li class="nav-item">
48             <a class="nav-link" href="inicioesion.html">In
49           </li>
50         </ul>
51       </div>
52     </div>
53   </nav>
54 </header>
55 <main class="flex-shrink-0">
56   <!-- Inicio titulo de pagina inicioesion -->
57   <section id="inicioesion">
```

Terminal Output:

```
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/Felo550/CorcheaAcademy.git
8b6fb91..564f138  master -> master

filip@FELOPC MINGW64 /f/CursosVirtuales/CODERHOUSE_FullStack Developer/PreEntrega3_TorresFelipe (mas
ter)
$ git status
On branch master
nothing to commit, working tree clean
```

GitHub Activity:

- agregar .pdf actualizado
Felo550 pushed 5 commits to `master` • 8b6fb91...564f138 • 33 seconds ago
- agregar .pdf actualizado
Felo550 pushed 1 commit to `PreEntregable3_V1` • 9e69b57...564f138 • 12 minutes ago
- Se ajustan paginas de manera que sean responsive, ademas de lograr fi...
Felo550 pushed 1 commit to `PreEntregable3_V1` • f7519f7...9e69b57 • 15 minutes ago
- se agrega capturas en pdf
Felo550 pushed 1 commit to `PreEntregable3_V1` • c0e851f...f7519f7 • 1 hour ago
- Ajustar paginas restantes en branch nueva para entrega 3
Felo550 pushed 1 commit to `PreEntregable3_V1` • 458e514...c0e851f • 1 hour ago
- Se agrega archivo con capturas de Manejo GitHub
Felo550 created `PreEntregable3_V1` • 458e514 • 7 hours ago
- Primer Comit del proyecto PreEntregable2 para CoderHouse
Felo550 created `PreEntregable2_V1` • e1adf3e • 6 days ago
- Agregando elementos para subir repositorio GitHub
Felo550 created `master` • 8b6fb91 • 6 days ago