© → Tower	
f a eventBus	EventBus
f a name	String
m = addSubscriber(Subscriber)	void
m = removeSubscriber(Subscriber)	void
m 🕆 runwayclearedtoLand(Aircraft, RunwayDirection)	void
m 🕆 runwayclearedtoLand(String, String)	void
m = runwayClearedToTakeoff(Aircraft, RunwayDirection)) void
m 🕆 runwayClearedToTakeoff(String, String)	void
m holdshort(Aircraft, Location)	void
m holdshort(String, String)	void

© 🖺 ApronControl	
f	EventBus
f a name	String
f ♠ airport	Airport
f a manager	LocationManager
m 🖆 addSubscriber(Subscriber)	void
m 🕆 removeSubscriber(Subscriber)	void
m 🖆 taxi(Aircraft, Location, List <location>,</location>	Location) void
m 🖜 taxi(String, String, List <string>, String)</string>) void
m holdshort(Aircraft, Location)	void
m holdshort(String, String)	void

© 1 Airport		
f ≜ name	String	
∮ instance instanc	Airport	
♠ aircraftHashMap	Map <string, aircraft=""></string,>	
m 🔓 registerAircraft(AirCraftName, Location) void		
m = getAircaft(String)	Aircraft	
	Location Manager	
.P tower	Tower	
apronControl	ApronControl	

