

FenixEdu Bible

# Contents

<b>Contents</b>	<b>2</b>
<b>1 Introduction</b>	<b>6</b>
1.1 Project Overview . . . . .	6
1.2 Técnico Lisboa Overview . . . . .	8
<b>2 Architecture</b>	<b>10</b>
2.1 Technology . . . . .	10
2.2 Domain Model . . . . .	10
2.2.1 How to use transactions . . . . .	11
2.2.2 How are the relations saved . . . . .	12
2.3 Rest Interfaces . . . . .	13
2.4 Struts . . . . .	13
2.4.1 How do STRUTS process a Request? . . . . .	13
2.5 Presentation . . . . .	14
2.5.1 Renderers . . . . .	15
<b>I Installation and User Guide</b>	<b>17</b>
<b>3 Getting Started</b>	<b>20</b>
3.1 Installing FenixEdu . . . . .	20
3.1.1 Install the necessary software . . . . .	20
3.1.2 Configure Java and Maven . . . . .	20
3.1.3 Create an empty database . . . . .	21
3.1.4 Generate the FenixEdu software installation through the archetype . . . . .	21
3.1.5 Bootstrap FenixEdu . . . . .	22
3.2 Configuring FenixEdu . . . . .	23
3.2.1 ( . . . . .	23
3.2.2 Creating Curricular Calendars . . . . .	23
3.2.3 Make the user an employee . . . . .	24
3.2.4 Create a Campus . . . . .	24
3.2.5 Activate the Current Period . . . . .	25
3.2.6 Create Associated Object . . . . .	25
3.2.7 Units and Roles Management . . . . .	28
3.2.8 Competence Courses . . . . .	37
3.2.9 Degrees and Curricular Plans . . . . .	40
3.2.10 Executing Courses and Curricular Plans . . . . .	41

3.2.11 Student Enrolment . . . . .	44
<b>4 Degrees</b>	<b>50</b>
4.1 Create Degree . . . . .	50
4.2 Edit a Degree . . . . .	51
4.3 Remove a Degree . . . . .	51
4.4 Curricular Plans . . . . .	51
4.4.1 Create Curricular Plan . . . . .	52
4.4.2 Managing Curricular Plans . . . . .	52
4.4.3 Managing Curricular Plans on Scientific Council . . . . .	52
4.4.4 Manage Curricular Plans on Bologna Portal . . . . .	55
4.4.5 Define Rules . . . . .	60
4.4.6 Create Unit . . . . .	62
4.4.7 Approve Curricular Plan on Scientific Council . . . . .	65
4.4.8 Create Degree Unit in the Organizational on Administrator . . . . .	66
4.4.9 Create Execution Curricula on Administrator . . . . .	69
<b>5 Courses</b>	<b>72</b>
5.1 Competence Course . . . . .	73
5.1.1 Creating Competence Courses . . . . .	73
5.1.2 Managing Competence Courses . . . . .	75
5.1.3 Publishing Competence Courses . . . . .	76
5.1.4 Approve Competence Courses . . . . .	76
5.1.5 Competence Course Versions . . . . .	77
5.2 Curricular Course . . . . .	79
5.2.1 Create a Curricular Unit . . . . .	79
5.2.2 Associate a Curricular Unit . . . . .	81
5.2.3 Defining Rules . . . . .	81
5.3 Execution Courses . . . . .	82
5.3.1 Creating Execution Courses . . . . .	83
5.3.2 Editing Execution Courses . . . . .	83
5.3.3 Join Execution Courses . . . . .	86
5.3.4 Add Execution Courses . . . . .	87
<b>II Developer Manual</b>	<b>89</b>
<b>6 Fenix Framework</b>	<b>92</b>
6.1 Domain Modelling Language . . . . .	92
6.1.1 Value Types . . . . .	94
6.2 Architecture . . . . .	95
6.2.1 Public API . . . . .	96
6.2.2 Backends . . . . .	96
6.3 Code Generation . . . . .	97
6.4 JVSTM . . . . .	97
6.5 JVSTM/OJB . . . . .	98
<b>7 Benu</b>	<b>100</b>
7.1 Users and Security . . . . .	101
7.1.1 Authentication Mechanisms . . . . .	101

7.1.2	Authentication Listeners . . . . .	101
7.2	Access Groups . . . . .	102
7.2.1	Programatic API . . . . .	102
7.2.2	Core Groups . . . . .	103
7.2.3	Dynamic Group . . . . .	104
7.2.4	Custom Group . . . . .	104
7.2.5	Group Language . . . . .	107
7.3	Rest Infrastructure . . . . .	107
7.4	Transactional IO . . . . .	109
7.5	Scheduling . . . . .	110
7.6	Indexing and Search . . . . .	111



# Introduction

## 1.1 Project Overview

The FenixEdu project<sup>1</sup> started in 2002 at Técnico Lisboa<sup>2</sup>, one of the top high education engineering schools in Portugal. FenixEdu's main goal was to develop an advanced academic Information System (IS) for Higher Education Institutions (HEI).

The architecture of the system was designed from the start to be fully web based, in order to provide wide availability and easy user interaction, independent of client software and operating systems, but assuring the high security standards, tight access control and log action control required by a critical information system.

The FenixEdu system is an integrated platform that works at all levels of the academic process. It implements a powerful academic Content Management System (CMS), which can be used at course, degree, department or institution level, an advanced Student Management System (SMS), a complete Learning Management System (LMS) and it also integrates all components required by a standard academic management platform. This includes management and support of all academic tasks, including on-line student applications and admission process, on-line enrolment and registration, evaluation and grade records, degree planning, design and approval, full management of academic records, at graduation and post-graduation level, publication registration and archive of grades and student curricula, room, course and teacher scheduling and distribution, fee payment and control, quality control through on-line surveys and many other academic tasks. At the curricular unit (course) level, the system provides an information board and an easy to use CMS, planning and scheduling tools, publication of class summaries, publication of bibliographic references, documents and exercises, e-learning support and evaluation, student management and communication channels, RSS feeds, registration of the number of attendees and many other functionalities.

As stated before, the system provides also full support to all academic back office and management, including the workflow required by most academic processes. This includes design, planning, and

---

<sup>1</sup>The FenixEdu project code and documentation is available at <https://fenixedu.org>.

<sup>2</sup>Técnico Lisboa was formerly known as Instituto Superior Técnico (IST)

approval of degree and courses (including contents, base bibliography, structure and planning), European Credit Transfer and Accumulation System (ECTS) validation, formal approval by the scientific board of courses, degrees and teaching staff, issue of diplomas and certificates, etc. The platform also handles thesis theme proposals, application and distribution, thesis registration, and associated academic tasks. The system includes also a complete curriculum management platform for teaching and research staff, enabling an overall view and balance of scientific production at individual, department and institutional levels.

The current version of the system encompasses a wide range of functionalities related to almost every component of the academic process. The complexity of the business model and of the underlying information system poses significant challenges from a software engineering perspective.

As such, the system is often used both as a source of research problems and as a testbed for validating new research approaches that address the development of highly complex applications with rich domain models. One result of this tight integration between research and development was the introduction of an innovative software architecture for developing applications with persistent, transactional, rich domain models. This new architecture combines a Domain Specific Language (DSL) for implementing the structure of the domain model with a Software Transactional Memory (STM) to control concurrent accesses to the application's data. Both the DSL and the STM used in this new architecture were designed and developed from scratch to suit the needs of the FenixEdu project. However, since they are independent from the application layer, they were already extended to several other applications and adopted in different contexts. In this sense, the FenixEdu project turned out to be one of those rare cases of software systems that change the technological environment that surrounds them.

The FenixEdu academic platform is supported on an advanced identity management subsystem, which provides system wide user authentication to all computer and network services. The identity management backend is supported on Kerberos and LDAP (Lightweight Directory Access Protocol (LDAP)), and provides web single sign-on based on Yale Central Authentication Service (CAS). The identity management subsystem also has full SAML 2.0 federation support based on OpenSAML, which provides full support for interoperability based on standard SAML (Security Assertion Markup Language) attributes, being fully compatible standard SAML based federations (namely Shibboleth based federations).

This identity management subsystem also supports strong authentication based on the Portuguese National Identity Card (named Cartão de Cidadão) and, moreover, is fully integrated with the European e-ID interoperability sub system, developed in the scope of the European project STORK. Digital signature of documents and actions is also possible using the Portuguese National Identity Card.

The overall system was developed from scratch as an open source project based on the LGPL (GNU Lesser General Public License), in order to offer a basis for open contributions, free distribution, free availability, and customization to special requirements and needs at different institutions. This distribution model enabled several higher education institutions to implement the FenixEdu system with the support of independent private companies and, at the same time, it enabled to enlarge the technical support of the platform, which does not rely today only on internal IST resources, given the wider implementation basis and technical support. This strategy contributed also to the long-term project sustainability.



Figure 1.1: Técnico Lisboa

## 1.2 Técnico Lisboa Overview

As stated before, the FenixEdu project was developed from scratch at Técnico Lisboa. Today, FenixEdu system is also implemented and deployed on other institutions, however, Técnico Lisboa continues to have the largest user basis, and to be the main source code contributor to the project. Not surprisingly, Técnico Lisboa implementation is the only one that makes full use of all platform features, as most of them stem directly from internal requirements.

Técnico Lisboa is the largest school of engineering in Portugal. It was founded in 1911 in the city of Lisbon, with the aim of developing top quality education and research in the areas of engineering, science and technology.

The mission of Técnico Lisboa is to create and to disseminate knowledge and to give our students the education and the knowledge tools to improve, to change, and to shape society through science, technology, and entrepreneurship by combining a top quality higher education, with Research, Development and Innovation (RD&I) activities, according to the highest international standards, immersing our students, alumni, faculty and staff in an exciting and global environment geared towards solving the challenges of the XXIst Century.

Técnico Lisboa is a research-oriented school, home to more than 6,000 undergraduate students (B.Sc.), 4,000 graduate students (MSc and PhD) and about 1,100 faculty members and researchers. Técnico Lisboa is settled in three campuses: (1) one in central Lisbon, which was the first campus



and is currently the home to more than 9.000 students; (2) a technological and nuclear campus in Loures that focus mainly in research; and (3) another campus in Oeiras, at the Taguspark, a modern science and technology complex, home to more than 130 high-tech based companies, located in the southwest coast of Lisbon. Students can choose from a rich variety of MSc and PhD programs offered at Técnico Lisboa, covering the classical engineering and basic science fields as well as a number of the emerging scientific areas. A significant number of international students participate in Técnico Lisboa's Master and Doctoral programs.

Técnico Lisboa participates in worldwide cooperations with some of the best universities and R&D institutions. It is also a member of various European networks of prestigious schools in Engineering, Science and Technology, such as CLUSTER, TIME, and CESAER, committed to provide technical education at the highest international standards.

Research is a central activity at Técnico Lisboa, across several R&D units and disciplines. Teaching and research are closely connected and research and external consultancy contribute to more than half of the Técnico Lisboa turnover. Currently, Técnico Lisboa offers several Master and doctoral programs in collaboration with international partners (including Erasmus Mundus). Master and Doctoral students are regularly involved in these research activities, working together with Técnico Lisboa faculty and research staff, to face the challenges posed by ambitious national and international research projects.

# Architecture

## 2.1 Technology

Fenix is a project has a great number of dependencies and uses several technologies that have been added to the project along with its development. Instead of talking about all of them we will just mention some of the more important ones to our architecture and its use will be described has we explain our architecture.

- Java7
- Java Server Pages
- Renderers
- Java Server Faces
- Struts
- Maven
- MySql
- FenixFramework
- Bennu

## 2.2 Domain Model

As you can see from the image, the same domain model is used across all the application code, this enables us to have a simpler architecture and is possible thanks to the use of FenixFramework.




Figure 2.1: FenixEdu Architecture

Fenix Framework is a Java ORM that enables you to express the domain model as entities, the relations between the entities and its attributes. After having this specification, the framework automatically creates the Classes that implement the existing relations. You just have to extend those classes and implement the application logic.

The framework takes care of the persistency layer, saving the changes to the entities on the database (MySQL). It also handles the transactions and provides ways to ensure consistency. All the data is kept on memory and the transactions are also done on memory. The updates done are saved on the database from time to time.

### 2.2.1 How to use transactions

To declare a transaction you have to write your transactional method and it needs to be annotated with the keyword `@Atomic`. This annotation can receive as argument the type of transaction it will perform, it can be `READ` if it just reads data, `WRITE` if it does any write, `SPECULATIVE_READ` if it normally just reads but sometimes it needs to write. The transactions can't be used directly on the Action's code, they should be on the domain. These transactions will be run on the Software Transactional Memory and if they fail due to a write-write conflict then they will run more than one time. For these reasons you have to be careful when contacting external services.

### 2.2.2 How are the relations saved




Figure 2.2: FenixEdu Domain Model Graph

The domain model has 1370 Entities, 1802 Relations and 54 Value Types. By this reason, it can be hard to find out the implications of changing a given entity or relation. We have developed a tool named Fenix Domain Browser<sup>1</sup>, that enables you to graphically visualise the relations between entities.

Each class is represented on the Database as a Table. This table is named with the name of the class or its superclass. The properties of that class are columns of the table. The relations between the objects are also columns on that table having as values the Object ID of the related object. When a the relation is \* to \* then we have a new table <Class1\_Name>\_<Class2Name> with two columns with the Object IDs of the objects who are related.

The persistency layer is hidden from the programmer and the Fenix Framework makes the relation between the Java entities and the Database (MySQL). FenixFramework also handles the transactions and the consistency.

---

<sup>1</sup><https://fenix-ashes.ist.utl.pt/fdb/>

## 2.3 Rest Interfaces

We have REST API that enables developers to build applications that use the academic information available. Before the developers can use this information, the students need to give the required access to the application.

## 2.4 Struts

Struts is a framework for web applications, It uses the Java Servlet API and implements the model view controller architecture (MVC). we are using the version 1.2.7<sup>2</sup>.

The goal of struts is to separate the Model from the view and controllers. It Does the route between the requested path to the Controller and from the Controller to the View to be rendered.

Each Controller is implemented as a Dispatch Action, they fetch the information needed to the view and update the domain with the needed changes. It also express the forward between views.

Each view is written using Java Server Pages or Java Server Faces. This technologies enables you to write dynamic pages that are filled with information provided by the Actions.

### 2.4.1 How do STRUTS process a Request?

When a request arrives the Struts Controller Server, it inspects the information on the request and based on that it knows the Action for which it should dispatch the request. This Action will perform the appropriate business logic by reading, creating or updating the Domain Model. It also adds to the request all the information needed to render the view. After that, it returns a forward to the Controller Servlet that indicates the view that should be rendered. Finally the view is sent to the client as an HTTP response.

For example, if a client sends a request for:

```
http://<fenixEdu>/public/executionCourse.do?method=marks&executionCourseID=1610612925705
```

This url can be decomposed in several parts. The initial part indicates that it is related with the module named public, so the mappings definition with the Actions will be on the file named struts-public.xml

```
<action type="ExecutionCourseDA parameter="method path="/executionCourse>
```

This mappings can also be done using annotations directly on the Action, on this case the ExecutionCourseDA it would be:

---

<sup>2</sup><http://struts.apache.org/release/1.2.x/>




Figure 2.3: Struts Control Layer

```
@Mapping(module="public path"="/executionCourse")
```

After discovering the Action, it needs to discover the method that will be invoked. This information is sent on the request and on this case we have “method=marks”, so it will invoke the method marks on the action ExecutionCourseDA. All the remaining information on the URL are the parameters of that request and are available to the method. On this case we are asking for a specific execution course.

After executing the method it will return the forward to the view to be rendered. This forward can also be written using two methods: by annotation on the action or by definition on the struts-Module.xml file.

## 2.5 Presentation

The main technology used to define our views is Java Server Pages (JSP). It is an HTML extension that enables you to build dynamic pages with behaviour. You define a template of HTML using Java embedded code. When used with struts (as it is the case) it provides you with lots of tags that cover the majority of functionality needed like print a given value from an object or iterate a collection of objects.

Besides JSP we also have use Java Server Faces (JSF) on our project. JSF is very similar to JSP, the main difference is that instead of setting the view parameters on the http request, they are loaded from a Bean. The Bean is a Java class that has all the information needed for the view. It also implements the behaviour for that view.

### 2.5.1 Renderers

There are some kind of domain objects that are always rendered on the same way, to avoid having lots repeated code our team have developed Renderers. This technology basically provides a tag that knows how to directly render domain objects, depending on their type.





## **Part I**

# **Installation and User Guide**





# Getting Started

## 3.1 Installing FenixEdu

The first part of this guide is to install FenixEdu. This procedure will and download all the files and create all the tables on the database necessary for the system to run.

### 3.1.1 Install the necessary software

Before you can install FenixEdu locally, you must install some software packages in the hosting machine. The following commands, intended for ubuntu-based operating systems, will add a new repository that allows you to install Oracle's JDK via apt-get and will install all the required software:

```
sudo apt-get install maven
sudo apt-get install git
sudo apt-get install mysql-server mysql-client
sudo add-apt-repository ppa:webupd8team/java
sudo apt-get update
sudo apt-get install oracle-jdk8-installer
```

### 3.1.2 Configure Java and Maven

FenixEdu is a big web application. That is why the default memory parameters are not enough to compile and run an instance of FenixEdu.

To circumvent this issue, you must export both the **JAVA\_OPTS** and **MAVEN\_OPTS** to your operating system environment. To do this, you can add the following entries to your **.bashrc**:

```
export JAVA_OPTS="-server -Xms256m -Xmx1024m"
export MAVEN_OPTS="$JAVA_OPTS -Dorg.apache.jasper.compiler.Parser.
    STRICT_QUOTE_ESCAPING=false"
```

After this, you should `source` your `.bashrc` file or simply restart your shell.

### 3.1.3 Create an empty database

Assuming that your `mysql` user is `root` and that the database name where you will install FenixEdu is called `fenixedu`, you must create such database. For that, you can execute the following one-liner:

```
mysql -uroot -e "create database fenixedu" -p
```

The command above will create an empty databased named `fenixedu`.

**Attention:**

The `mysql` user you will specify during the installation must have the necessary grants to write and create new tables.

### 3.1.4 Generate the FenixEdu software installation through the archetype

Use the following command:

```
mvn archetype:generate -DarchetypeGroupId=org.fenixedu -DarchetypeArtifactId=
    fenix-webapp-archetype -DarchetypeVersion=1.0.0 -DarchetypeRepository=
    https://fenix-ashes.ist.utl.pt/nexus/content/groups/fenix-ashes-maven-
    repository
```

You will need to provide some information concerning the artifact to be generated through an interactive prompt. An example of this interactive prompt project generation using the archetype follows:

```
Define value for property 'groupId': : com.example
Define value for property 'artifactId': : fenix-webapp
Define value for property 'version': 1.0-SNAPSHOT: :
Define value for property 'package': com.example: : com.example.fenixedu
Define value for property 'databaseHost': : localhost
Define value for property 'databaseName': : fenixedu
Define value for property 'databasePassword': : pass
Define value for property 'databaseUsername': : root
Define value for property 'fenixVersion': : 3.0.0
```

```
[WARNING] Archetype is not fully configured
[INFO] Using property: groupId = com.example
[INFO] Using property: artifactId = fenix-webapp
[INFO] Using property: version = 1.0-SNAPSHOT
[INFO] Using property: package = com.example.fenixedu
[INFO] Using property: databaseHost = localhost
[INFO] Using property: databaseName = fenixedu
Define value for property 'databasePassword': : pass
[INFO] Using property: databaseUsername = root
[INFO] Using property: fenixVersion = 3.0.0
Confirm properties configuration:
groupId: com.example
artifactId: fenix-webapp
version: 1.0-SNAPSHOT
package: com.example.fenixedu
databaseHost: localhost
databaseName: fenixedu
databasePassword: pass
databaseUsername: root
fenixVersion: 2.0.5
Y: : y
```

**Attention:**

Due to a Maven limitation, the password for the database cannot be empty. Hence, you must provide a non-empty password like `pass`, and later edit the file located at `<artifactId>/src/main/resources/fenix-framework.properties`, delete the password and save the file.

By now, Maven should have created a folder in your current working directory with the name of the `artifactId` that you provided. In the example above, the folder name is `fenix-webapp`.

### 3.1.5 Bootstrap FenixEdu

After Maven generates the installation code, you must bootstrap it. We made this step seamless, so you only have to start the application normally with

```
cd fenix-webapp
mvn tomcat7:run
```

After you run this command, FenixEdu will start, you will have to point your browser to the following URL:

<http://localhost:8080/fenix/>

Fill the form with the parameters for your institution. When you are finished, the application will start normally, login with the credentials that you just set on the previous step.

## 3.2 Configuring FenixEdu

Now that your application is running, it is necessary to configure it to a given school. We will guide you through the process of inserting all the information necessary to configure one degree with one course, and enrol one student. The data we are using here is for example purposes only, you should use data that suits the needs of your school.

### 3.2.1 (

Add the core portals and sections to your application)

After the installation the application comes with just the system management portal, you will need to add all the other portals and functionalities on this portal.

You should have a screen like the image 3.1, in this guide we will be using the ashes-ist theme, so you should change it now, although in your application you can use any menu you prefer.

To install all the portals and functionalities that you will be needing in this guide head to Manage menu, and add the itens that we will be using in this guide, by pressing the install Application button. The idea is that in the end you have the tree on the image 3.2:

Now you are ready to start inserting the academic data into your application.

### 3.2.2 Creating Curricular Calendars

The first step is to create the curricular calendars. This represents the periods where things are supposed to happen (like classes, enrolments, exams etc). To read more about this, take a look at <MISSING>. First go to **Academic Administration > Academic Calendaars Management** and select Create calendar.

Call this calendar "*Academic Calendar*" for this example. Next click **Create entry** to create a new year. Select type **Academic Year**, choose, name it the current year (e.g. 2014), the beginning at 01/01/2014, 00h and 00m. and the end at 31/12/2014, 23h and 59m (Image 3.4).

Now lets create an academic semester. Click **Create entry**, select the type **Academic Semester** and name it *First Semester*, the beginning at 01/01/2014, 00h and 00m. and the end at 31/06/2014, 23h and 59m (Image ??).

Select the year in question to add another semester and do the same as before, but this time for a *Second Semester*, beginning at 01/07/2014, 00h and 00m. and the end at 31/12/2014, 23h and 59m. After this, the calendar should look like as shown on Image 3.6.

## Portal Configuration



Title	<input type="text" value="FenixEdu"/> pt-PT	<input type="text" value="FenixEdu"/> en-GB
Subtitle	<input type="text" value="FenixEdu"/> pt-PT	<input type="text" value="FenixEdu"/> en-GB
HTML Title	<input type="text" value="HTML Title"/> pt-PT	<input type="text" value="Application Title"/> en-GB
Copyright	<input type="text" value="Example Engineering School"/> pt-PT	<input type="text" value="Example Engineering School"/> en-GB
Support Email	<input type="text" value="Support Email"/>	
System Email	<input type="text" value="System Email"/>	
Theme	<input type="text" value="ashes-ist"/>	
Logo	 <input type="button" value="Choose File"/> No file chosen	
Favicon	 <input type="button" value="Choose File"/> No file chosen	
	<input type="button" value="Save"/> <input type="button" value="Manage Menu"/>	

Figure 3.1: System menu

### 3.2.3 Make the user an employee

The next step is to make this user an employee. Due to some restrictions, it is necessary to preform some administrative actions. These restrictions are expected to be removed in the future, and to be used a pure grant base system.

Select the tab **Área de Pessoal** and search for your username. Select the user from the search result, and you should get an information page like in Image 3.7

Click the **Assign Role** link next to employee, and this user should get a employee number.

### 3.2.4 Create a Campus

We need to create a campus for this school. Click on the tab **Space Management**. Then click the link **Create Space**. Select the campus type, and then give it a name and a date when it should start operating (Image 3.8).



## Menu Management

**FenixEdu (/ROOT\_PATH)**

Title	FenixEdu	pt-PT
	FenixEdu	en-GB
Description	Description	pt-PT
	Description	en-GB
Path	ROOT_PATH	
Layout	Layout	
Visible	<input type="checkbox"/>	
Access Expression	anyone	

[Save](#)
[Delete](#)
[Install Application](#)
[Create Child](#)

**Menu Tree:**

- FenixEdu
  - System Management
  - Manage People
  - Administrator
    - Start Page
    - Management Execution
    - System Management
    - Management of Organizational S
  - Academic Administration
    - Start Page
    - Authorizations
    - Degree Jurisdictions
    - Academic Calendars
    - Management Execution
  - Department Administrative Office
    - Start Page
    - Management Groups
  - Bologna
    - Start Page
    - Competence Courses
    - Curricular Plans
  - Scientific Council
    - Start Page
    - Bologna Process
  - Space Management
  - Academic Administrative Office
    - Start Page
    - Students Operations
    - Academic Services

Figure 3.2: The final tree of applications

### 3.2.5 Activate the Current Period

Next we should activate the period we've created before. Go to **Administrator > Implementation Periods**, and you should see the two Semesters that you have created before. First click on **Open** on the *First Semester*. Next you should click **Make Current** to make that semester the currently active (Image 3.9).

### 3.2.6 Create Associated Object

Now we need to create some primitive objects about the organization of your school. To do this, head to **Administrator > Gerir Objectos Associados**.

[Academic Administration](#) > [Academic Calendars](#) > [Academic Calendars Management](#)

## Management Academic Calendars

### Create calendar

Name:   ▼  
[Add a new language](#)

Description:   ▼  
[Add a new language](#)

Reset calendar:  ▼

Figure 3.3: Creating an academic calendar

[Academic Administration](#) > [Academic Calendars](#) > [Academic Calendars Management](#)

## Management Academic Calendars

### Create New Calendar Entry

Type:  ▼

Create in: Academic Calendar ()

Name:   ▼  
[Add a new language](#)

Description:   ▼  
[Add a new language](#)

Commencement:    hh  mm

End:    hh  mm

Figure 3.4: Creating a academic year

### Create a Department

First lets create a Department. Click in the **Create** link below *Departments*. Fill the field with the information present on the image ??

- **Active:** checked
- **Code:** DCivil

[Academic Administration](#) > [Academic Calendars](#) > [Academic Calendars Management](#)

## Management Academic Calendars

### Create New Calendar Entry

Type:

Create in: 2014 (01-01-2014 00:00 - 31-12-2014 23:59)

Name:   [Add a new language](#)

Description:   [Add a new language](#)

Commencement:    hh  mm

End:    hh  mm

Figure 3.5: Creating a academic semester

[Academic Administration](#) > [Academic Calendars](#) > [Academic Calendars Management](#) PT / EN

### Academic Calendars Management

Academic Calendar

Name:

End:

Name:

Type:

Description:

Template:

[Create entry, Edit, Delete](#)

Year/Name	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Periodo	Observaciones
*2014													01/01/2014 00:00 - 31/12/2014 23:59	-
*First Semester													01/01/2014 00:00 - 31/07/2014 23:59	-
*Second Semester													01/07/2014 00:00 - 31/12/2014 23:59	-

Figure 3.6: The resulting calendar

- **Name:** Departamento Civil
- **Real Name:** Departamento Civil
- **Real Name (English):** Civil Department

When you are deploying your installation of FenixEdu you will need to create an object of these for each department in your institution.

### Create a Academic Office

In the *Associated Objects* page click in **Create** link bellow *Administrative Office*. Select the type *Academic Office* and click **Submit**.

## Managing Skills | Change Log

Teacher	You do not have this role <a href="#">Assign Role</a>
Research staff	You do not have this role <a href="#">Assign Role</a>
Employee	You do not have this role <a href="#">Assign Role</a>
Grant Owner	You do not have this role <a href="#">Assign Role</a>
Student	You do not have this role

Figure 3.7: Personal Information

### Create an Empty Degree

In the *Associated Objects* page click in **Create** link bellow *Empty Degree*. Select the recently created Academic Office and click **Submit**.

### 3.2.7 Units and Roles Management

Now we need to insert the entities we just created into the Organizational Structure. This tree structure represents the hierarchical relationship between entities. Each association is represented by a Unit. We are going to create a skeleton structure to allow us to proceed in configuring the system.

To manipulate this structure go to **Administrator > Gestão de Unidades e Cargos**. Here use the [+] sign to expand each tree node. Go to:

Earth > [your school country] > [your university] > [your school]

Click on your school link and you should get to the same page as in Image 3.11.

### Create a Scientific Council

The first unit we need to create is the Scientific Council. This council is responsible for giving scientific approval of curricular degrees and courses.

On your school node page click in the **Services** Unit. On the *Services* node page then click the link **Criar Sub-unidade** to create a new unit. Fill the form with the same information as in Image 3.12

## Space Management

Parent Spaces

No parent spaces.

Valid From

01/01/2014

Valid Until

mm/dd/yyyy

Name

FenixEdu Building

Identification

identification

Classification

Campus

Allocatable Capacity

Allocatable Capacity

Blueprint

Choose File

No file chosen

Blueprint Number

Blueprint Number

Area

Physical Area

Qualidade na distância às instalações sanitárias

Qualidade em altura

Qualidade em iluminação

Figure 3.8: Creating a Campus

[Administrator](#) > [Management Execution](#) > [Implementation Periods](#)

## Management of Execution Periods

**Note:** the operations available on this page affect a large amount of data, therefore they may take a few minutes to process.

Existing Implementation periods:

Semester	Execution Year	State	Operations	
First Semester	2014	NOT_OPEN	<a href="#">Open</a>	<a href="#">Edit</a>
Second Semester	2014	NOT_OPEN	<a href="#">Open</a>	<a href="#">Edit</a>

Figure 3.9: Make current period active

[Scientific Council](#) > [Bologna Process](#) > [Degrees and Curricular Plans](#)

## Create Degree

* Nome (pt):	<input type="text" value="Engenharia Civil"/>
* Nome (en):	<input type="text" value="Civil Engineering"/>
* Acronym:	<input type="text" value="ECivil"/>
* Degree Type:	<input type="text" value="Bologna Degree (3 ano(s))"/>
* Administrative Office:	<input type="text" value="Academic Office"/>
Minimum ECTS Credits:	<input type="text" value="180.0"/>
Prevailing scientific area:	<input type="text"/>

Fields marked with \* are required

Figure 3.10: Creating a Degree

### Attaching the Academic Office

Next we need to attach the Academic Office we previously created into the structure. Go back to the *Services* node page and click again the link **Criar Sub-unidade**. This time fill with the same information as in Image 3.13.

## Detalhes da Unidade

### Atenção:

As checkboxes seguintes são para indicar se a unidade em causa é a representante da Instituição Interna, Instituição Externa ou Terra.

☒ Instituição Interna ☐ Instituição Externa ☐ Terra

Nome da Unidade	Centro de Custo	Unidade Superior	Acrónimo	URL	Tipo	Classificação	Data de Início	Data de Fim	Responsável por Espaços	Acção	Acção	Acção	Acção
Example Engineering School		Earth (E) - Estados Unidos (US) - Example University (EU)	EES		Escola		26/05/2014		false	Editar	Apagar	+ Unidade Pai	- Unidade Pai

## Sub-Unidades

[Criar Sub-Unidade](#)

Listar apenas as sub-unidades: Activas ▼

Nome da Unidade	Centro de Custo	Acrónimo	URL	Tipo	Classificação	Data de Início	Data de Fim	Responsável por Espaços	Tipo de Relação	Acção	Acção
<a href="#">Degrees</a>				Unidade Agregadora		26/05/2014		false	Organizational Structure	Editar	Apagar
<a href="#">Departments</a>				Unidade Agregadora		26/05/2014		false	Organizational Structure	Editar	Apagar
<a href="#">Services</a>				Unidade Agregadora		26/05/2014		false	Organizational Structure	Editar	Apagar

Figure 3.11: Your school node

### Create a Department

We now are going to attach the departments we previously created into the tree. To do that, go back to the school node page and but this time select the **Departments** node and then click the link **Criar Sub-unidade** to create a new unit. Fill that with the same information as in Image 3.14.

### Create a Scientific Area within the Department

In FenixEdu, Courses are grouped together within a Scientific Area. You can see this as, for instance, the group of courses of *Distributed Systems* within the course of *Computer Science*.

To create one, first go to the department node page to add a Scientific Area and then click the link **Criar Sub-unidade**. Next fill with the same information as Image 3.15.

[Administrator](#) > [Management of Organizational Structure](#) > [Management Units and Offices](#)

## Create Sub-Unit

Unit Name: Services

Unit Name:	<input type="text" value="Conselho Cientifico"/>		
Unit Name (English):	<input type="text" value="Scientific Council"/>		
Unit Name (To be on card):	<input type="text"/>		
Cost Center:	<input type="text"/>		
Acronym:	<input type="text" value="CC"/>		
URL:	<input type="text"/>		
Start Date	<input type="text" value="01/01/2014"/>	(Dd / mm / yyyy)	
End Date	<input type="text"/>	(Dd / mm / yyyy)	
Responsible for Venues	<input type="checkbox"/>		
Classification	<input type="text" value="Supervision of the Management Services of Pedagogical and Scientific Resources"/>		
Member department:	<input type="text" value="[CHOOSE A TYPE]"/>		
Bachelor's / Master's associate:	<input type="text" value="[CHOOSE A TYPE]"/>		
Graduate Department in association with:	<input type="text" value="[CHOOSE A TYPE]"/>		
Associate Campus	<input type="text" value="[CHOOSE A TYPE]"/>		
Relationship Type	<input type="text" value="Administrative Structure"/>		
Type	<input type="text" value="Scientific Council"/>		

Figure 3.12: Creating Scientific Council

### Create a Competence Course Group within the Scientific Area

Competence courses are courses descriptions that can be instantiated for every execution. You can see this concept as the *Operative Systems* Competence Course can be instantiated as *Oper-*



[Administrator](#) > [Management of Organizational Structure](#) > [Management Units and Offices](#)

## Create Sub-Unit

**Unit Name:** Services

Unit Name:	Academic Office	
Unit Name (English):	Academic Office	
Unit Name (To be on card):		
Cost Center:		
Acronym:		
URL:		
Start Date	01/01/2014	(Dd / mm / yyyy)
End Date		(Dd / mm / yyyy)
Responsible for Venues	<input type="checkbox"/>	
Classification	Administrative Services	
Member department:	[CHOOSE A TYPE]	
Bachelor's / Master's associate:	[CHOOSE A TYPE]	
Graduate Department in association with:	Academic Office	
Associate Campus	[CHOOSE A TYPE]	
Relationship Type	Administrative Structure	
Type	Academic Office	

[Create Unit](#) [Back](#)

Figure 3.13: Creating Academic Office

*ative Systems 2012, Operative Systems 2013 and Operative Systems 2014.* These Competence Courses are organized in Competence Course Groups. We need to create one of those for our

[Administrator](#) > [Management of Organizational Structure](#) > [Management Units and Offices](#)

## Create Sub-Unit

**Unit Name:** Departments

Unit Name:	Departamento de Civil	
Unit Name (English):	Civil Department	
Unit Name (To be on card):	<input type="text"/>	
Cost Center:	<input type="text"/>	
Acronym:	DCivil	
URL:	<input type="text"/>	
Start Date	01/01/2014	(Dd / mm / yyyy)
End Date	<input type="text"/>	(Dd / mm / yyyy)
Responsible for Venues	<input type="checkbox"/>	
Classification	[CHOOSE A TYPE]	
Member department:	Departamento Civil	
Bachelor's / Master's associate:	[CHOOSE A TYPE]	
Graduate Department in association with:	[CHOOSE A TYPE]	
Associate Campus	[CHOOSE A TYPE]	
Relationship Type	Academic Structure	
Type	Department	

[Create Unit](#) [Back](#)

Figure 3.14: Creating a Department

application.

To create one, first go to the scientific area node page that we've just created and then click the link **Criar Sub-unidade**. Next fill with same information as Image 3.16.

[Administrator](#) > [Management of Organizational Structure](#) > [Management Units and Offices](#)

## Create Sub-Unit

**Unit Name:** Civil Department

Unit Name:	<input type="text" value="Concrete"/>	
Unit Name (English):	<input type="text" value="Concrete"/>	
Unit Name (To be on card):	<input type="text"/>	
Cost Center:	<input type="text"/>	
Acronym:	<input type="text" value="Conc"/>	
URL:	<input type="text"/>	
Start Date	<input type="text" value="01/01/2014"/>	(Dd / mm / yyyy)
End Date	<input type="text"/>	(Dd / mm / yyyy)
Responsible for Venues	<input type="checkbox"/>	
Classification	<input type="text" value="[CHOOSE A TYPE]"/>	
Member department:	<input type="text" value="Departamento Civil"/>	
Bachelor's / Master's associate:	<input type="text" value="[CHOOSE A TYPE]"/>	
Graduate Department in association with:	<input type="text" value="[CHOOSE A TYPE]"/>	
Associate Campus	<input type="text" value="[CHOOSE A TYPE]"/>	
Relationship Type	<input type="text" value="Organizational Structure"/>	
Type	<input type="text" value="Scientific Area"/>	

Figure 3.15: Creating Scientific Area

[Administrator](#) > [Management of Organizational Structure](#) > [Management Units and Offices](#)

## Create Sub-Unit

**Unit Name:** Concrete

Unit Name:	Concrete Group	
Unit Name (English):	Concrete Group	
Unit Name (To be on card):		
Cost Center:		
Acronym:	CG	
URL:		
Start Date	01/01/2014	(Dd / mm / yyyy)
End Date		(Dd / mm / yyyy)
Responsible for Venues	<input type="checkbox"/>	
Classification	[CHOOSE A TYPE]	
Member department:	[CHOOSE A TYPE]	
Bachelor's / Master's associate:	[CHOOSE A TYPE]	
Graduate Department in association with:	[CHOOSE A TYPE]	
Associate Campus	[CHOOSE A TYPE]	
Relationship Type	Organizational Structure	
Type	Competence Course Group	

[Create Unit](#) [Back](#)

Figure 3.16: Creating a Competence Course Group

### [Attach the user to the Department](#)

We previously have upgraded the user to an employee. We now need to attach this employee to a place, in this case to a department. Only people working on a given department can operate over

their degrees and courses. This means that you have to have at least one user for each department that you have created. We are in the process to replace this with a grant based authorization scheme.

For now, go to the **Administrator > Manage Associated Objects** and then click the **Create** bellow the *Associate Person to Unit*. Fill the form with the following information:

- **Username:** <your user>
- **Accountability Type:** Working Contract
- **Teacher:** *Unchecked*
- **Start:** 01/01/2014
- **Unit:** Civil Department

Hit *Submit*.

### 3.2.8 Competence Courses

Now we are going to create the competence courses. Their are created before creating courses because some courses might be administered to more than one degree (e.g. the same course of *Calculus* being thought to *Civil Engineering* and *Computer Science*) To learn more about competence courses check Section 5.1

The user now needs to give himself authorization to manage the competence groups. To do this go to **Department Administrative Office > Competence Course**. Check the checkbox in from of the user you want to add to this group and then hit **Adicionar Pessoa(s)**.

#### Creating Competence Courses

To create a competence course, head to **Bolonha > View (Competence Course)**. There you have the Scientific Areas and Competence Course Group you've just created before. Click in **Criar Disciplina** next to the competence course group, in our example *Concrete Group*.

In the first step, fill the form with the following information:

- **Início:** First Semester 2014
- **Nome (pt):** Betão Armado
- **Nome (en):** Prestressed Concrete
- **Nível:** 1º Ciclo (L)
- **Tipo:** Normal
- **Estruturante:** Unchecked

[Bologna](#) > [Competence Courses](#) > [View](#)

Departamento Civil

## Define Work Hours

[Step 1: Create Competence Course](#) > **[Step 2: Define Work Hours](#)** > [Step 3: Define Objectives, Program and evaluation methodology](#)

**Nome (pt):** Betão Armado

**Name (en):** Prestressed Concrete

**Acronym:** BA

**Area:** Concrete > Concrete Group

Regime:
By Semester ▼
Submeter

Submeter

Lesson Hours:

Contact Lesson Hours:		
Lectures (T):	2.0	h/week
Problems Lesson (TP):	0.0	h/week
Lab Classes (PL):	0.0	h/week
Seminary (S):	0.0	h/week
Field Work (TC):	0.0	h/week
Training Period (E):	0.0	h/week
Tutorial Orientation (OT):	0.0	h/week
Autonomous Work:	0.0	h/semester

ECTS Credits: 8.0

Submit Cancel

Figure 3.17: Defining Work Hours

And hit **Submit**. Next we need to define the work hours. Fill with the same information as in Image 3.17 and hit **Submit**. Finally we need to define the objectives, program, and evaluation methodology. You can leave them blank and hit **Submit**.

You should end up with a curricular course as shown on Image 3.18

### Publish Competence Course

Now its required to publish the competence course. Click in **Edit** operation on the course we just created. You are presented with a page where you can edit all the information you've entered before. We now are interestesd in editing the state, from *Draft* to *Publish*. Click on the first **Edit** link on that page.



Figure 3.18: Competence Course Created

You should be presented with a form as in Image 3.19. You should just change **Estado** from **Rascunho** to **Publicada** and hit **Submit**.

Bologna > Competence Courses > View

Departamento Civil

## Editar Disciplina Competência

Estado: Publicada ▼

Nome (pt): Betão Armado

Name (en): Prestressed Concrete

Acrónimo: BA

Nível: 1º Cido (L) ▼

Tipo: Normal ▼

Estruturante: ☐

[Guardar](#) [Cancelar](#)

Figure 3.19: Publish Competence Course

### Approve Competence Course

The last step is to approve the competence course. This is done by going to **Scientific Council > Competence Courses**. On the competence course you've just created, click in the operation **Approve**. The state should change to a green *Approved* like in the Image 3.20.




Figure 3.20: Competence Course Approved

### 3.2.9 Degrees and Curricular Plans

We have now enough data to start creating a degree.

#### Create a Degree

We now can create a degree. Go to **Scientific Council > Degrees and Curricular Plans** and then click **Criar Curso**. Fill the form with the same information as in Image 3.21. To learn more about Degrees check Chapter 4.

Scientific Council > Bologna Process > Degrees and Curricular Plans

#### Create Degree

* Nome (pt):	<input type="text" value="Engenharia Civil"/>
* Nome (en):	<input type="text" value="Civil Engineering"/>
* Acronym:	<input type="text" value="ECivil"/>
* Degree Type:	<input type="text" value="Bologna Degree (3 ano(s))"/>
* Administrative Office:	<input type="text" value="Academic Office"/>
Minimum ECTS Credits:	<input type="text" value="180.0"/>
Prevailing scientific area:	<input type="text"/>

Fields marked with \* are required

Figure 3.21: Degree Creation



### Create a Curricular Plans

Now is time to create a Curricular Plan. On the *Degree and Curricular Plan Management* click the operation **Create Plan**. Use 2014 as the curricular plan name. To learn more about Curricular Plans check Section 4.4.

### Change the Curricular Plans

We now need to actually start adding competence courses into this degree. Go to **Bolonha > View (Curricular Plan)**. The degree and curricular plans that we created should appear. Click in the operation **Gerir Plano**.

Next click the **Create course unit**, next to *First Cycle*. Fill the resulting form with the information in Image 3.22.

### Define Rules

Now we are going to define some rules. Rules are restrictions in the way the degree works. You can learn more about rules on Section 5.2.3. In the build Plan page, select **Define Rules**. Next select **Define Rule** in the *First Cycle*. Select **Nova Regra**. Insert the data as follows:

- **Rule Type:** Credits Limit
- **Credits:**
  - **Minimum:** 120.0
  - **Maximum:** 120.0

And hit **Submit**. A message below the *First Cycle* should appear saying that students are required to do 120 credits to be approved at this course.

### Approve the curricular plan

The final step is to approve this curricular plan. To do this is to we need to go the **Scientific Council > Degrees and Curricular Plans**.

Here we are going to select edit our current curricular plan 2014 and change it from Draft to Approved. Click the operation **Edit** next to the 2014.

In *Edit Curricular Plan* just change the **Construction state** from *Draft* to *Approved* and click **Submit**. A message should appear saying that curricular plan changed successfully.

## 3.2.10 Executing Courses and Curricular Plans

Until now we've been defining our degree structure in an abstract sense, since they are not bounded to years yet. Now that we have a degree ready, we can now execute it. To learn more about execution courses check 5.3

Bologna > Curricular Plans > View PT / EN

2014 (Draft)

Create Course

Choose Competence Course

Type: ☒ Normal ☐ Free Option

Department: Civil Department ▼

Course: Betão Armado (Approved) ▼

[See page of the Competence Course \(new window\)](#)

Curricular Information

Weight: 0.0

Pré-requisitos (pt):

Prerequisites (en):

Context

Group: 2014 > 1º Cido ▼

Year: 1. ▼

Semester: 1. ▼

Create

Cancel

Figure 3.22: Creating Course Unit

### Executing the Curricular Plans

Go to **Administrator > Create Curriculum Implementation > Criar Currículos Execução**. Select **Bolonha Degree** (the same we configured the Course with). A form should appear to set the the intervals where this course should run. For now you should fill it with the same information as in Figure 3.23.

After entering all the information, A message should appear saying what curricular plans where

Administrator > Management Execution > Create Curriculum Implementation PT / EN

**Planos Curriculares Pré-Bolonha:**  
☐ Bologna Degree Engenharia Civil - 2014

**Planos Curriculares de Bolonha:**  
☒ Bologna Degree Engenharia Civil - 2014

Ano de execução: 2014  
 Campus: FenixEdu Building  
 Mapa de exames temporário: ☐

**1º Semestre**  
 Aulas: 1 / Janeiro / 2014 a 1 / Fevereiro / 2014  
 Exames: 1 / Março / 2014 a 1 / Abril / 2014  
 Prazo Lançamento Notas: 1 / Maio / 2014

**2º Semestre**  
 Aulas (parte 1): 1 / Junho / 2014 a 1 / Julho / 2014  
 Aulas (parte 2): 1 / Agosto / 2014 a 1 / Setembro / 2014  
 Exames: 1 / Outubro / 2014 a 1 / Novembro / 2014  
 Prazo Lançamento Notas: 1 / Dezembro / 2014

**Época Especial**  
 Exames: 1 / Janeiro / 2014 a 1 / Janeiro / 2014  
 Prazo Lançamento Notas: 1 / Janeiro / 2014

[Create](#) [Back](#)

Figure 3.23: Executing the Curricular Plan

correctly created.

### Authorizações Académicas

In order to create execution courses we are required to have been granted to do so. Head to **Administração Académica > Autorizações**, click **manage** on the user.

To create a new Authorization just click in the **Criar nova Autorização**. Next, select the **Operation** and then drag into the **Offices** slot from the right **Academic Office > Academic Office** and to the Courses slot drag **Degree (BSc) > Engenharia Civil**. When you are done hit **Criar**. Image 3.24 shows a correctly filled authorization.

You need to give yourself authorization for the following operations:

- Manage Execution Courses
- Manage Execution Courses (Adv)

You should also drag the "Academic Office" from the left menu to the "Manage Execution Courses" authorization that you just created. We are going to need these later, so might as well add them right now.




Figure 3.24: Creating Authorization

- Matricular Alunos
- Inscrever Alunos
- View Full Student Curriculum

### Create Execution Courses for the Active Curricular Plans

After giving yourself the previous authorizations, a new set of operations should have appeared on the left menu, titled **Gestão das disciplinas de execução**. From that menu select **Criar Disciplinas de Execução**. Next select **Degree (BSc)**.

On the following screen select *First Semester - 2014* and select the curricular plan *Civil Engineering - 2014*. A message should appear saying the execution courses were successfully created.

### 3.2.11 Student Enrolment

Now our *Example Engineering School* has a degree being executed. We can now enrol a student into our school and enrol him in this degree.

#### Enrol a Student

To enrol a student just go to **Secretaria Académica > Matricular Aluno**. On the first form you will need to fill it with information the initial information about the student. Fill it with the information from Image 3.25.

After submitting a second form, even bigger should appear, with more detailed information. Fill it with information from Images 3.26, 3.27 and 3.28.

#### Attention:

In the *Previous completed degree* section of the form you are supposed to use *Portugal*. When you start writing it a drop down should appear. Select *Portugal* from that drop down.

## Create Student

### Degree

Degree:	Degree (BSc) in Civil Engineering ▼
Execution Year:	2014 ▼
Cycle:	1st Cycle ▼
Degree Curricular Plan:	2014 ▼

### Admission

Agreement:	Normal ▼
Admission:	CEA01 - Ad-Hoc ▼
Entry Phase:	-- Choose an option -- ▼

### Identification

* Name:	John Doe	
* Id Document Number:	888888888	
* Id Document Type:	Identity Card ▼	
* Date of Birth:	01/01/1995	dd/MM/yyyy
Student Number:		
Similar people that exist in the system:		

Fields marked with (\*) are required

Continue

Figure 3.25: First Form

A third form should appear for you to insert information about the parents qualifications. Fill this with information from Image 3.29

Finally a form should appear asking you to confirm the data you just inserted. Just hit **submit**.

Academic Administrative Office > Students Operations > Register Student PT / EN

Academic Administrative Office

### Create Student

#### Personal Info

* Name:	<input type="text" value="John Doe"/>
* Given Names:	<input type="text" value="John"/>
* Family Names:	<input type="text" value="Doe"/>
* Gender:	<input type="text" value="Male"/>
Fiscal Number:	<input type="text"/>
Current occupation (or former in case of retirement or unemployment):	-- Choose an option --
Professional status:	-- Choose an option --
Occupation:	<input type="text"/>
Marital Status:	-- Choose an option --

Fields marked with (\*) are required

#### Identification

* Type:	<input type="text" value="Identity Card"/>
* Number:	<input type="text" value="888888888"/>
Emission Location:	<input type="text"/>
Emission Date:	<input type="text"/> dd/MM/yyyy
Expiration Date:	<input type="text"/> dd/MM/yyyy

Fields marked with (\*) are required

Figure 3.26: First part of the Second Form

#### Filiation

* Date of Birth:	<input type="text" value="01/01/1995"/> dd/MM/yyyy
* Nationality:	<input type="text" value="Portuguese"/>
Village of Birth:	<input type="text"/>
Municipality of Birth:	<input type="text"/>
District of Birth:	<input type="text"/>
Country of Birth:	-- Choose an option --
Father's Name:	<input type="text"/>
Mother's Name:	<input type="text"/>

Fields marked with (\*) are required

#### Residence

* Address:	<input type="text" value="Main Av."/>
Location:	<input type="text"/>
Postal Code:	<input type="text"/>
Area of the Postal Code:	<input type="text"/>
Village:	<input type="text"/>
* Municipality:	<input type="text"/>
* Country:	<input type="text" value="Portugal"/>

Fields marked with (\*) are required

Figure 3.27: Second part of the Second Form

## Enrol a Student into Courses

At this moment we have *John Doe* enrolled in our school on the degree we've created. However he is not enrolled in any courses. We now should add enrol this student into courses. First go

**Contacts**

* Telephone:	910000000
Mobile Phone:	
Email:	
Homepage:	

Fields marked with (\*) are required

**Previous complete degree**

* Degree type:	Secondary education (12th year)
If you chose Other, specify:	
* Country:	Portugal
* Institution:	Portugal
* Degree Designation:	Foo
Conclusion Grade:	20
Conclusion Year:	
* Degree change/Transfer/Erasmus:	<input type="radio"/> Yes <input checked="" type="radio"/> No

Fields marked with (\*) are required

**Submit**

Figure 3.28: Third part of the Second Form

to **Secretaria Académica > Visualizar Alunos** and in the *Number* use **1** (student numbers are attributed sequentially so the first student to be enrolled is number 1) and hit **Submit**.

The student page should appear and in registrations we can see that although he is studying in *Degree (BSc) in Civil Engineering* he has 0 enrolments this year. Lets change that. Click **See Process »**.

In the *Enrolment Process* look at *Curricular Plans for the Student* and select **Enrolment Management**. Next in *Enrolment in Courses* select **Enrolment in Courses (with rules)**. In *Course Enrolment (with rules)* you should select what courses you want to enrol the student. In this case, we only have one. Select the checkbox to the right of *Prestressed Concrete* and hit **Save**. Our student is now enrolled.

[Academic Administrative Office](#) > [Students Operations](#) > [Register Student](#)

[PT](#) / [EN](#)

Academic Administrative Office

## Create Student

### Additional Information

Moved from the permanent residence?:	<input checked="" type="checkbox"/>
County of residence (the address in class time):	<input type="text"/>
Type of Scholarship:	Student without a scholarship ▼
Institution that awarded the Scholarship (fill if you are a scholarship holder from another institution, only):	<input type="text"/>
Type of establishment attended during secondary school:	Public Institution of Secondary Education ▼
Mother's highest complete qualification:	Cannot read or write ▼
Mother's current occupation (or former, in case of retirement or unemployment):	Unknown/not applicable ▼
Mother's professional status:	Employed person ▼
Father's highest complete qualification:	Cannot read or write ▼
Father's current occupation (or former, in case of retirement or unemployment):	Unknown/not applicable ▼
Father's professional status:	Employed person ▼

Fields marked with (\*) are required

Submit

Figure 3.29: Third Form





## Degrees

FenixEdu supports the creation of the following degree types *Bachelors*, *Masters*, *Doctorate*, *Advanced Formation* and *Advanced Specialization*.

To create Degrees in FenixEdu is in Scientific Council. This operation is made through the **Scientific Council Portal > Degrees** and **Curricular Plans > Create Degree**.

### 4.1 Create Degree

In the creation form of new degrees, as shown in Image 4.1, all fields marked with (\*) are mandatory.

Depending on the *Degree Type* the system will fill the *Minimum ECTS Credits* field. The value can be adjusted.

Figure 4.1: Creating a Course

When the fields are filled in properly click the **Create** button. A message is shown indicating the successful creation of the degree, as seen in Image 4.2.




Figure 4.2: Course Created

## 4.2 Edit a Degree

It allows updates to the information inserted on the Degree creation (Degree name, both in english and portuguese). This information can only be updated for the current academic year.

In the Edit option it's also available the possibility of inserting *Official Publications*, meaning that every time the Degree is published in the Official Laws Decret Journal (when changes to the Curricular Plan occur) it must be introduced the publication through **Create New Publication**, like seen in image 4.3.

Publicações Oficiais			
	Publicação Oficial	Data de Publicação	Área de Especialização
Despacho n.º 10102/2010, DR n.º 114, II Série, de 15/06	Pag. 32680-32681	2010-06-15	
Despacho n.º 23010-P/2007, DR n.º 191, II Série, de 3/10, Pag. 28876(111-113)		2007-10-03	
Despacho n.º 22397/2008, DR n.º 167, II Série, de 29/8, Pag. 38205		2008-08-29	
<a href="#">Criar Nova Publicação</a>			

Figure 4.3: Official Publications

This information must be always updated, since it's used in official documents like the Diploma Supplement.

## 4.3 Remove a Degree

Allows that the Degree is deleted (as long as it does not have any associated information, like a Curricular Plan).

## 4.4 Curricular Plans

A Degree can have more than one Curricular Plan. If there are substantial changes to a Curricular Plan, a new plan should be created.

#### 4.4.1 Create Curricular Plan

Allows the creation of Curricular Plans associated to the Degree. To create a Curricular Plan, we must give it a name (an acronym, as shown below in image 4.4).



Figure 4.4: Creating a curricular plan

The new Curricular Plans state is *Draft*, meaning that they can not be seen in the other Portals in the system, nor can they be used para perform any action (like enroll students). In Image 4.5 we can see how they look.



Figure 4.5: A curricular plan

#### 4.4.2 Managing Curricular Plans

The Curricular Plans are managed through different Portals. We're going to describe which operations can be made on the Curricular Plans in the different Portals.

#### 4.4.3 Managing Curricular Plans on Scientific Council

The following operations are available through Cientific Council:

##### View

Through this option you can view the information of the Curricular Plan. Beside the courses (that can be viewed by group or semester/year) that are in the Curricular Plan, the rules (of enrolment in courses) and the structure (groups) of the Curricular Plan can also be consulted, as the Image 4.6 illustrates.



CEHST2006		
Ergonomia e Ambiente de Trabalho	1 Sem.	5
Legislação da Segurança, Higiene e Saúde no Trabalho	1 Sem.	5
Segurança Contra Incêndio e Explosões (SHI)	1 Sem.	5
Segurança na Utilização de Máquinas	1 Sem.	5
Análise de Riscos Ocupacionais	2 Sem.	5
Gestão da Segurança, Higiene e Saúde no Trabalho	2 Sem.	5
Projeto Individual	2 Sem.	5
Segurança Contra Substâncias Perigosas	2 Sem.	5
Segurança nos Estabelecimentos	2 Sem.	5

Figure 4.6: Viewing a curricular plan

### Edit

This option allows you to:

- **Curricular Plan State** - you can see the current state of the Curricular Plan and the Curricular Plan name (it can be edited).
  - *Draft* - it's the initial state of the Curricular Plan.
  - *Published* - it means the Curricular Plan is almost finished. This middle state is useful so that some final adjustments can be done. This state no longer allows that the Plan be edited in the Bologna Portal (it can only be updated in the Academic Administration Portal, or the Scientific Council has to change the state back to *Draft*).
  - *Approved* - it's the final state in which all the courses and rules are defined. Any update to the Curricular Plan in this state can only be done in the Academic Administration (the Approved state can not be changed by the Scientific Council, so changing the state to Approved is a very sensitive operation).
- **Manage Access Group** - Where you can add or remove members of the group of people that are able to participate in the definition of the Curricular Plan.
- **Manage Coordination Teams** - Where you can add or remove members of the Degree Coordination team, no the academic years in which the Degree had/has an execution.

This options are summed up in the next Image 4.7.

### Delete

The system only allows to delete Curricular Plans that still don't have any associated courses. To delete a Curricular Plan, click on Delete and on the next page click the **Confirm** button.

A confirmation popup box is displayed to ensure that you really want to delete the Curricular Plan. Click on **OK** to delete or **Cancel** to cancel the operation, like shown on image 4.8.




Figure 4.7: Editing a curricular plan




Figure 4.8: Delete a curricular plan

## Group

It allows to add or remove members of the group of people with access to define a Curricular Plan (it's done in the Bologna Portal).

- Remove Members, select the member or members to remove from the group and click on **Remove Members**, as in the image 4.9.



Figure 4.9: Remove a member plan

- Add Person, adds persons to the group of people that can define a Curricular Plan. Insert the person username and click **Add** person, like in the Image 4.10.




Figure 4.10: Add a member

#### 4.4.4 Manage Curricular Plans on Bologna Portal

It's through this portal that the Curricular Plans are defined, created by the Cientific Council. To manage the Curricular Plan click on **View** under the *Curricular Plans* section.

All the existing Curricular Plans are listed. The functionality Manage Plan will be available if you are part of the authorized group.

Through **Bologna > Curricular Plans > Manage Plan**, it's possible to create Curricular Plans as well to define its structure and rules, with the following operations (also shown in Image 4.11):

- Change Structure (Groups)
  - Manage Groups
  - Order Groups
- Define Rules
- Create course unit
- Associate unit




Figure 4.11: Manage Curricular Plan

#### Change Structure (Groups)

Allows the creation and structure management of the Curricular Plan. The structure regards the Groups that might exist in the Curricular Plan as well as their order. The initial structure of any degree is made of by the Degree Acronym and by a group (top group) which states the cycle of the studies (1st cycle, 2nd cycle, 3rd cycle and Specialization), as seen above on Image 4.12.




Figure 4.12: Degree Acronym and Group

It's not mandatory that a Curricular Plan has more groups besides the initial structure, however using groups (ex: Options, Dissertations, Specializations, etc) in the Curricular Plans is a common practice.

In the functionality Change Structure (Groups) > Manage Groups, the following operations are available:

- **Create Group** - Allows the creation of groups/sub groups in the Curricular Plan

Be aware that it should exist only one top group, that in this example is *Specialization*, on image 4.13.

To create a group, click on *Create Group*, on the Curricular Plan structure where you want to create the new Group.



Figure 4.13: Create Group

Write the name of the group (PT and EN) and click **Create**, as shown in Image 4.14.

Figure 4.14: Group Name

Everytime a group is created successfully a message is displayed. The previous instructions should always be followed everytime you want to update the structure (groups) of the Curricular Plan. The Image 4.15 shows the operations and message.





Figure 4.15: Group Operations

- **Associate Group** - The group association allows that any change made to the *group to associate* is reflected on the associated groups.

To associate a group, click on *Associate Group*, select the group you want to associate and click **Associate**. You can see it on image 2.2.1.2.1.




Figure 4.16: Associate Group

Following the previous example, any change that is made in the group *Formação 2* will reflect on the *Formação 1* group. As an example, let's create a subgroup in the *Formação 2* group. This change will automatically be reflected in the *Formação 1* group, as seen in image .




Figure 4.17: Changing group association

- **Edit** - It makes it possible to change the name (PT and EN) of the group and its validity period. The possibility of a group having a validity period allows that the structure be changed along several academic periods in which the Curricular Plan has an execution.

To edit the group click on **Edit**, make the necessary changes and click **Submit**, like image 4.18 shows.




Figure 4.18: Editing Group

In the previous example the group Competências Transversais (and all the groups and courses information) will only be on the Curricular Plan of 2013/2014.

- **Delete** - The system allows that the groups are deleted as long as they don't have any information (subgroups or courses).

To delete a group, click on Delete (on the group to delete). A confirmation page is displayed, you should click on **Yes** to confirm the operation or in No to cancel it (Image 4.19).




Figure 4.19: Deleting Group

### Order Groups

This functionality allows the structure of groups to be organized accordingly each Curricular Plan necessities.

To order the groups, in Change Structure click on Order Groups, like shown on image 4.20.

The order of the groups is done based on the first Curricular Plan that had an execution, on this example in 2013/2014. Selecting the different academic periods in which the Curricular Plan had an execution there can be made different orderings of the groups.



Figure 4.20: Change Structure

The order options available are:

- **Top** - moves the group to the top of the other groups (of the same level)
- **Bottom** - moves the group to the bottom of the other groups (of the same level)
- **Up** - moves the group a level up
- **Down** - moves the group a level down.

In the following example, the group *Competências Transversais* will be moved to the bottom of the structure.

In the group *Competências Transversais* click on **Bottom** and in the next page click **Yes**, as seen in image 4.21.




Figure 4.21: Change Structure

After the previous operation the *Competências Transversais* group has passed to the bottom of the group structure of the Curricular Plan, like the Image 4.22 shows.



Figure 4.22: Ordering confirmation

#### 4.4.5 Define Rules

This functionality allows to create rules in the groups and curricular units of the Curricular Plan.

Those rules can be of precedence between curricular units, exclusivity between groups or curricular units, can only enroll in course with Coordinator authorization, limiting the number of credits that are possible to make in a group, among other rules.

To insert a rule, access the Curricular Plan management and click Define Rules, after that on the wanted curricular unit or group click on Define Rule. In the next page you can see the existing rules for that course or group and the options: New Rule and Rule Composition (as seen in image 4.23).




Figure 4.23: Defining Rules

##### New Rule

Depending on the type of rule (group or course) that it's being created the list of options changes.

In this example, we'll create an Exclusivity rule between the Free Formation group and the Transversal Competences group. This rule means that the students can only enroll in courses of one of the groups.

The rules have an applicable time period, meaning that can be introduced different rules in each Curricular Plan that had/has an execution.

Figure 4.24: New Rules

As seen in Image 4.24, click Create to confirm the rule creation. The rules that exist in the Curricular Plan become automatically visible, as shown in image 4.25.

Regra	Ações
Formação Livre	<a href="#">Definir Regra</a>
Exclusividade entre Fe2013 > Especialização > Formação Livre e Fe2013 > Especialização > Competências Transversais	<a href="#">Definir Regra</a> <a href="#">Editar</a> <a href="#">Apagar</a>

Figure 4.25: Showing Rules

In this example Free Formation has two rules. One rule of exclusivity between groups and another rule of credits limit in the group.

### Rules Composition

The composition of rules allows that the existent rules can be composed through logic operators & (*AND*) and || (*OR*), in which the composition using & means the application of all composed rules and || means the application of one of the composed rules.

To make a composition of rules, go to the wanted Curricular Plan management and on the group or curricular unit click on Define Rule. On the next page you can see the existing rules on the course or group. Click on Rules Composition, select the rules you want to use and the logic operator (& or ||), and click Create.

In this example, this composition of rules means that the Students can be enrolled in one of the groups and can only make 6 to 12 credits in the group, as seen in image 4.26.



On the next page you have to fill in the information regarding the curricular unit and about its execution context (group, curricular year, semester, start and end period). There are two types of curricular units that can be associated to the Curricular Plan:

- **Regular Curricular Units** - It's the Curricular Units that exist on the Departments (Competence Courses).
- **Free Choice Curricular Units** - It's a kind of slots that are created in the Curricular Plan which are replaced by regular Curricular Units, that usually are being offered in other Curricular Plans.

Figure 4.28: Create unit

After all the information is filled in click Create. In the previous example, of image 4.28, it was added a curricular unit of the Matematic Department (Complex Analysis). The context of execution of the curricular unit it will be on the group *Formation 1*, 1st Year/1st Semester beginning on 1st Semester 2013/2014. You can see on image 2.2.4.3 the added curricular unit.

When you have a Free Option type, the information to fill in besides the context it's the name that you want to give to the curricular unit. The imagens 4.30 and 2.2.4.5 show the process.

The curricular units of the type Free Option, as mentioned before, in the enrolment period allow the Student to choose a curricular unit from another Curricular Plan (depending upon the existing rules).





Allows to change all the information of the curricular unit (regular or option). The system allows to change the curricular unit itself (in the regular case).

- *Add new context* - The curricular units can have more than one active context (curricular year/semester).

When you Edit a curricular unit you can add more contexts by clicking Add new context and fill in the information for that context, and then click Add, like shown on image 2.2.4.6.

Figure 4.32: Add a new context

In the previous example it was created a new context in the curricular unit PhD Option in the Formation 1 group, on the 1st Year/1st Semester, and it shows like image 2.2.4.7.

Formação Livre		
Formação 1		
Análise Aplicada	1 Sem.	S
Opção de PhD	1 Sem.	
Formação 2		
Opção de PhD		

Figure 4.33: Showing context

- **Delete**

The curricular units can be deleted (removed from the Curricular Plan) if they haven't any associated information (like enrolled students).

#### 4.4.7 Approve Curricular Plan on Scientific Council

After the Curricular Plan is fully built, at the level of the structure (groups), rules and curricular units, the next step is to Approve the Curricular Plan.

The Curricular Plan can only be made public after it is in the Approved state and all actions can only be done after that too (add a Coordination team, set the Curricular Plan in execution, add the

degree to the organizational structure units, etc).

To Approve the Curricular Plan go to Scientific Council and click on Degrees and Curricular Plans. Then click on Edit on the correspondent Curricular Plan to Approve, like shown on image 4.34.



Figure 4.34: Showing context

Change the state from Construction to Approved and the Execution Begin to the Academic Year from which you can start creating Curricular Plan Executions, and click Submit.

The Approved state can not be change through the Scientific Council. If it's necessary to change the state of an Approved Curricular Plan, it will have to be done through the Administrator Portal, and it is only possible to do before the Curricular Plan is in execution. The images 4.35 and 4.36 illustrate the change of state.




Figure 4.35: Changing state




Figure 4.36: State Changed

#### 4.4.8 Create Degree Unit in the Organizational on Administrator

The new degrees have to be created in the Organizational Structure of FenixEdu.

To create a new Degree in the Organizational Structure and associate that Degree to the correspondent one Approved by the Scientific Council, go to Administrator portal and click on Unit and Position Management.

On the structure navigate to:

Earth>[your school country] > [your university] > [your school].

To create a new Unit (of the selected type), click on Create Sub-Unit.

Figure 4.37: Add New Unit

In the example given on image 4.37, a Sub-Unit is created in the Specialization Degrees Unit. In this types of Units it's fundamental that the following fields are correctly filled in:

- **Type** - Degree
- **Associated Bachelor/Masters** - The Degree you want to associate to the Unit
- **Relation Type** - Academic Structure

To finish click on Create Unit.

On the Sub-Units list of the Specialization Degree unit, there's now the FenixEdu unit, like shown on Image 4.38.

On the degrees list there is now the Specialization Degree FenixEdu, as shown below on image 4.39.

All units of the type Degree have a webpage, managed by the Coordination team. You can see the page on the image 4.40.

Listar apenas as sub-unidades: **Activas** ▼

Nome da Unidade	Centro de Custo	Acrónimo	URL	Tipo
Ciência e Tecnologia de Polímeros		CECTP		Curso
Design para a Diversidade		CEDO		Curso
Engenharia de Sistemas em Processos Químicos		CEESPQ		Curso
<b>FenixEdu</b>		<b>FE</b>		<b>Curso</b>
Gestão Integrada da Qualidade, Ambiente e Segurança		CEGIQAS		Curso
Lean Six Sigma Black Belt		CELSBB		Curso
Segurança de Informação e Direito no Ciberespaço		CESIDB		Curso
Segurança e Higiene no Trabalho		CESHT		Curso

Figure 4.38: New Unit added

Curso de Especialização :

CEESPQ	CEESPQ	disciplinas	horarios	exames
CEDO	CEDO	disciplinas	horarios	exames
<b>FE</b>	<b>FE</b>	<b>disciplinas</b>	<b>horarios</b>	<b>exames</b>
CESIDB	CESIDB	disciplinas	horarios	exames
CELSBB	CELSBB	disciplinas	horarios	exames
CEGIQAS	CEGIQAS	disciplinas	horarios	exames
CESHT	CESHT	disciplinas	horarios	exames
CECTP	CECTP	disciplinas	horarios	exames

Figure 4.39: The new degree



[Início](#)
[Aluno](#)
[Docente](#)
[Não Docente](#)
[Candidato](#)
[International](#)
[Alunos](#)

**selecção**

[REGIME DE ACESSO](#)  
[ESTATUTO PROFISSIONAL](#)  
[PLANO CURRICULAR](#)  
[PÁGINAS DE DISCIPLINAS](#)  
[HORÁRIOS POR TURMA](#)  
[AVALIAÇÕES](#)  
[DISSERTAÇÕES](#)  
[TOPO](#)  
[LATERAL](#)

IST » Ensino » FE  
**Curso de Especialização em FenixEdu**  
Informação não disponível.  
A informação contida nesta página é da responsabilidade da equipa de coordenação do curso.

Figure 4.40: The new degree site

#### 4.4.9 Create Execution Curricula on Administrator

The creation of Execution Curricula is done by Academic Year. All the Curricular Plans that are going to be active in the given Academic Year are put in execution mode.

After this operation the school periods, exams periods and marksheets afixation periods become defined and it will be possible to add people to the Coordination Teams.

To create Execution Curricula, go to Administrator portal and click on Execution Curricula and then click on Create Execution Curricula, as in Image 4.41.




Figure 4.41: Create Execution Curricula

On the next page click on the Degree Type you want and then on Continue, as in Image 4.42.




Figure 4.42: Selecting course type

Select the Curricular Plans you want to put in execution, and fill in the data regarding the Execution Year and the periods of schools, exams and marksheets afixation (for the 1st and 2nd semesters and Special Season).

To create the Execution Curriculum click on Create. After this operation the Curriculum is now on Execution in the given Academic Year, and all operations can be done over him (Candidacies, Coordination Team, Tuition Payment Plan, etc). The image 5.3 shows what data to fill.

After this operation the curriculum is available in execution for that curricular year, and all the operations (candidacies, coordination, enrolments, tuition) became available.

**Planos Curriculares de Bolsistas:**

- ☐ Curso de Especialização Design para a Diversidade - CECD0006
- ☐ Curso de Especialização Engenharia de Sistemas em Processos Químicos - CEESPQ006
- ☐ Curso de Especialização Gestão Integrada de Qualidade, Ambiente e Segurança - CEGQAE006
- ☐ Curso de Especialização Lean Six Sigma Black Belt - CEISSBB012
- ☐ Curso de Especialização Segurança e Higiene no Trabalho - CEHST006
- ☐ Curso de Especialização Segurança de Informação e Direito no Ciberespaço - Segurança de Informação e Direito no Ciberespaço
- ☒ Curso de Especialização Ferrelito - FE003

Ano de execução: 2013/2014

Campus: Alameda

Mapa de exames temporários: 0

**1º Semestre**

Aulas (parte 1): 1 - Setembro - 2013 a 26 - Dezembro - 2013

Exames: 1 - Fevereiro - 2014 a 10 - Fevereiro - 2014

Prazo Lançamento Notas: 31 - Março - 2014

**2º Semestre**

Aulas (parte 1): 1 - Abril - 2014 a 26 - Abril - 2014

Aulas (parte 2): 29 - Abril - 2014 a 30 - Junho - 2014

Exames: 2 - Junho - 2014 a 29 - Junho - 2014

Prazo Lançamento Notas: 1 - Agosto - 2014

**Exame Especial**

Exames: 1 - Janeiro - 2014 a 1 - Janeiro - 2014

Prazo Lançamento Notas: 1 - Janeiro - 2014

Crie... Voltar

Figure 4.43: Creating Execution Curricula



## Courses

In FenixEdu the courses are represented in three types. We will describe the various types of existing courses, which information is stored and managed in each of these types and the relationship between the various courses:

- **Competence Courses** - Are the basis of information relating to curricular units. The management of these courses is the responsibility of the Department where it belongs (competence courses can only belong to a single department). The information in a racing discipline is:
  - Workload
  - Credits
  - Objectives
  - Program
  - Evaluation Method
  - Base Bibliography (Primary e Secondary)
- **Curricular Courses** – This is the association between a *Competence Course* and a *Curricular Plan*. For a Course to be used in a Curricular Plan, it must be approved before. The year and semester where this curricular plan is offered is determined by the curricular plan. This contains the following information.
  - Group
  - Curricular Year
  - Semester
  - Beginning
  - End



- **Execution Courses** - This is the association between the academic year and semester in which the *Curricular Courses* was in operation. You can only create execution courses when the Curriculum Plan where they are located is also running. The information contained in execution is a discipline as follows:

- Course Site
- Schedule
- Sumaries
- Announcements




Figure 5.1: Course types and their relationship within FenixEdu

## 5.1 Competence Course

The responsibility to manage courses belongs to the Departments (creating courses or new versions of them) and the Scientific Council (Approving new competence courses and their versions). As mentioned before they are basis for creating curricular units, and only after being approved can they be used in curricular plans.

### 5.1.1 Creating Competence Courses

Before you can create competence courses you need to have authorization to do so. This is granted in **Secretaria do Departamento > “Grupos de Gestão” > Disciplinas Competência**.

To create a competence course, go to **Bolonha > Disciplinas Competência > Consultar**. It should appear the existent competence courses of that department. Each course is attached to a *Scientific Area*, and a *Scientific Area* is composed of *Competence Course Groups*. Click in **Criar Disciplina** on the *Scientific Area/Competence Course Group* you want to create a course. It takes 3 steps.

### Step One: Creating the Competence Course

Fill the academic year and semester, from which the course starts being available on the system, the name (in PT and EN), the level (First Cycle, Second Cycle, etc.) and the type of course (Normal or Dissertation) like shown in Image 5.2.

Click Create and move to the second step.

Figure 5.2: Creating the Competence Course

### Step Two: Defining Workload

On this screen fill the information relative to the workload (Theoretical, Problems, etc.) and the ECTS. After filling this form, click **Submit** and move to the next step.

Figure 5.3: Defining Workload

### Step Three: Define Objectives Program and Methodology

Fill with information regarding objectives, program and methodology for this competence course.

Click **Submit** to finally create the competence course.

After adding the courses it should appear within the department competence course list, in the *Scientific Area/Competence Course* you selected, as is shown in Image 5.4




Figure 5.4: Created Competence Course

### 5.1.2 Managing Competence Courses

A competence course can be in one of two states.

- **Draft** - This is the initial state. In this state the course is still in construction in the department and is only visible to the group of people who can access manage competence courses in this departments.
- **Published** - The discipline has all the information and is ready to approved by the Scientific Council.

Also the competence courses that weren't approved by the Scientific Council has the following available options:

- **View** - View all the information available.
- **Edit** - Edit the information of for that competence course. Is through the Edit operation that the state can be updated from *Draft* to *Publish*. This state can be changed until the competence course is approved by the Scientific Council. After that, the course can only be changed on the *Version Manager* (see Section 5.1.5).
- **Delete** - Deletes the competence course (as long as it hasn't been approved). *This is irreversible.*
- **Bibliografia** - Adding the base bibliography (principal and secondary).

To add bibliographic references, click *Insert Bibliographic Reference* and fill the form with the bibliographic information as well the type of bibliography as shown in Image 5.6.

Estado: **Rascunho**

Nome (pt): **Introdução à Engenharia Informática I**

Nome (en): **Introduction to Information Systems and Computer Engineering I**

Acrônimo: **IEI-I**

Nível: **1º Ciclo (L)**

Tipo: **Normal**

Tipo: **Não Estruturante**

[Editar](#)

Figure 5.5: Changing Competence Course State

**Introdução à Engenharia Informática I**

Nova

Título:

Autor(s):

Ano:

Referência:

URL:

Tipo: **Principal** Opcional

Figure 5.6: Adding Bibliographic References

### 5.1.3 Publishing Competence Courses

When all the information for a new competence course has been added, you need to published it for it to be available on the Scientific Council so that it can be approved.

Edit the course, and next edit the state information as shown on Image 5.7.

Estado: **Rascunho**

Nome (pt): **Introdução à Engenharia Informática I**

Nome (en): **Introduction to Information Systems and Computer Engineering I**

Acrônimo: **IEI-I**

Nível: **1º Ciclo (L)**

Tipo: **Normal**

Tipo: **Não Estruturante**

[Editar](#)

Figure 5.7: Editing competence course state

### 5.1.4 Approve Competence Courses

To approve competence courses you should go to **Portal do Conselho Científico> “Processo de Bolonha”> Disciplinas Competência** and select the department you want to approve com-

petence courses.

There it should appear all the competence courses for that department. Click the *Approve* link next to the competence course. A green label next to the competence should appear as shown on Image 5.8



Figure 5.8: Approving a competence course

In Scientific Council you can do the following following actions:

- **View** - Show all the information of a competence course (Workload, Objectives, Program).
- **Transfer** - Transfer a competence course to another Department, Scientific Area or Competence Course Group.
- **Unprove** - Revert the competence course from *Approved* to *Published*

### 5.1.5 Competence Course Versions

Sometimes is necessary to make some corrections to curricular units. For instance changing the ECTS number from 6 to 4.5. Creating versions of a competence course is done in the Department where the course belongs. To make a new version go to **Disciplinas Competência > Gestão de Versões**. A list of the approved competence courses should appear like in Image 5.9.




Figure 5.9: Competence course versions

To view the details from a competence course click **Consultar**. A interface should appear that allows you to view current versions and create new ones, like as shown on Image 5.10.

#### Create a new version

To create a new version click **Criar nova Versão**. In the next page you should select the academic year and semester where this new version should appear (the system does not allow overlapping versions). Add also the information about the competence course and fill the *Proposal Reason*. Check Section 5.1.1 for more information.



Figure 5.10: Competence course versions

After completing this information, click **submit**. In the next page you can update the base bibliography for a give course. To conclude this process click **Create**.

After creating a version, a new *Proposal*, with a *Pending* state, should appear in the Version Page as in Image 5.11.

Introdução à Engenharia Informática

Versões Aprovadas

Ano Lectivo	Semestre	Departamento	
2012/2013	2 Semestre	DEI	<a href="#">Consultar</a> <a href="#">Propor Revisão</a>

Propostas

Ano Lectivo	Semestre	Proposto por	Revisto por	Estado	Departamento	
2013/2014	1 Semestre	Maria de Lurdes Piado Ramoso Mendes Aguiar	-	Pendente	DEI	<a href="#">Consultar</a> , <a href="#">Eliminar</a> , <a href="#">Editar</a>

Figure 5.11: A new Version

### Approve a competence course version

To approve competence courses go to **Portal do Conselho Científico > Processo de Bolonha** and click **Propostas de Versões**. A list of Proposals, pending and overall, for each department as shown on Image 5.12.

To approve a proposal you should, click on the department containing that version, and then click Approve.

After a new version is approved, all students enrolled before the academic year and semester selected will be associated with the previous version, and new enrolments will use the new version.



Nome	Propostas Pendentes	Total de Propostas
Departamento de Bioengenharia	0	218
Departamento de Engenharia Civil, Arquitectura e Georrecursos	0	527
Departamento de Engenharia de Materiais	0	0
Departamento de Engenharia de Minas e Georrecursos	0	0
Departamento de Engenharia e Gestão	2	197
Departamento de Engenharia Electrotécnica e de Computadores	1	253
Departamento de Engenharia Informática	10	162
Departamento de Engenharia Mecânica	21	266
Departamento de Engenharia Química	0	160
Departamento de Física	0	207
Departamento de Matemática	3	230
Secção Autónoma de Engenharia Naval	0	0

Figure 5.12: Proposal Versions

### Propose a revision to a version

Sometimes you may need to do some correction (maybe ECTS, workload, bibliography, etc.) in a approved version of a competence course. To do that on go to Version page and select a approved version and click **Propose Revision**. Fill all fields and click **Submit**.

A revision proposal stays in a pending state until approval is given by the Scientific Council.

## 5.2 Curricular Course


After approved, competence courses can be used in the construction of Curricular Plans. Curricular courses aggregate several information about a course, for instance the curricular year and semester as well the curricular plan group it belongs.

### 5.2.1 Create a Curricular Unit

To create curricular units in curricular plains, go to **Portal da Administração Académica > “Gestão da Estrutura de Ensino”**, click **Estrutura de Cursos** and then in the operation **Gerir Plano** for the curricular plan you want to change.

Next click in **Criar Unidade**, in the curricular Plan where you want to add the new curricular unit like is shown on Image 5.13

On the next page, fill with information relative to the curricular unit and what is context (group, year, semester, beginning and end). An image of the form can be seen on Image 5.14. There are two types of curricular units that can be added to the curricular plans.




Grupo	Unidade	Ações
Fe2013	Especialização	<a href="#">Criar unidade</a> <a href="#">Associar unidade</a>
	Formação Livre	<a href="#">Criar unidade</a> <a href="#">Associar unidade</a>
	Formação 1	<a href="#">Criar unidade</a> <a href="#">Associar unidade</a>
	Formação 2	<a href="#">Criar unidade</a> <a href="#">Associar unidade</a>
	Competências Transversais	<a href="#">Criar unidade</a> <a href="#">Associar unidade</a>
	Programação com Objectos	<a href="#">Criar unidade</a> <a href="#">Associar unidade</a>
	Dissertação	<a href="#">Criar unidade</a> <a href="#">Associar unidade</a>
	Dissertação (Ead)	<a href="#">Criar unidade</a> <a href="#">Associar unidade</a>
	Dissertação (Ead)	<a href="#">Criar unidade</a> <a href="#">Associar unidade</a>

Figure 5.13: Curricular Units

- **Normal Curricular Units** - There are curricular units that exist in Departments (competence courses).
- **Free Option Curricular Units** - Are slots that are created within a curricular plan that can be filled by other units from other curricular plans. This give the student the possibility to choose what course to do. In the case of **Free Options** you also need to add a name to the curricular unit.

After filling the form with all the information, click **Criar**.



**Criar Unidade Curricular**

**Escolha Disciplina Competência**

Tipo: ☒ Normal ☐ Opção Livre

Departamento: Departamento de Matemática

Disciplina: Análise Complexa (Aprovado)

[Ver página da Disciplina Competência \(nova janela\)](#)

**Informação Curricular**

Peso: 0.0

Pré-requisitos (pt):

Pré-requisitos (en):

**Contexto**

Grupo: Fe2013 > Especialização > Formação Livre > Formação 1

Ano Curricular: 13

Semestre: 13

Início de Validade: 1º Semestre 2013/2014

Fim de Validade: [Em Aberto]

[Criar](#) [Cancelar](#)

Figure 5.14: Add a Curricular Unit

You can do the following operations over curricular units.



- **Edit** - This allows changing all the information for a curricular unit. You can also add a new context to a curricular unit.
- **Apagar** - Curricular units can be erased if they aren't associated with students.

### 5.2.2 Associate a Curricular Unit

**Associate Unit** allows that a curricular course can to be associated with more than one context. This allows for curricular units to appear in different semesters or years.

To do this, Click **Associate Unit** and fill with information related to the group you want. Finally finally click **Associate**. A curricular unit associated to two different contexts is shown on Image 5.15.




Figure 5.15: Curricular unit in two different contexts

### 5.2.3 Defining Rules

Curricular units and groups can have rules that affect how students can enrol in them. Among other, you can set:

- Requirements between curricular units.
- Mutual exclusion between groups and curricular units
- Enrolment only with the Degree Coordinator's Authorization
- Maximum of credits can a student can take on given group

To add a new rule, click **Define Rules**. Next on the group or curricular unit click **Define Rules**. Now you can choose, either to add a **New Rule** or **Compose Rules**.

### New Rule

Depending on the type of rule (group or curricular unit) you may have several options. In Image 5.16 we are create a Exclusivity rule between the group *Formação Livre* and the group **Competencias Transversais**. This rule implies that students can only enrol in curricular units from one of the groups. The rules have a **Validity** associated so that rules can be inserted into different curricular plans.

Figure 5.16: Creating a rule

When a rule is created it should appear in the curricular plan right bellow affected target.

### Compose Rules

A rule composition allows that existing rules can be composed using logic operators & (*AND*) and || (*OR*). To add rule composition, access the Curricular Plan and in the group or curricular unit you want, click in **Define Rule**.

On the existing rules for that group appear. Click in **Compose Rule** and select from the existing rules those you want to use and the logic operator. Click **Create to finish**.

You can also **Edit** the beginning or end of a validity and **Remove** the rule.

## 5.3 Execution Courses

Creating execution courses is task that is done every semester (or every course period). For every Curricular unit that are available in active curricular plans there should be created a execution course. Execution courses are managed in **Portal Administração Académica > Gestão das Disciplinas de Execução**.

Execution courses have all the information from the competence courses (ECTS, program, workload, bibliography) and from curricular courses (year and semester), as well the contents available in course site. Each execution course as also associated the following information:

- Course Site
- Faculty
- Attending Students
- Evaluations
- Schedule
- Summaries
- Announcements




Figure 5.17: Course site

### 5.3.1 Creating Execution Courses

The action **Criar Disciplinas de Execução** allows you to create all the execution courses corresponding to one or more courses in execution in that execution period (year/semester). First select the type of course and click **Continue**. Next select the execution period, the courses you want to create the execution courses and click **Create**. In the next page a message with the information about all the execution courses created should appear.

### 5.3.2 Editing Execution Courses

**Editar Disciplina Execução** allows to **Edit** (including association and separation of curricular courses) as well **Remove** for that execution period. First select the degree type. Next select the execution degree and curricular year from the execution course you wish to edit. Click **Continue**. A list with all execution courses for that degree/curricular year should appear.

2 Semestre 2013/2014 > Mestrado Bolonha em Engenharia Informática e de Computadores - Alameda - NEIC-A 2006 > 1.º Ano

Disciplina Execução	Código	
Agentes Autónomos e Sistemas Multi-Agente	AASMA645	<a href="#">Editar</a>   <a href="#">Gerir Associações Curriculares ou Separar Execução</a>
Algoritmos Avançados	AAva5	<a href="#">Editar</a>   <a href="#">Gerir Associações Curriculares ou Separar Execução</a>
Ambientes Virtuais de Execução	AUEx3645	<a href="#">Editar</a>   <a href="#">Gerir Associações Curriculares ou Separar Execução</a>

Figure 5.18: List of execution courses

### Edit

Allows editing the execution course information. Typically this operation is used to update the name or acronym.

**Editar Disciplina Execução**

2 Semestre > Mestrado Bolonha em Engenharia Informática e de Computadores - Alameda

Nome:

Sigla:

Comentários:

Fase Entrada:

Submissão de Notas On-Line: ☒

Figure 5.19: Editing execution courses

### Gerir Associações Curriculares ou Separar Execução

#### Attention:

You should exercise extreme caution when doing these operations, as they interact with several information.

This functionality allows to do certain tasks that join or separate execution courses. You have the following operations available:

- **Associate curricular couress**

Allows binding more curricular courses to a execution course. (that don't have yet a execution course). Select the degree where the curricular course belongs and press **Continue**. Next you have a list with all the associations already made as shown on Image 5.20

To unbind a curricular course, just click **Disassociate**.




Figure 5.20: Associate curricular courses

- **Transfer curricular couress**

To transfer curricular courses to another execution course, select the degree, the execution course and the curricular year as shown on Image. You can also transfer schedules by checking the shifts you want to transfer.

Figure 5.21: Transfer curricular courses

- **Seperate execution course**

If you wish to seperate curricular courses into new execution courses click **Seperate**. Select the curricular courses and shifts you want to transfer and click **Ok**. A new execution course should appear with the selected curricular couress and shifts.

### Move Annoucements

You may want to transfer the annoucements from a execution course to another. The annoucements can be moved from a execution period to another. First select the execution period you want. All execution courses in that period should appear. Next select the execution course to where you want to move the annoucements. Check the annoucements you want to move and click submit.

Figure 5.22: Move Announcements

### Sent EMailS

You can also see the emails sent within the context of a execution course. The mail records are stored for a while. By clicking in **Sent Emails** you should get a list of emails sent, as shown on Image 5.23.

Criado	Assunto	Enviado	
09-12-2013 10:00	Horário de dúvidas	09-12-2013 10:02	<a href="#">Ver</a>
25-09-2013 11:14	Aula teórica de substituição (LETI + LEE)	25-09-2013 11:16	<a href="#">Ver</a>

Figure 5.23: Sent emails


### Remove

You can remove the execution course, only when there isn't any information associated with it (schedule, summaries, announcements, etc.). To remove a execution course click in **Delete**. A confirmation should appear. Please keep in mind that this operation is irreversible.

### 5.3.3 Join Execution Courses

This operation allows joining two execution courses into one, meaning all the information from a execution course (faculty, summaries, announcements, students, etc.) will be connected into a single execution course. You can only join execution courses within the same execution period (year/semester). To join select execution courses select the execution period, Origin degree and Destination Degree. Click **Continue**.

Next, select the origin execution course and the destiny execution course. and click **Continue**. You should be presented with a warning message. Click ok to continue. Please keep in mind that this operation is irreversible.




The screenshot shows a web interface titled "Agrupar Disciplinas de Execução". At the top, it says "2º Semestre - 2013/2014" with a blue link "< Voltar". Below this, it identifies the origin course: "(Curso de Origem) MEEC - Mestrado Integrado em Engenharia Electrotécnica e de Computadores". There are two dropdown menus: "Disciplina de Origem" and "Disciplina de Destino", both currently set to "Cálculo Diferencial e Integral I". Below these, it identifies the destination course: "(Curso de Destino) MEAer - Mestrado Integrado em Engenharia Aeroespacial". At the bottom, there is a "Continuar" button.

Figure 5.24: Joining execution courses

### 5.3.4 Add Execution Courses

This option allows to create execution courses manually, and later being associated with curricular courses. Click **Add Execution Course**, set the execution period, name, and acronym. Click **Save**.



The screenshot shows a web form titled "Inserir Disciplina Execução". It contains several fields: "Período Execução" is a dropdown menu set to "2 Semestre - 2013/2014"; "Nome" is a text input field containing "Sistemas Operativos II"; "Sigla" is a text input field containing "SO-II"; "Comentários" is a large text area; and "Fase Entrada" is a dropdown menu set to "[Escolha Um]". At the bottom, there are two buttons: "Guardar" and "Apagar".

Figure 5.25: Adding a execution course

To use the execution course, click in **Edit Execution** course and select the execution period. Check the option *Courses not associated with curriculums*. and click **Continue**. A list with execution courses not associated with curricular courses should appear. Next follow the instructions from Section 5.3.2. to associate curricular courses.




Figure 5.26: Execution courses without curricular courses



# **Part II**

## **Developer Manual**





# Fenix Framework

“Fenix Framework allows the development of Java-based applications that need a transactional and persistent domain model”<sup>1</sup>

This chapter describes in detail the major components of the Fenix Framework, which provides core functionality to FenixEdu. Section 6.1 describes the Domain Modelling Language, used to describe the application’s domain model. Section 6.2 describes the high-level architecture of the Framework, briefly describing its major components and their interaction. Section 6.3 describes the process of Code Generation. Section 6.4 presents the Java Versioned STM (JVSTM), and its integration with the Fenix Framework. Understanding the Fenix Framework is critical for developing with the FenixEdu platform.

## 6.1 Domain Modelling Language

The Fenix Framework is aimed at enterprise-class applications with a rich domain model in an object-oriented paradigm. Such applications typically consist of class hierarchies representing entities with relationships among them, forming an interconnected graph.

The Domain Modelling Language (DML) is a Domain-Specific Language designed to represent such domain models, separating the domain’s structure from its behaviour. The DML is designed with modularity as a core concern, allowing for incremental and modular domain definition.

In a DML file, programmers write the domain definition in a Java-like language. A class definition consists of the class name, the entity slots (either primitive or value types), and the super class. Listing 6.1 shows an example of a simple domain with a `User` entity. Note that just like in Java, it is possible to define the visibility of the persistent slots.

---

<sup>1</sup><http://fenix-framework.github.io>

```
public class User {  
    public String username;  
    public DateTime lastLogin;  
    protected String password;  
}
```

Relations in DML are named, first-class citizens that represent relationships between two classes. Relations are always bi-directional, meaning that updating one side of the relation will automatically update the other side. Relations can be concealed in one of the sides (meaning that it will not be possible to access it), however their state is still kept.

It is possible to define **one-to-one**, **one-to-many** and **many-to-many** relationships, and it is possible to define boundaries on the multiplicity of each relation (for example, a **User** may have anywhere between 0 and 30 **DomainOperationLogs**). Any violation to these constraints would put the relation in an inconsistent state and cause the modification to be discarded.

To-many relations in the Fenix Framework have **Set** semantics, meaning that an object can only be present in a relation once. Also, there are no ordering guarantees when accessing the relation.

```
relation UserHasExecutedOperations {  
    public User playsRole author {  
        multiplicity 1..1;  
    }  
    public DomainOperationLog playsRole operationLog {  
        multiplicity *;  
    }  
}
```

Listing 6.1 shows how a relation between a **User** and his records of his operations (**DomainOperationLogs**) could be described in the DML. The relation is given a name that describes the relationship between the two classes, as well as names to describe the role each class takes in the relation. The multiplicity is defined for each of the roles, in this case, one **User** has zero or more **DomainOperationLog**, and one **DomainOperationLog** has between one and one (exactly one) **User**.

From the domain definition, the Fenix Framework generates Java getters and setters for the properties and relations. For each class described in the DML, two Java classes are created: the domain class, in which programmers can include business logic, and a **Base** class (which the domain class extends) containing generated methods to access the persistent entities of the object. The visibility of the generated methods is determined by the visibility declared in the DML.

Consider the DML on Listing 6.1. Listing 6.1 shows the Code generated for the **User** class and its corresponding base class, as well as the **DomainOperationLog** base class, containing the API generated from the domain definition. For each slot declared in the DML a pair of Getter and Setter is generated, providing access to the persistent field. For relations there are two types of generated methods, depending on the multiplicity of the relation in the class. For instance, as one **DomainOperationLog** has one **User**, the generated methods are simple getters/setters for the **User**, as if it were a simple slot. On the other side of the relation, as a **User** has multiple

`DomainOperationLog` objects, the generated methods return a `Set` containing all the elements in the relation. The Framework also generates two methods to add and remove an element from the `Set`.

Whereas in the code shown in this document the body of such methods is `/* Generated */`, the actual code will depend on the backend used in runtime. More details about the Code Generation process are given in Section 6.3.

```
public class User extends User_Base {
    public User() {
        super();
    }
}

public abstract class User_Base extends
    AbstractDomainObject {

    public String getUsername() { /* Generated */ }
    public void setUserame(String value) { /* Generated */ }

    protected String getPassword() { /* Generated */ }
    protected void setPassword(String value) { /* Generated */ }

    (...)

    public Set<DomainOperationLog> getOperationLogSet() { /* Generated */ }
    public void addOperationLog(DomainOperationLog value) { /* Generated */ }
    public void removeOperationLog(DomainOperationLog value) { /* Generated */ }

}

public abstract class DomainOperationLog_Base extends
    AbstractDomainObject {

    public User getAuthor() { /* Generated */ }
    public void setAuthor(User author) { /* Generated */ }

}
```

### 6.1.1 Value Types

In the DML there is a distinction between entities and value objects. Whereas an entity is transactional and persistent, a value object is immutable and not persistent. Value objects are used as the values for slots of DML classes, and must be of well-known types, known as Value Types.

A value type contains information regarding the Java Type (such as `java.math.BigDecimal`), an alias (such as `BigDecimal`), and information regarding how the object will be externalised/internalized.




Figure 6.1: Fenix Framework's Layered Architecture

There are two categories of Value Types: Builtin (Java Primitives and their wrappers, Enums, `java.time` types, `JsonElement`, and byte arrays) and user-defined. User-defined types allow the programmer to use any type they wish as a slot, provided the type is immutable (explanation as to why is provided ahead) and can be expressed in terms of other Value Types.

The Framework knows how to handle Builtin Value Types (i.e. how to store/retrieve from persistent support). User-defined, on the other hand, require that the programmer specify how the type is externalised/internalized. The externalised type must be either a Builtin Value Type, or one or more user-defined types that ultimately externalise to a builtin type.

The Framework provides support to transform any Value Type to/from JSON, meaning that a `JsonElement` slot is enough to keep any value the Fenix Framework is able to handle.

## 6.2 Architecture

The main goal of the architecture of the Fenix Framework is to provide a “write once, run everywhere” paradigm for applications that have transaction and persistence requirements. The programmer simply writes his application against a public API and is able to run it on multiple backends. With this architecture, applications are portable across several technologies (MySQL, Neo4j, Hibernate, etc), and are easily testable, by providing a discardable persistence context.

Figure 6.1 shows the major modules that constitute the Fenix Framework.

The DML Compiler module contains the parser responsible for reading DML files and creating an in-memory description of the Domain Model, as well as all the necessary classes to represent it. It also contains the base `DomainObject` interface, which all objects of the Domain Model implement. Also present in this module are the base Code Generators used to create the Base classes for all domain objects.

The core of the Framework is in the `Core API` module. Transaction management APIs, configuration, entry points, backend interfaces, are all defined in this module.

Many backend-independent modules are provided with the Fenix Framework bundle. These include persistent Abstract Data Types (B+Trees, Linked Lists, etc), support for Consistency Predicates, statistics collection tools, indexing and transaction introspection. These modules are used internally by the various backends, but can (and in most cases should) also be used by the programmers.

Backends provide the concrete implementations of transactional and persistence support, and are required for applications to work.

### 6.2.1 Public API

One of the major advantages of the Fenix Framework is that applications built on top of it are independent of the underlying persistence and transactional backend. However, to guarantee this property, the modules that form such applications must be compiled against the Public API of the Framework.

The public API is split in two major components:

- **DML Compiler** Allows applications to have runtime access to the structure of the domain and allows registering relation listeners that will be invoked each time a relation is modified. This module also defines the API that is generated based on the DML, which must be supported by all backends.
- **Core API** Provides the entry point for the domain's object graph through the `DomainRoot` class, the mechanism to retrieve a Domain Object from its unique identifier, to validate if a given Domain Object is still valid, transaction APIs that can be used to either mark a piece of code as transactional (`@Atomic` annotation) or to manually manage the lifecycle of transactions, and utilities to configure the Framework.

With this separation, the classpath of the application modules is not polluted with implementation details, allowing for a faster development and test cycle.

### 6.2.2 Backends

Backends are a crucial part of the Fenix Framework. They provide concrete implementations of the transactional and persistence support. Application modules should not depend directly on the backends, as their API is private and as such subject to change even among minor versions, and having a dependency on a specific backend means that portability must be sacrificed.

The fact that backends have a clear separation from the Public API allows for a much faster evolution of the backend's implementation. Major internal changes can be done without affecting the end-users directly, even in a revision release, whereas changes to the public API require either a major or minor release.



## 6.3 Code Generation

As previously described, access to persistent fields of domain objects is done using generated methods in Base classes.

Code generation is closely tied to the specific backends, as it is typically used to support the process of persisting an object to a database. An example of an operation performed in generated code is binding a `PreparedStatement` with the values of the object's slots, or externalizing the object to JSON.

There are two major components in code generation:

- The default code generator, from which every other generator inherits, defines the public generated API for domain classes. Its major use-case is to compile backend agnostic application modules that only need base classes because of their API (modules aren't bundled with base classes, those are generated on-demand on depending modules or applications).
- Backend-provided code generators. These generators extend the base ones, thus providing the same API, using backend-specific artifacts to fulfill the API. Backends can also use code generators to optimise runtime performance, by injecting in generated code values that otherwise would have to be computed at runtime.

Whereas this Code Generation architecture allows for great optimizations (it allows backends to perform complex operations without resorting to reflection), it comes with a tradeoff: Forcing the domain classes to inherit from Base classes hinders the readability of the code (as the user is required to either check the DML or the base class to find out the super class), makes it impossible to invoke constructors of the super class (as the Base class only generates the no-arg constructor), does not allow the programmer to choose the visibility of the generated methods (as they are always generated public) among other issues.

The Code Generation step also provides a mechanism to transfer compile-time information to the runtime. Information such as the App Name (which is used at runtime to generate the graph of DML dependencies), the name of the Backend used to compile the final application (to allow for automatic initialization), as well as pass user-defined parameters to runtime.

## 6.4 JVSTM

The Java Versioned Software Transactional Memory (JVSTM) is a pure-Java implementation of a Software Transactional Memory.

The JVSTM uses the concept of Versioned Boxes (VBoxes) to make a memory location transactional, keeping the history of values for that position, one for each version of the box. Reads and writes to VBoxes are tracked by the JVSTM in a per-transaction basis.

Each transaction begins at a given moment, acquiring the version number at that moment. The version number is used during the transaction to ensure that all reads get the correct value at the time of the transaction's start, thus providing Opacity guarantees. This allows for conflict-free read-only transactions, as concurrent transactions writing to the read boxes will write a new version instead of overwriting its previous value.

## 6.5 JVSTM/OJB

The JVSTM is integrated with the Fenix Framework, as one of the multiple available backends. This document focuses on the backend named `javstm-ojb`. This is the backend currently used in production. This backend uses the JVSTM for the transactional support, and OJB for persistence.

In this backend, Base classes use a VBox to store the value objects transactionally, thus taking advantage of the JVSTM. The generated getters and setters are backed by `VBox.get()` and `VBox.set()`, and can be invoked only from within a transaction.



# Bennu

Bennu<sup>1</sup> is the foundation for building modular Java web applications based on Fenix Framework (see Chapter 6) .

Bennu covers the following core features:

- Runtime installation configuration
- Runtime application menu configuration
- User authentication
- Access groups
- Rest server infrastructure
- Transactional IO
- Scheduling system (crontab like configuration)
- Indexing and search
- Theming
- Internationalization

---

<sup>1</sup><http://github.com/FenixEdu/bennu>

## 7.1 Users and Security

Bennu provides user accounts and authentication. The User accounts are supported in Bennu only at the domain level. To manage accounts take a look at the [bennu-user-management](https://github.com/FenixEdu/bennu-user-management)<sup>2</sup> project.

Besides the authentication mechanism itself Bennu ensures that at any point in the source code the user in session is accessible statically through:

```
org.fenixedu.bennu.core.security.Authenticate.getUser()
```

or from the HttpSession using the property:

```
Authenticate.LOGGED_USER_ATTRIBUTE
```

### 7.1.1 Authentication Mechanisms

There are two supported authentication mechanisms: CAS<sup>3</sup> and password based authentication.

CAS authentication can be enabling by setting the properties in the `configuration.properties` file: `cas.enabled=true` and `cas.serverUrl` to your cas server installation url.

The password authentication mechanism is enabled when CAS isn't. So just set `cas.enabled=false`. Passwords are stored in the database, salted and hashed. No interfaces for password recovery or change are provided by the framework, to use this authentication mechanism you must provide them yourself.

### 7.1.2 Authentication Listeners

Bennu provides a way of registering event listeners over any successful login. To do so you must implement:

```
org.fenixedu.bennu.core.security.AuthenticationListener
```

and register it in the startup of the application using:

```
Authenticate.addAuthenticationListener(AuthenticationListener)
```

---

<sup>2</sup><https://github.com/FenixEdu/bennu-user-management>

<sup>3</sup><http://www.jasig.org/cas>

## 7.2 Access Groups

Benu represents groups of users as instances of the **Group** entity. A group can be mapped to a set of users, translated to a String expression back and forth, or composed with other groups with logic operands.

At any given time there is at most one instance of Group with the same expression. In practice, Groups are immutable domain entities, and instances of groups are never obtained from constructor invocation, instead they are obtained by: parsing a group expression (see: 7.2.5), invoking the group type **getInstance(...)** method, or by invoking an operation over another instance of a group.

### 7.2.1 Programatic API

All groups support the same basic API. First there are methods to inspect if a user is part of the group, or to get all the users that are part of the group. Both these two types of methods can be invoked with a date parameter, in that case, the group tries to evaluate the request on the state of the system at that date.

```
Set<User> getMembers();  
Set<User> getMembers(DateTime when);  
boolean isMember(User user);  
boolean isMember(User user, DateTime when);
```

You can also apply operand to any group, the result is the group that represents the result of applying the operand to the target group, without changing the target. Whenever possible the group is compressed to the most canonical form, for example, `x.not().not()` is `x`.

```
Group and(Group group); – Intersect with given group.  
Group or(Group group); – Unite with given group.  
Group minus(Group group); – Subtract with given group.  
Group not(); – Negate the group.  
Group grant(User user); – Grants access to the given user.  
Group revoke(User user); – Revokes access to the given user.
```

As said before groups can be parsed back and forth to a String expression.

```
static Group parse(String expression);  
String expression();
```

Finally the groups can be used in a reversed way: instead of asking if a user is a member, or get the members of a group, we ask what are the groups a given user has access to. This is potentially a costly operation, so although is accessible over the User API, it should be accessed, only for the logged user through the Authenticate API:

```
Set<Group> Authenticate.accessibleGroups();
```

### 7.2.2 Core Groups

There are a few provided group types, a way of providing your own implementation (see 7.2.4), and a way of placing a tag over a group (see 7.2.3).

The core groups are four logical conditions, and an explicit user set:

- **AnyoneGroup** Group of all users in the system, anyone is a member. Obtained with `AnyoneGroup.getInstance()`.
- **NobodyGroup** Group of no users, nobody is a member. Obtained with `NobodyGroup.getInstance()`.
- **LoggedGroup** Group of users logged in. Obtained with `LoggedGroup.getInstance()`.
- **AnonymousGroup** Special group for anonymous (not logged in) 'users'. Obtained with `AnonymousGroup.getInstance()`.
- **UserGroup** Explicit set of users. The user order is irrelevant, so there should be only one instance for the same set of users. Obtained with `UserGroup.getInstance(Set<User>)`.

Plus the compositions:

- **UnionGroup** The members are the union of all member sets of the contained groups. Group order is irrelevant. Obtained with `UnionGroup.getInstance(Set<Group>)`
- **IntersectionGroup** The members are the intersection of all member sets of the contained groups. Group order is irrelevant. Obtained with `IntersectionGroup.getInstance(Set<Group>)`
- **DifferenceGroup** The members are the result of removing the members of all but the first group to the members of the first group. In this case order is relevant. Obtained with `DifferenceGroup.getInstance(Set<Group>)`
- **NegationGroup** The members are all the users in the system that are not part of the contained group. Obtained with `NegationGroup.getInstance(Group)`

### 7.2.3 Dynamic Group

Dynamic Group work as tags, that can be moved from one group to another over time, keeping history when they do. Tags offer semantic over the underlying group, like a name over it, for example, you can set a **managers** tag over the group of users John, Mary and Steve.

Operators work the same way as with any other group, they do not modify the dynamic group target, so by invoking **grant** with some user to the **managers** group will not make him/her a manager. To change a DynamicGroup, that is, to move a tag to another group invoke:

```
DynamicGroup.changeGroup(Group);

for example:
DynamicGroup managers = DynamicGroup.getInstance("managers");
managers.changeGroup(managers.grant(User.findByUsername("userX")));
```

### 7.2.4 Custom Group

Custom Groups are the extension point of the access group system, they allow the developer to provide their own group implementation, without losing any of the Group's features.

Lets say for example that you have Departments in your organization with people being part of them, and you need a group of people from a given department. Start by defining an entity in the dml like **DepartmentMemberGroup** related to the **Department** by a one to one relation, then annotate the class with **@CustomGroupOperator** specifying the operator that will serve as the key for the group expression:

```
@CustomGroupOperator(value = "dep")
public class DepartmentMemberGroup extends DepartmentMemberGroup_Base {
    protected DepartmentMemberGroup(Department department) {
        super();
        setDepartment(department);
    }
}
```

Make sure the constructor is private or protected. Instantiation is not to be left unguarded. Next implement the CustomGroup API, providing an implementation for the **isMember** and **getMembers** methods that delegate to the department:



```

@Override
public Set<User> getMembers() {
    return getDepartment().getMembers();
}

@Override
public Set<User> getMembers(DateTime when) {
    return getDepartment().getMembers(when);
}

@Override
public boolean isMember(User user) {
    return getDepartment().isMember(user);
}

@Override
public boolean isMember(User user, DateTime when) {
    return getDepartment().isMember(user, when);
}

```

Also provide a user readable description of your group:

```

@Override
public String getPresentationName() {
    return getDepartment().getName() + " Members";
}

```

Next let's handle the language translation and the mechanism for obtaining unique instances. The group language for custom groups has the form:

```

<operator>(<arg1>, <args2>, ...)

in this case, for example:
dep(Sales)

```

The operator is specified in the **@CustomGroupOperator** annotation and must be unique in your codebase. The args are specified using another annotation: **@CustomGroupArgument** over a static method that returns an argument translator. Argument translator are able to turn plain Strings into domain entities and vice versa, in this case the target Department of your group:

```

@CustomGroupArgument
public static SimpleArgument<Department, DepartmentMemberGroup> department() {
    return new SimpleArgument<Department, DepartmentMemberGroup>() {

```

```

@Override
public Department parse(String acronym) {
    return Department.fromAcronym(acronym);
}

@Override
public String extract(DepartmentMemberGroup group) {
    return group.getDepartment().getAcronym();
}

@Override
public Class<? extends Department> getType() {
    return Department.class;
}
};
}

```

This arguments are then passed to a **getInstance(...)** method that you must implement:

```

@Atomic
public static DepartmentMemberGroup getInstance(final Department department) {
    return select(DepartmentMemberGroup.class, new Predicate<
        DepartmentMemberGroup>() {
            @Override
            public boolean apply(DepartmentMemberGroup group) {
                return group.getDepartment().equals(department);
            }
        }, new Supplier<DepartmentMemberGroup>() {
            @Override
            public DepartmentMemberGroup get() {
                return new DepartmentMemberGroup(department);
            }
        });
}

```

Finally to comply with the reverse queries from the user: the `User.accessibleGroups()` method. You must implement a method named `groupsForUser` that returns the groups of this type that the given user is a member of:

```

public static Set<Group> groupsForUser(User user) {
    Set<Group> groups = new HashSet<>();
    for (Department department : user.getDepartments()) {
        if (department.getDepartmentMemberGroup() != null) {
            groups.add(department.getDepartmentMemberGroup());
        }
    }
}

```

```

    }
    return groups;
}

```

### 7.2.5 Group Language

The group language is composed of operands (union, intersection, difference and negation), the four logic leaf groups, and the UserGroup

```

(<group> | <group> | ..... )
(<group> & <group> & ..... )
(<group> - <group> - ..... )
!<group>
anyone
nobody
logged
anonymous
U(username1, username2, ...)

```

The dynamic groups are just an # followed by the name, for example:

```
#managers
```

A custom group is the operator, followed by the arguments between parenthesis:

```
<operator>(<arg1>, <arg2>, ...)
```

To obtain a group instance from the language use `Group.parse(String)` method, for example:

```
Group.parse("((dep(Sales) - U(john, mary)) | #managers)");
```

meaning everyone in the sales department, except john and mary or the managers

## 7.3 Rest Infrastructure

Bennu provides a small layer of integration with Jersey<sup>4</sup>. All **Resources** annotated with **@Path** will be automatically mapped to:

<sup>4</sup><https://jersey.java.net/>

```
/api/<module-name>/<rest-of-path>
```

To all **Resources** extending **JsonAwareResource** a mechanism for translating objects into json is also provided. Three families of methods are provided:

- **viewers**: turn objects into json
- **creators**: turn json into a new object of a given type
- **updaters**: apply the changes given in json format to a given object instance

These methods rely on a registry system of type translators. The registry is based on annotations: **JsonCreator<T>**, **JsonUpdater<T>**, **JsonViewer<T>**, or simply **JsonAdapter<T>** that extends the other three.

As an example, this is the adapter for the **Group** type:

```
@DefaultJsonAdapter(Group.class)
public class GroupJsonAdapter implements JsonAdapter<Group> {
    @Override
    public Group create(JsonElement json, JsonBuilder ctx) {
        return Group.parse(json.getAsJsonObject().get("expression").
            getAsString());
    }

    @Override
    public Group update(JsonElement json, Group obj, JsonBuilder ctx) {
        return Group.parse(json.getAsJsonObject().get("expression").
            getAsString());
    }

    @Override
    public JsonElement view(Group group, JsonBuilder ctx) {
        JsonObject object = new JsonObject();
        object.addProperty("expression", group.expression());
        object.addProperty("name", group.getPresentationName());
        object.addProperty("accessible", group.isMember(Authenticate.getUser()
            ));
        return object;
    }
}
```

With this defined, in a **JsonAwareResource** one could simply return:

```
return view(DynamicGroup.getInstance("managers"));
```

And the endpoint in question with return the json format of the **Group**.

The methods in the **JsonAwareResource** can be parameterized to use custom JsonAdapters.

## 7.4 Transactional IO

Bennu provides a way to handle files that are linked to the domain in a transactional way. There are two key concepts here - the **GenericFile**: a first class domain entity that can be related to anything you like and the **Storage**: an abstraction over different types of ways to store byte arrays, that handle the storing and fetching of the byte array content.

The basic domain model is:




Figure 7.1: IO Domain Model

Upon instantiating a **GenericFile** the system searches for the configuration that says on which **Storage** the byte array will be saved, then saves it keeping a link between the **GenericFile** and the **Storage**.

Here is an example **GenericFile** implementation:

```

public class Picture extends Picture_Base {
    public Picture(String filename, Group availability, byte[] content) {
        super();
        init(filename, filename, content);
        setAvailability(availability);
    }
}

```

## 7.5 Scheduling

In several web applications there is the need of running periodic tasks on the system. Benu provides a simple way of doing so. To create tasks that can be scheduled the developer needs to implement a **CronTask** and annotate it with **@Task**, like so:

```
@Task(englishTitle = "Logger_test")
public class LoggingTask extends CronTask {
    @Override
    public void runTask() {
        DateTime now = new DateTime();
        DateTime timestamp;
        do {
            timestamp = new DateTime();
            taskLog(timestamp.toString());
            try {
                Thread.sleep(1000);
            } catch (InterruptedException e) {
                e.printStackTrace();
            }
        } while (timestamp.isBefore(now.plusMinutes(1)));
    }
}
```

By default the task runs in write mode, to make it read-only change the annotation to:

```
@Task(englishTitle = "Logger_test", readOnly = true)
```

Inside the `runTask()` you can call methods annotated with `@Atomic(mode=TxMode.WRITE)` as in any other piece of code.

Configuring a task to run periodically is done in the application's interface specifying a crontab like schedule periodicity<sup>5</sup>

Alternatively to developing a task in the codebase there is the possibility of submitting your code directly in the interface to run immediatly. To do so extend **CustomTask** instead, without annotation:

```
public class LoggingTask extends CustomTask {
    @Override
    public void runTask() {
        ...
    }
}
```

---

<sup>5</sup><http://en.wikipedia.org/wiki/Cron>

```
    }  
}
```

And use the Custom Task submission interface.

## 7.6 Indexing and Search

Bennu provides a way to index and search domain entities, based on Lucene<sup>6</sup>. To make an indexable entity simply implement **Indexable** and **Searchable** interfaces. The **Indexable** is implemented by any entity that is able to provide index fields. The **Searchable** is implemented by any entity that when changed implies the recalculation of **Indexables**.

For example, to index users by email and username, annotate the class User with both interfaces and implement the methods in the following way:

```
public class User extends User_Base implements Indexable, Searchable {  
    public static enum UserIndexableFields implements IndexableField {  
        USERNAME, EMAIL;  
  
        @Override  
        public String getFieldName() {  
            return name().toLowerCase();  
        }  
    }  
  
    @Override  
    public IndexDocument getDocumentToIndex() {  
        IndexDocument index = new IndexDocument(this);  
        index.indexString(UserIndexableFields.USERNAME, getUsername());  
        if (getEmail() != null) {  
            index.indexString(UserIndexableFields.EMAIL, getEmail());  
        }  
        return index;  
    }  
  
    @Override  
    public Set<Indexable> getObjectsToIndex() {  
        return Collections.<Indexable> singleton(this);  
    }  
}
```

---

<sup>6</sup><https://lucene.apache.org>

To search start by creating a **Search** object, then using fluent methods, parameterize your search. Available parameterizations include:

- Tokenized input match
- Entire phrase input match
- Wildcard match
- Fuzzy matches
- Range queries

Every type of parameterization can include a field, that if not specified the search is done on all fields. Also, the parameterizations have an Occurrence value, one of: Must, Should, Must Not.

An example Search parameterization could be:

```
Search s = new Search().tokens(UserIndexableFields.USERNAME, "john", Occur.MUST).wildcard(UserIndexableFields.EMAIL, "*@gmail.com", Occur.MUST)
```

Meaning Users with username john with a gmail email.

Searches can also be sorted over several fields. To add a sort criteria continue using the fluent methods:

```
s.sort(UserIndexableFields.USERNAME, false) // false if for reverse
```

Finally after all parameterizations invoke:

```
List<User> matches = s.search(User.class);
```