



Tecnológico de Monterrey

Desarrollo de aplicaciones avanzadas de ciencias computacionales (Gpo 501)

Proyecto 1: Analizador Léxico

Sylvia Fernanda Colomo Fuente | A01781983

09 de abril 2024

Expresiones regulares

RE	Símbolos	Token Type
[0-9]	0,1,2,3,4,5,6,7,8,9	NUM
[A-Z]*[a-z]*	'a','b','c','d','e','f','g','h','i','j','k', 'l','m', 'n','o','p','q','r','s','t','u','v','w', 'x','y','z', 'A','B','C','D','E','F','G','H','I', 'J','K','L','M', 'N','O','P','Q','R','S','T','U','V', 'W','X','Y','Z'	ID
\+	+	PLUS
\-	-	MINUS
*	*	MULTI
\/	/	DIV
\(	(	LPAREN
\)	)	RPAREN
\<	<	LT
\>	>	RT
\<=	<=	LE
\>=	>=	RE
\=	=	EQ
\!=	!=	NEQ
\==	==	EE
\[	[	LBRACKET
\]	]	RBRACKET
\,	,	COMMA
\;	;	SEMICOLON

\{	{	LKEY
\}	}	RKEY
V*([s\S])*\\'+V	/* comentario con varios símbolos y caracteres*/	COMMENT

Para el DFA:

d siendo: digitos = ['0','1','2','3','4','5','6','7','8','9']

l siendo: letras = [

'a','b','c','d','e','f','g','h','i','j','k','l','m',

'n','o','p','q','r','s','t','u','v','w','x','y','z',

'A','B','C','D','E','F','G','H','I','J','K','L','M',

'N','O','P','Q','R','S','T','U','V','W','X','Y','Z'

]

s siendo: separadores = [' ', '\t', '\n', '\r']

sv siendo: simbolos_validos = ['+', '-', '*', '/', '(', ')', '[', ']', '{', '}', '<', '>', '=', '!', ',', ';']

[DFA](#) (link en DFA para una mejor visualización)

