

```
{  
  "statement": "PM10: 300 \r\n PM2.  
5: 100 \r\n O3: 180 \r\n SO2: 600 \r\n  
NO2: 900 \r\n CO: 15000 \r\n $\r\n "  
}
```

The screenshot displays a web browser's developer tools interface, specifically the Network tab. It shows an HTTP POST request to the URL `http://localhost:8080/calidad_aire`. The request body is a JSON object with a single key `"statement"` containing a string with air quality data and a dollar sign, separated by newlines. The response is a 200 OK status with a response time of 4 ms and a size of 245 B. The response body is a JSON object with a single key `"result"` containing a string indicating that the air quality is very bad and that alert measures should be taken.

HTTP `http://localhost:8080/calidad_aire` Save

POST `http://localhost:8080/calidad_aire` Send

Params Auth Headers (8) Body Pre-req. Tests Settings Cookies Beautify

raw JSON

```
1  
2  "statement": "PM10: 300 \r\n PM2.5: 100 \r\n O3: 180 \r\n SO2: 600 \r\n NO2: 900  
3    \r\n CO: 15000 \r\n $\r\n "
```

Body 200 OK 4 ms 245 B Save Response

Pretty Raw Preview Visualize JSON

```
1  
2  "result": "Calidad de aire muy mala, se recomienda tomar medidas de alerta \r\n"  
3
```

Nota: los “---” deben tener seguido los newlines (`\r\n`)

```
{
  "statement": "PM10: 45 \r\n PM2.5: 6 \r\n O3: 90
\r\n SO2: 20 \r\n NO2: 30 \r\n CO: 2 \r\n ---
\r\n PM10: 100 \r\n PM2.5: 20 \r\n O3: 120 \r\n SO
2: 140 \r\n NO2: 150 \r\n CO: 7500 \r\n ---
\r\n PM10: 300 \r\n PM2.5: 100 \r\n O3: 180 \r\n S
O2: 600 \r\n NO2: 900 \r\n CO: 15000 \r\n $\r\n "
}
```

The screenshot displays a REST client interface with a POST request to `http://localhost:8080/calidad_aire`. The request body is a JSON object with a `statement` field containing a multi-line string with air quality data and a dollar sign. The response is a 200 OK status with a body containing a `result` field with a multi-line string describing the air quality status.

HTTP `http://localhost:8080/calidad_aire` Save

POST `http://localhost:8080/calidad_aire` Send

Params Auth Headers (8) **Body** Pre-req. Tests Settings Cookies

raw JSON Beautify

```
1 {
2   "statement": "PM10: 45 \r\n PM2.5: 6 \r\n O3: 90 \r\n SO2: 20 \r\n NO2: 30 \r\n
CO: 2 \r\n ---\r\n PM10: 100 \r\n PM2.5: 20 \r\n O3: 120 \r\n SO2: 140 \r\n
NO2: 150 \r\n CO: 7500 \r\n ---\r\n PM10: 300 \r\n PM2.5: 100 \r\n O3: 180
\r\n SO2: 600 \r\n NO2: 900 \r\n CO: 15000 \r\n $\r\n "
3 }
```

Body 200 OK 150 ms 301 B Save Response

Pretty Raw Preview Visualize JSON Copy Search

```
1 {
2   "result": "Calidad de aire buena \r\nCalidad de aire aceptable \r\nCalidad de aire
muy mala, se recomienda tomar medidas de alerta \r\n"
3 }
```

Nota: los “---” deben tener seguido los newlines (`\r\n`)