ANSWER EACH QUESTION

1) Causes of software errors
include Select one:
a. Omission of required software system states
b. Omission system reaction to illegal operation
c. False definition of boundary conditions.
d. All of the above
2)You should applied the SQA actions in your graduation project.
Select one:
True
False False
3) The main characteristics of the environment of professional software development and maintenance are:
Select one:
a. Contractual conditions
b. All of the above
c. Interfaces with other software systems
d. Required teamwork
4) Direct objective of the corrective maintenance is the enhancement and improvement of existing software with respect to locally limited issues Select one:
True
<mark>False</mark>
5)Quality assurance activities are only a part of the total range of quality control activities.
Select one:
True
<mark>False</mark>
6)The fundamental differences between software products and other products are
Select one:
a. Software is of higher product complexity
b. visibility of software
c. the nature of the maintenance process
d. All of the above
7)The services of software maintenance fall into the following categories:
Select one:
a. Functionality improvement maintenance

b. Corrective maintenance

c. Adaptive maintenance

d. All of the above

8) Dimensions for correctness factor include

$\nabla \Delta$	∆∩t	on	Δ.

- a. The output mission
- b. The required accuracy of those outputs
- c. The completeness of the output information
- d. All of the above
- 9) The adaptation of software to other environments and it's interactions with, is delt by:

Select one:

- a. Product transition factors
- b. Products operation factors
- c. Product revision factors
- d. Product development factors
- 10) The software engineering activity that comes with an agreement between customers and engineers about the functions of the software to be developed and the constraints on its operation is:
 - a. Software Evolution
 - b. Software Testing
 - c. Software Specification
 - d. Software Development
- 11) The following is an example of testable quality requirement:

The system should be easy to use by teachers and should be organized in such a way that user errors are minimized.

Select one:

True

False

12) expressed in the appropriate measurable terms

Select one:

- a. Quality requirements
- b. Software maintenance
- c. None of the above
- d. Functional requirements
- 13) The fundamental process activities are used as separated process phases in :
 - a. Waterfall Model
 - b. Incremental Development Model
 - c. Reuse-oriented software engineering
 - d. All the above
- 14) The ISO 9000 family addresses only aspects of software quality management

Select one:

True

False

	one:
a.	Product development factors
b.	Product transition factors
C.	Products operation factors
d.	None of the above
(16مکرر	Quality assurance activities are part of the total range of quality control activities
Select c	one:
True	
False	
<mark>I7)</mark> The	establishment of a project team rather than assigning the project to one professional is motivated by
Select o	one or more:
<mark>a.</mark>	Timetable requirements
b.	The need for a variety of specializations in order to carry out the project.
C.	The wish to benefit from professional mutual support and review for the enhancement of project quality.
d.	Quality issues
<mark>18)</mark> The	process activities are used as process phases on existing components in :
a.	All the above
	Incremental Development Model
b.	meremental Development Woder
b. c.	Waterfall Model
C.	
c. <mark>d.</mark>	Waterfall Model
c. <mark>d.</mark>	Waterfall Model Reuse-oriented software engineering activities of software development and maintenance need to cope with:
c. <mark>d.</mark> 19)The Select c	Waterfall Model Reuse-oriented software engineering activities of software development and maintenance need to cope with:
c. <mark>d.</mark> 19)The Select c	Waterfall Model Reuse-oriented software engineering activities of software development and maintenance need to cope with: one:
c. <mark>d.</mark> 19)The Select c	Waterfall Model Reuse-oriented software engineering activities of software development and maintenance need to cope with: one: List of requirements
c. d. 19)The Select c a. b. c.	Waterfall Model Reuse-oriented software engineering activities of software development and maintenance need to cope with: one: List of requirements The project budget
c. d. 19)The Select c a. b. c. d.	Waterfall Model Reuse-oriented software engineering activities of software development and maintenance need to cope with: one: List of requirements The project budget The project timetable All of the above mple of flexibility requirements is
c. d. 19)The Select c a. b. c. d. 20)Exar Select c	Waterfall Model Reuse-oriented software engineering activities of software development and maintenance need to cope with: one: List of requirements The project budget The project timetable All of the above mple of flexibility requirements is
c. d. 19)The Select c a. b. c. d. 20)Exar Select c	Waterfall Model Reuse-oriented software engineering activities of software development and maintenance need to cope with: one: List of requirements The project budget The project timetable All of the above mple of flexibility requirements is one:
c. d. 19)The Select c a. b. c. d. 20)Exar Select c	Waterfall Model Reuse-oriented software engineering activities of software development and maintenance need to cope with: one: List of requirements The project budget The project timetable All of the above mple of flexibility requirements is one: None of the above
c. d. 19)The Select c a. b. c. d. 20)Exar Select c a. b. c.	Waterfall Model Reuse-oriented software engineering activities of software development and maintenance need to cope with: one: List of requirements The project budget The project timetable All of the above Mone of the above All of the above
c. d. 19)The Select of a. b. c. d. 20)Exar Select of a. b. c. d.	Waterfall Model Reuse-oriented software engineering activities of software development and maintenance need to cope with: one: List of requirements The project budget The project timetable All of the above mple of flexibility requirements is one: None of the above All of the above Storage capacity (GBytes, TBytes) Processing power (MIPS, MHz)
c. d. 19)The Select of a. b. c. d. 20)Exar Select of a. b. c. d.	Waterfall Model Reuse-oriented software engineering activities of software development and maintenance need to cope with: one: List of requirements The project budget The project timetable All of the above mple of flexibility requirements is one: None of the above Storage capacity (GBytes, TBytes) Processing power (MIPS, MHz) obile application which developed to operate in a android environment is required to allow low-cost transfer to IOS ments. This requirement is an example of:
c. d. 19)The Select of a. b. c. d. 20)Exar Select of a. d.	Waterfall Model Reuse-oriented software engineering activities of software development and maintenance need to cope with: one: List of requirements The project budget The project timetable All of the above mple of flexibility requirements is one: None of the above Storage capacity (GBytes, TBytes) Processing power (MIPS, MHz) obile application which developed to operate in a android environment is required to allow low-cost transfer to IOS ments. This requirement is an example of:
c. d. 19)The Select of a. b. c. d. 20)Exar Select of a. b. c. d.	Waterfall Model Reuse-oriented software engineering activities of software development and maintenance need to cope with: one: List of requirements The project budget The project timetable All of the above mple of flexibility requirements is one: None of the above All of the above Storage capacity (GBytes, TBytes) Processing power (MIPS, MHz) obile application which developed to operate in a android environment is required to allow low-cost transfer to IOS ments. This requirement is an example of:
c. d. 19)The Select of a. b. c. d. 20)Exar Select of a. b. c. d. Select of a. c. d.	Waterfall Model Reuse-oriented software engineering activities of software development and maintenance need to cope with: one: List of requirements The project budget The project timetable All of the above mple of flexibility requirements is one: None of the above All of the above Storage capacity (GBytes, TBytes) Processing power (MIPS, MHz) obile application which developed to operate in a android environment is required to allow low-cost transfer to IOS ments. This requirement is an example of: one: Testability requirement

15)The _____deals with those requirements that affect the complete range of software maintenance activities

22)Classify this errors to The causes of software errors which can be further classified as follows according to the stages of the software development process in which they occur.

Omission of software functions	Choose
Definitions that represent software requirements by means of erroneous algorithms	
Absence of vital requirements.	Choose
Failures to document and report detected errors and faults.	Choose

The correct answer is:

Omission of software functions → Deliberate deviations from software requirements,

Definitions that represent software requirements by means of erroneous algorithms → Logical design errors,

Absence of vital requirements. \rightarrow Faulty requirements definition, Failures to document and report detected errors and faults. \rightarrow Documentation errors

	23)SQA actions are for students whose Select one:
a.	Software defect
b.	Software fault
c.	none of the above
d.	Software testing
	24)Assuring that the software will meets the functional and quality requirements is one of quality control activities objectives Select one: True False
	25)Components are needed in order to assure the quality of the software development process and the maintenance services include:
	Select one:
	a. QA
	b. All of the above
	c. Documentations
	d. SQA

Q1) Software quality factors (6 Marks)

Read the following passage and answer questions

"The new version of our loan contract software is really accurate. We have already processed 1200 customer requests, and checked each of the output contracts. There were no errors. **But** we did face a severe unexpected problem – training a new staff member to use this software takes about two weeks. This is a real problem in customer departments suffering from high employee turnover

- a) What quality factor is missing
 - → Usability
- b) How can you reformulate requirements document in order to ensure the problem described above will not happen.
 - → User-Friendly Interface
 - → Training and Onboarding Support
 - → Efficient Workflow
 - → Feedback Mechanisms
 - → Usability Testing
- c) Explain the following factors: testability, portability, reusability
 - → testability: Testability requirements deal with the testing of an information system as well as with its operation.
 - → portability: Portability requirements tend to the adaptation of a software system to other environments consisting of different hardware, different operating systems, and so forth. It make possible to use the software in different SW and HW simultaneously.
 - → reusability: Reusability requirements deal with the use of software modules originally designed for one project in a new software project currently being developed.

Q2) Software quality assurance components (4 Marks)

- a) What are the main elements discussed in software quality plan. Explain each.
 - → 1. List of quality goals → Refers to the developed software quality requirements. The quality goals should reflect the major acceptance criteria indicated in the customer's requirement document (i.e., the RFP document). As such, quality goals serve as measures of the successful achievement of the customer's quality requirements.
 - \rightarrow 2. Review activities \rightarrow A list of all SDLC activities and deliverables to be reviewed to ensure that quality meets requirements
 - →3. Software tests → The quality plan should provide a complete list of planned software tests, with the following designated for each test
 - →4. Acceptance tests for software externally developed → A complete list of the acceptance tests planned for externally developed software should be provided within the quality plan
 - →5. Configuration management tools and procedures → The quality plan should specify configuration management tools and procedures, including those change-control procedures meant to be applied throughout the project.
- b) In the software project life cycle component, a **review** is one component to ensure software quality. List and explain two other components
 - → Expert opinions: Expert opinions support quality assessment efforts by introducing additional external capabilities into the organization's in-house development process.
 - →Software testing: formal SQA components that are used to review the actual running of the software.
- c) What are templates and checklists? How can they contribute to wards the improvement of software quality?
 - → templates and checklists: One way to combine higher quality with higher efficiency is to use supporting quality devices
 - → Saving the time required to define the structure of the various documents or prepare lists of subjects to be reviewed.
 - → Contributing to the completeness of the documents and reviews. → Improving communication between development team and review committee members by standardizing documents and agendas.

Q3) Software Quality Planning and control (6 Marks)

- a) Define **Quality control** and **Quality assurance**. Give an example for each one.
 - → Quality control: a set of activities for ensuring quality in software products. The activities focus on identifying defects in the actual products produced.
 - → Example Quality control: Reviews
 - → Quality assurance: a set of activities for ensuring quality in software engineering processes (that ultimately result in quality in software products). The activities establish and evaluate the processes that produce products.
 - → Example Quality assurance: Training
- b) "After Mohammad finished the preparation of testing plans for the hotel booking application, he has given a copy of the plan to his colleague Ali to review the plan and list his comments or concerns" what do we call this type of review ? Is there another review type ?
 - →Peer Review
 - → Another type: Technical Review" or "Inspection"
- c) What is software document sign-off
 - → Software or documents may be 'signed off' at a review which signifies that progress to the next development stage has been approved by management.

Classify this errors to The causes of software errors which can be further classified as follows according to the stages of the software development process in which they occur.

- 1. Absence of vital requirements.
 - → Faulty requirements definition
- 2. Due to time or budget pressures, the developer decides to omit part of therequired functions in an attempt to cope with these pressures.
 - → Deliberate deviations from software requirements
- 3. Definitions that represent software requirements by means of erroneous algorithms.
 - → Logical design errors
- 4. Incomplete test plans leave untreated portions of the software or the application functions and states of the system.
 - →Shortcomings of the testing process
- 5. Failures to document and report detected errors and faults.
 - → Documentation errors
- 6. Omission of software functions
 - → Deliberate deviations from software requirements"
- 7. Erroneous definition of boundary conditions
 - → Faulty requirements definition
- 8. Individuals replacing the "non-complying" team member.
 - → Client-developer communication failures
- 9. Process definitions that contain sequencing errors
 - → Faulty requirements definition
- 10. Misunderstanding of the client's responses to the design problems
 - → Client-developer communication failures

 -The objective of ISO-9000 family of Quality management is a. Customer satisfaction b. Employee satisfaction c. Skill enhancement d. Environmental issues (Ans:a)
2Total Quality Management (TQM) focuses on a. Employee b. Customer c. Both (a) and (b) d. None of the above (Ans:c)
3Which of the following is responsible for quality objective? a. Top level management b. Middle level management c. Frontline management d. All of the above (Ans:a)
 4. Software engineers don't strive to control the a. process applied b. resources expended c.end product quality attributes d. None of the above (Ans:d)
 5. The degree to which a system, component, or process meets specified requirements is definition of. a) Software quality b) Quality assurance c) quality attributes d) None of the above (Ans:A)
 6. A systematic, planned set of actions necessary to provide adequate confidence that the software development process or the maintenance process of a software system product conforms to established functional technical requirements as well as with the managerial requirements of keeping the schedule and operating within the budgetary confines. a. Software quality b. Quality assurance c.quality attributes d. None of the above (Ans:B)
 7. M. Software quality can be seen from different perspectives Complete requirement is the: a. Customer b. Project manager c. Maintenance engineer d. User e. (Ans: A)
8. M. Defects in software products can be detected by sight True False

0	9. Quality assurance activities are part of the total range of quality control activities True
0	False 10. M. Some software faults end with software failures True
	False
	11. M.Contract review activities include: A. Clarification and documentation of the customer's requirements b. Evaluation of the professional staff's capacity to carry out the proposed project c.All of the above d.Review of the project's schedule and resource requirement estimates 12. M provide detailed directions for the use of methods that are applied in unique instances and employed by specialized teams a.Work instructions b.Configuration management C.None of the above d. QA procedures 13. M.The main components of software project life cycle component are: a.Expert opinions b.Software testing c.All of the above
	d.Reviews
	14. Quality checklists are used to: a. Ensure that Quality Assurance steps were followed b. Keep quality inspectors busy c. Inform upper management where failures occur d. Prevent project audits
	15. Documentation and data on existing products are the examples of External inputs Internal inputs Other inputs None of the above options
_	16. m.The main objective of the Peer review process is
0	 a.To suggest improvements to SQA components. b.to detect as many design and programming faults as possible
	c.to issue the DR report
	Od.To detect deviations from SQA procedures and methodology

Mid Exam:

- 1)The degree to which a system, component, or process meets the customer or user needs or expectations, which are the specified functional and non-functional requirements is called:
- a. Software Validation
- b. SQA
- c. Software Quality
- d. Software Testing
- 2) The factors included in McCall's factor model are grouped into categories namely:

Select one:

- a. Operation Revision, Reusability
- b. Correctness, Reliability, Efficiency
- c. Operation, Revision, Transition
- d. Operation Revision, Transition, Testability
- 3) The project needs development and quality plans that are

Select one:

- a. based on proposal materials
- b. more comprehensive than the approved proposal
- c. Include additional subjects, absent from the approved proposal.
- d. All of the above
- 4) Components are needed in order to assure the quality of the software development process and the maintenance services include:

Select one:

- a. QA
- b. SOA
- c. Documentations
- d. All of the above
- 5) deal with those requirements that affect the complete range of software maintenance activities Select one:
- a. Product transition factors
- b. Product development factors
- c. Products operation factors
- d. None of the above
- 6) Example of flexibility requirements is

Select one

- a. Processing power (MIPS, MHz)
- b. All of the above
- c. None of the above
- d. Storage capacity (GBytes, TBytes)
- 7) The 11 factors included in McCall's factor model are grouped into three categories namely Select one:
- a. Operation, Revision, Transition
- b. Operation, Revision, Reusability
- c. Maintainability, Flexibility, Testability
- d. Correctness, Reliability, Efficiency

8) Design review activities include: Select one: a. All of the above b. Evaluation of the professional staff's capacity to carry out the proposed project c. Clarification and documentation of the customer's requirements d. Review of the project's schedule and resource requirement estimates e. None of the above	
 9)deals with the adaptation of software to other environments and it's interaction with Select one: a. Product transition factors b. Product development factors c. Product revision factors d. Products operation factors 	
10)supports quality assessment efforts by introducing additional external capabilities into the organization's in-house development process Select one: a. Expert opinion b. Formal Design Review c. Peer review d. All of the above	
11) The main issues treated in quality plan are: Select one a. Required manpower and hardware resources b. None of the above c. Risk evaluations d. Schedules	
12) the human components include Select one: a. Software testing personnel b. The organization's management C. SQA units d. All of the above	
13)is formal SQA components that are used to review the actual running of the software: Select one: a. Software testing b. Functionality improvement maintenance c. Peer review d. Adaptive maintenance	
14) the results of the DR report are Select one: a. Immediate approval b. Conditional approval c. Additional DR is required d. All of the above	

15) The main components of The development life cycle stage are Select one: a. All of the above b. Software testing C. Reviews d. Expert opinions
16) Software tests examine: Select one! a. All of the above b. Integration c. Entire system d. Modules
17) A systematic, planned set of actions necessary to provide adequate confidence that the software development process or the maintenance process of a software system product conforms to established functional and non functional requirements, is called: a. Software Validation b. SQA c. Software Quality d. Software Testing