Question 3 Answer saved Marked out of 2 Remove flag	In iOS, graphics, audio, and video technology are enabled using the Media Layer. Select one: True False
Question 4 Answer saved Marked out of	In Andriod,provides the basic system functions such as process management, memory management and device management
F Flag question	O a. DVM
1	b. Linux Kernel
	O c. Libraries
	O d. Application Framework
	Clear my choice

Question **5**Answer saved
Marked out of 2

Remove flag

The Framework used to save, track, modify and filter the data within iOS apps, called?

- oa. Core data Framework
- b. Core Foundation framework
- oc. UIKit Framework
- Od. Core Information Framework

Clear my choice

Question **6**Answer saved
Marked out of 2

∀ Flag
 question

In one of the Fundamental security design principles, the design should minimize the functions shared by different users, providing mutual security. This called?

- o a. least common mechanism
- O b. Fail-safe defaults
- O c. Economy of mechanism
- d. least privilege

Question 7 Answer saved Marked out of 2 Flag question	In Andriod, Libraries are (Objective-C, C) libraries build specific for android operating system. Select one: True False
Question 8	the "Economy of Mechanism" principle means that The design of security measures should be as complex as
Answer saved	possible in order to reduce the system vulnerabilities.
Marked out of	
P Flag	Select one:
question	○ True
	False

Question 9 Answer saved Marked out of 2 Flag question	A unique identification number(IMEI) helps identify a device and makes it different from all other mobiles across the globe Select one: True False
Question 10 Answer saved Marked out of 2 Flag question	Apple's iOS is considered an open ecosystem Select one: O True
	False

Question 10 Answer saved Marked out of 2 Flag question	Apple's iOS is considered an open ecosystem Select one: True False
Question 11 Answer saved Marked out of 2 ** Flag question	When using "Just in Time" compiler, each time your app is run, a part of .dex file is converted dynamically Select one: True False
Question 12 Answer saved Marked out of 2 Flag question	Rooting the smartphone enables the user to delete system kernels for his/her smartphone !!! Select one: True False

Question 13	
Answer saved	
Marked out of 2	
₹ Flag	

The higher layers in iOS provide the basic services and the lower layers provide the user interface and sophisticated graphics.

Select one:

- True
- False

Question 14
Answer saved
Marked out of

₹ Flag question

question

In iOS, A Framework used to talking with and controlling connected devices in a user's home (smart home).

- oa. Cloud Kit framework
- O b. Healthkit framework
- O c. Core Foundation framework
- o d. Homekit framework

Question 15
Answer saved
Marked out of 2

Flag

question

Smartphone manufacturers won't allow users to uninstall those preinstalled apps on their devices. Rooting a device can make them removed easily, which ensures high running quality.

Select one:

- True
- O False

Question 16
Answer saved
Marked out of

2

Flag
 question

One of the fundamental security design principles is the use of multiple, overlapping protection approaches. This principle called :

- a. Layering
- O b. Encapsulation
- O c. Modularity
- O d. Isolation

AOT or "Ahead-of-Time" compiler compiles the source code into machine code during runtime Select one: True False
The PIN is classified as :
a. KBAb. PBA

O c. BBA

O d. UIA



How a service provider (e.g., Google, Facebook) could use "Digital Avatar" to predict what a user interest in to target him by ads.



Google and Facebook have a "Digital Avatar" of everyone, that tries to replicate their behavior with the help of machine-learning methods.

At some point, the "Digital Avatar" becomes so much like them that it starts to predict what they want.

Question 20
Answer saved
Marked out of 2

Flag
question

In iOS, the MapKit Framework – is Apple's framework for developers to obtain the geographic location and orientation of the device

Select one:

True

O False

Question 21
Answer saved
Marked out of

♥ Flag
 question

When a mobile app stores any passwords or shared secrets locally on the device, this device is most likely suffers from

- a. Insecure authentication
- b. Insufficient cryptography
- O c. Insecure Data
- O d. bad cod quality

Clear my choice

Question 22
Answer saved
Marked out of
2

2 F Flag question If a developer accidentally includes a password as a comment in a hybrid app. This risk could be classified under:

- oa. Brute force attack
- O b. Code Tampering
- c. Extraneous Functionality
- O d. obfuscation tools

Question 23
Answer saved
Marked out of
2

₹ Flag

question

An Andriod is an open-source platform, Does this make it secure! (discuss)



Yes, of course.

Being open-source means that (theoretically) 7.6 Billion people may be able to develop and improve the features and security of the Android OS, rather than the couple thousands working at Apple.

Question 24
Answer saved
Marked out of
2

∀ Flag
 question

If the app uses a weak cryptography algorithm, this could cause:

- O a. Insecure Communication
- b. Insufficient cryptography
- O c. Insecure Authentication
- O d. Insecure Data

Question 1
Answer saved
Marked out of 2

r Remove

In iOS, a framework that you'll use most often when developing iOS applications. It defines the core components of an iOS application, from labels and buttons to table views and navigation controllers

- o. Cloud Kit framework
- O b. Homekit framework
- o c. UlKit Framework
- O d. DesignKit framework

Clear my choice

Question 2
Answer saved
Marked out of
2

P Flag

O True

question • False

In iOS, Accelerate Framework reports motion- and environment-related data from the onboard hardware of iOS devices, including from the accelerometers

Select one: