Cloning the development branch

```
$ git clone -b development git@github.com:ferdouseraya/pixel_pros.git
Cloning into 'pixel_pros'...
Enter passphrase for key '/c/Users/BJIT/.ssh/id_rsa':
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Receiving objects: 100% (3/3), done.
BJIT@DESKTOP-3N9TI6I MINGW64 ~/Desktop/classes/gitExam (master)
$ cd pixal_pros
bash: cd: pixal_pros: No such file or directory
BJIT@DESKTOP-3N9TI6I MINGW64 ~/Desktop/classes/gitExam (master)
$ 1s
pixel_pros/
BJIT@DESKTOP-3N9TI6I MINGW64 ~/Desktop/classes/gitExam (master)
$ cd pixel_pros
BJIT@DESKTOP-3N9TI6I MINGW64 ~/Desktop/classes/gitExam/pixel_pros (development)
$ git branch
```

Creating new repo

```
BJIT@DESKTOP-3N9TI6I MINGW64 ~/Desktop/classes/gitExam/pixel_pros (development)

$ git branch sabbir

BJIT@DESKTOP-3N9TI6I MINGW64 ~/Desktop/classes/gitExam/pixel_pros (development)

$ git branch

* development
    sabbir
```

Pulling development

```
BJIT@DESKTOP-3N9TI6I MINGW64 ~/Desktop/classes/gitExam/pixel_pros (sabbir)

$ git checkout development
Switched to branch 'development'
Your branch is behind 'origin/development' by 1 commit, and can be fast-forwarde
d.

(use "git pull" to update your local branch)

BJIT@DESKTOP-3N9TI6I MINGW64 ~/Desktop/classes/gitExam/pixel_pros (development)
$ git pull
Enter passphrase for key '/c/Users/BJIT/.ssh/id_rsa':
Updating 7a6dcc7..0116936
Fast-forward
README.md | 10 ++++++++-
1 file changed, 9 insertions(+), 1 deletion(-)

BJIT@DESKTOP-3N9TI6I MINGW64 ~/Desktop/classes/gitExam/pixel_pros (development)
$ |
```

```
-----group member task 2 -----
## Development Technology
<h3>Front-End:</h3>
- HTML, CSS, JavaScript <br>>
- React (Front-end framework) <br>
- Map integration libraries (e.g., Leaflet) for location-based features <br>
- Responsive design for mobile and desktop devices <br>
<h3>Back-End:</h3>
2. Express.js (Web application frameworks) <br>
3. MongoDB or PostgreSQL (Database management) <br/> <br/>br>
4. Geocoding APIs (for mapping and location data) <br/> <br/>br>
## Features
- <b>Search:</b> Easily search for dining establishments based on location,
cuisine, price
range, and more. <br>
- <b>Restaurant Profiles:</b> Detailed profiles for each restaurant,
including information
about the cuisine, operating hours, contact details, and customer reviews.


    - <b>Menus:</b> Access to digital menus, helping users explore dishes before

visiting the
restaurant.<br>
- <b>Reviews and Ratings:</b> Read and write reviews and ratings to share
experiences with
the community.<br>>
- <b>Map Integration:</b> Integration with mapping services to provide
directions to the
selected restaurant.<br>

    <b>User Accounts: </b> Create accounts to save favourite restaurants,

track dining history,
and receive personalized recommendations.<br>
<i>i>[Click](https://bjitacademy.com/) here for more details.</i>
```

//accepting



Status

Contact GitHub

Local marge conflict resolve

```
BJIT@DESKTOP-3N9TI6I MINGW64 ~/Desktop/classes/gitExam/pixel_pros (sabbir)

$ git add .

BJIT@DESKTOP-3N9TI6I MINGW64 ~/Desktop/classes/gitExam/pixel_pros (sabbir)

$ git commit -m "txt added" -m "added my task in redme.md file" -m "task no #2"

[sabbir 8eb0e5a] txt added

1 file changed, 29 insertions(+), 1 deletion(-)

BJIT@DESKTOP-3N9TI6I MINGW64 ~/Desktop/classes/gitExam/pixel_pros (sabbir)

$ git merge development

Auto-merging README.md

CONFLICT (content): Merge conflict in README.md

Automatic merge failed; fix conflicts and then commit the result.
```