

Cucumber Report

8 Dec 2023, 10:31:33

Start : Dec 08, 10:30:27.619 am

End : Dec 08, 10:31:30.552 am

Duration : 1 m 2.933 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 6
SKIPPED - 0

PASSED - 0
FAILED - 6
SKIPPED - 18




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>search_feature</u>	1 m 2.933 s	6	0	6	0	24	0	6	18

Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@parameterizing1	6	0	6	0	1	0	1	0
@test_runner	6	0	6	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>search_feature</u>	6	0	6	0	1 m 2.933 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>search_feature</u>	<u>TC01_iphone_search</u>	4	0	1	3	15.981 s
2	<u>search_feature</u>	<u>TC02_tesla_search</u>	4	0	1	3	9.209 s
3	<u>search_feature</u>	<u>TC03_bmw_search</u>	4	0	1	3	9.180 s
4	<u>search_feature</u>	<u>TC04_apple_search</u>	4	0	1	3	9.079 s
5	<u>search_feature</u>	<u>TC05_nio_search</u>	4	0	1	3	9.056 s
6	<u>search_feature</u>	<u>TC06_pineapple_search</u>	4	0	1	3	9.986 s

search_feature

FAILED	DURATION - 1 m 2.933 s	Scenarios Total - 6 Pass - 0 Fail - 6 Skip - 0		Steps Total - 24 Pass - 0 Fail - 6 Skip - 18	
/ 10:30:27.619 am // 10:31:30.552 am /					



TC01_iphone_search

FAILED	DURATION - 15.981 s		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 10:30:27.629 am // 10:30:43.610 am /				
search_feature				
@parameterizing1 @test_runner				

#	Step / Hook Details	Status	Duration
1	<p>Given user navigates to "https://www.google.com"</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 120.0.6099.71 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'BEKIRS_ASUS', ip: '192.168.1.154' Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.17' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}]]</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:227) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:154) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:107) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:87)</p>	FAILED	10.980 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:82) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:50) at utilities.Driver.getDriver(Driver.java:39) at stepdefinitions.CommonStepDefs.user_navigates_to(CommonStepDefs.java:22) at ?.user navigates to "https://www.google.com"(file:///C:/Users/dzhey/IdeaProjects/mycucumberproject/src/test/resources/features/day27_parameterizing_with_double_quote.feature:5) * Not displayable characters are replaced by '?'.		
2	And user search for "iPhone"	SKIPPED	0.004 s
3	Then verify the page title contains "iPhone"	SKIPPED	0.001 s
4	Then close the application	SKIPPED	0.001 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	4.932 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 120.0.6099.71 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'BEKIRS_ASUS', ip: '192.168.1.154' Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.17' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}]}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:227) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:154) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:107) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:87) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:82) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:50) at utilities.Driver.getDriver(Driver.java:39) at hooks.Hooks.tearDown(Hooks.java:22)		



TC02_tesla_search

<div>FAILED</div> <div>DURATION - 9.209 s</div>		<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
/ 10:30:43.782 am // 10:30:52.991 am /				
search_feature				
@parameterizing1 @test_runner				

#	Step / Hook Details	Status	Duration
1	<p>Given user navigates to "https://www.google.com"</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 120.0.6099.71 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'BEKIRS_ASUS', ip: '192.168.1.154' Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.17' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}]]</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:227) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:154) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:107) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:87) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:82) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:50) at utilities.Driver.getDriver(Driver.java:39) at stepdefinitions.CommonStepDefs.user_navigates_to(CommonStepDefs.java:22) at ?.user navigates to "https://www.google.com"(file:///C:/Users/dzhey/IdeaProjects/mycucumberproject/src/test/resources/features/day27_parameterizing_with_double_quote.feature:5) * Not displayable characters are replaced by '?'.</p>	FAILED	4.810 s
2	And user search for "tesla"	SKIPPED	0.003 s
3	Then verify the page title contains "tesla"	SKIPPED	0.002 s
4	Then close the application	SKIPPED	0.005 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	4.342 s

#	Step / Hook Details	Status	Duration
	<p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 120.0.6099.71 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'BEKIRS_ASUS', ip: '192.168.1.154' Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.17' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}]]</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:227) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:154) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:107) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:87) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:82) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:50) at utilities.Driver.getDriver(Driver.java:39) at hooks.Hooks.tearDown(Hooks.java:22)</p>		

TC03_bmw_search



FAILED	DURATION - 9.180 s		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 10:30:53.098 am // 10:31:02.278 am /				
search_feature				
@parameterizing1 @test_runner				

#	Step / Hook Details	Status	Duration
1	<p>Given user navigates to "https://www.google.com"</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 120.0.6099.71 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'BEKIRS_ASUS', ip: '192.168.1.154' Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.17' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-</p>	FAILED	4.462 s

#	Step / Hook Details	Status	Duration
	<pre>allow-origins=*], extensions: [{}]]] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:227) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:154) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:107) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:87) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:82) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:50) at utilities.Driver.getDriver(Driver.java:39) at stepdefinitions.CommonStepDefs.user_navigates_to(CommonStepDefs.java:22) at ?.user navigates to "https://www.google.com"(file:///C:/Users/dzhey/IdeaProjects/mycucumberproject/.src/test/resources/features/day27_parameterizing_with_double_quote.feature:5) * Not displayable characters are replaced by '?'. </pre>		
2	And user search for "bmw"	SKIPPED	0.001 s
3	Then verify the page title contains "bmw"	SKIPPED	0.000 s
4	Then close the application	SKIPPED	0.002 s
	<p>AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)</p> <pre>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 120.0.6099.71 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'BEKIRS_ASUS', ip: '192.168.1.154' Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.17' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: [{}]]}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:227) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:154) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:107) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:87) </pre>	FAILED	4.699 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:82) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:50) at utilities.Driver.getDriver(Driver.java:39) at hooks.Hooks.tearDown(Hooks.java:22)		



TC04_apple_search

<div>FAILED</div> <div>DURATION - 9.079 s</div>		<div><table><thead><tr><th>Step</th><th>Count</th></tr></thead><tbody><tr><td>1</td><td>1</td></tr><tr><td>2</td><td>0</td></tr><tr><td>3</td><td>0</td></tr><tr><td>4</td><td>0</td></tr></tbody></table></div> <div><div>Steps</div><div>Total - 4</div><div>Pass - 0</div><div>Fail - 1</div><div>Skip - 3</div></div> <div><div>4</div></div>	Step	Count	1	1	2	0	3	0	4	0
Step	Count											
1	1											
2	0											
3	0											
4	0											
<div>/ 10:31:02.318 am // 10:31:11.397 am /</div>												
<div>search_feature</div>												
<div>@parameterizing1 @test_runner</div>												

#	Step / Hook Details	Status	Duration
1	Given user navigates to "https://www.google.com" org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 120.0.6099.71 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'BEKIRS_ASUS', ip: '192.168.1.154' Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.17' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}]}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:227) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:154) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:107) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:87) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:82) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:50) at utilities.Driver.getDriver(Driver.java:39) at stepdefinitions.CommonStepDefs.user_navigates_to(CommonStepDefs.java:22)	FAILED	4.655 s

#	Step / Hook Details	Status	Duration
	at ?.user navigates to "https://www.google.com"(file:///C:/Users/dzhey/IdeaProjects/mycucumberproject/.src/test/resources/features/day27_parameterizing_with_double_quote.feature:5) * Not displayable characters are replaced by '?'.		
2	And user search for "apple"	SKIPPED	0.001 s
3	Then verify the page title contains "apple"	SKIPPED	0.001 s
4	Then close the application	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 120.0.6099.71 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'BEKIRS_ASUS', ip: '192.168.1.154' Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.17' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}]}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:227) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:154) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:107) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:87) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:82) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:50) at utilities.Driver.getDriver(Driver.java:39) at hooks.Hooks.tearDown(Hooks.java:22)	FAILED	4.394 s



TC05_nio_search

FAILED DURATION - 9.056 s / 10:31:11.434 am // 10:31:20.490 am / search_feature @parameterizing1 @test_runner		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
---	--	---	---

#	Step / Hook Details	Status	Duration
1	<p>Given user navigates to "https://www.google.com"</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 120.0.6099.71 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'BEKIRS_ASUS', ip: '192.168.1.154' Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.17' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}]]</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:227) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:154) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:107) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:87) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:82) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:50) at utilities.Driver.getDriver(Driver.java:39) at stepdefinitions.CommonStepDefs.user_navigates_to(CommonStepDefs.java:22) at ?.user navigates to "https://www.google.com"(file:///C:/Users/dzhey/IdeaProjects/mycucumberproject/.src/test/resources/features/day27_parameterizing_with_double_quote.feature:5) * Not displayable characters are replaced by '?'.</p>	FAILED	4.637 s
2	And user search for "nio"	SKIPPED	0.001 s
3	Then verify the page title contains "nio"	SKIPPED	0.000 s
4	Then close the application	SKIPPED	0.001 s
	<p>AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 120.0.6099.71 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'BEKIRS_ASUS', ip: '192.168.1.154' Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.17' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}]]</p> <p>at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)</p>	FAILED	4.386 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:227) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:154) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:107) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:87) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:82) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:50) at utilities.Driver.getDriver(Driver.java:39) at hooks.Hooks.tearDown(Hooks.java:22) </pre>		

TC06_pineapple_search

FAILED	DURATION - 9.986 s		Steps Total - 4 Pass - 0 Fail - 1 Skip - 3	
/ 10:31:20.566 am // 10:31:30.552 am /				
search_feature				
@parameterizing1 @test_runner				

#	Step / Hook Details	Status	Duration
1	<p>Given user navigates to "https://www.google.com"</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 120.0.6099.71 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'BEKIRS_ASUS', ip: '192.168.1.154' Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.17' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}]}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:227) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:154) </pre>	FAILED	4.301 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:107) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:87) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:82) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:50) at utilities.Driver.getDriver(Driver.java:39) at stepdefinitions.CommonStepDefs.user_navigates_to(CommonStepDefs.java:22) at ?.user navigates to "https://www.google.com"(file:///C:/Users/dzhey/IdeaProjects/mycucumberproject/src/test/resources/features/day27_parameterizing_with_double_quote.feature:5) * Not displayable characters are replaced by '?'. </pre>		
2	And user search for "pine apple"	SKIPPED	0.001 s
3	Then verify the page title contains "pine apple"	SKIPPED	0.001 s
4	Then close the application	SKIPPED	0.002 s
	<p>AFTER - hooks.Hooks.tearDown(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 114 Current browser version is 120.0.6099.71 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Host info: host: 'BEKIRS_ASUS', ip: '192.168.1.154' Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.17' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}]] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:140) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:96) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:68) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:163) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:227) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:154) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:107) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:87) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:82) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:50) at utilities.Driver.getDriver(Driver.java:39) at hooks.Hooks.tearDown(Hooks.java:22) </pre>	FAILED	5.671 s