

Meteor Alignments for System-1

Reference top row
Hypothesis left column
Matches identified by color and symbol

Color spectrum follows reference word order

Match Type	
Exact	●
Stem / Synonym / Paraphrase	○

Key: match markers for sentences

	hold	the	cup	under	the	nozzle	.
hold	•						
the		•					
cup			•				
of							
espresso							
below				o			
the					•		
hot							
water							
nozzle						•	
.							•

Segment 42

P: 0.576
R: 0.960
Frag: 0.506
Score: 0.431

	hold	the	cup	under	the	nozzle	.
hold	•						
the		•					
cup			•				
of							
espresso							
below				o			
the					•		
hot							
water							
nozzle						•	
.							•

Segment 43

P: 0.576
R: 0.960
Frag: 0.506
Score: 0.431

	hold	the	cup	under	the	nozzle	.
hold	•						
the		•					
cup			•				
of							
espresso							
below				o			
the					•		
hot							
water							
nozzle						•	
.							•

Segment 44

P: 0.576
R: 0.960
Frag: 0.506
Score: 0.431

		pull	the	handle	up	to	fill	the	cup	.
hold				o						
the								•		
cup									•	
below										
the		•								
spout										
.										•

Segment 39

P: 0.560
R: 0.494
Frag: 0.574
Score: 0.214

	pull	the	handle	up	to	fill	the	cup	.
hold			o						
the							•		
cup								•	
below									
the		•							
spout									
.									•

Segment 40

P: 0.560
 R: 0.494
 Frag: 0.574
 Score: 0.214

	pull	the	handle	up	to	fill	the	cup	.
hold			o						
the							•		
cup								•	
below									
the		•							
spout									
.									•

Segment 41

P: 0.560
 R: 0.494
 Frag: 0.574
 Score: 0.214

	pull	the	trigger	to	spray	.
pull	•					
down						
on						
the		•				
left						
dispenser						
's						
lever						
to				•		
fill						
the						
cup						
to						
the						
desired						
level						
.						•

Segment 4

P:	0.171
R:	0.500
Frag:	0.600
Score:	0.155

	pull	the	trigger	to	spray	.
pull	•					
down						
on						
the		•				
left						
dispenser						
's						
lever						
to				•		
fill						
the						
cup						
to						
the						
desired						
level						
.						•

Segment 5

P: 0.171
R: 0.500
Frag: 0.600
Score: 0.155

	pull	the	trigger	to	spray	.
pull	•					
down						
on						
the		•				
left						
dispenser						
's						
lever						
to				•		
fill						
the						
cup						
to						
the						
desired						
level						
.						•

Segment 6

P:	0.171
R:	0.500
Frag:	0.600
Score:	0.155

	press	the	button	on	top	of	the	tank	to	flush	.
pull											
down											
on				•							
the	•										
left											
dispenser											
's											
lever											
to									•		
fill											
the						•					
cup											
to											
the											
desired											
level										o	
.											•

Segment 63

P:	0.211
R:	0.352
Frag:	0.579
Score:	0.135

	press	the	button	on	top	of	the	tank	to	flush	.
pull											
down											
on				•							
the	•										
left											
dispenser											
's											
lever											
to									•		
fill											
the							•				
cup											
to											
the											
desired											
level										o	
.											•

Segment 64

P: 0.211
R: 0.352
Frag: 0.579
Score: 0.135

	press	the	button	on	top	of	the	tank	to	flush	.
pull											
down											
on				•							
the	•										
left											
dispenser											
's											
lever											
to									•		
fill											
the						•					
cup											
to											
the											
desired											
level										o	
.											•

Segment 65

P:	0.211
R:	0.352
Frag:	0.579
Score:	0.135

	press	the	button	on	top	of	the	tank	to	flush	.
pull											
down											
on				•							
the	•										
left											
dispenser											
's											
lever											
to									•		
fill											
the						•					
cup											
to											
the											
desired											
level										o	
.										•	

Segment 66

P: 0.211
R: 0.352
Frag: 0.579
Score: 0.135

	turn	the	handle	towards	you	to	start	filling	the	cup	.
pull											
the		•									
handle			•								
up											
to						•					
open											
the									•		
waffle											
maker											
.											•

Segment 53

P: 0.350
R: 0.304
Frag: 0.574
Score: 0.132

	turn	the	handle	towards	you	to	start	filling	the	cup	.
pull											
the		•									
handle			•								
up											
to						•					
open											
the									•		
waffle											
maker											
.											•

Segment 54

P: 0.350
R: 0.304
Frag: 0.574
Score: 0.132

	turn	the	handle	towards	you	to	start	filling	the	cup	.
pull											
the		•									
handle			•								
up											
to						•					
open											
the									•		
waffle											
maker											
.											•

Segment 55

P: 0.350
R: 0.304
Frag: 0.574
Score: 0.132

	turn	the	handle	towards	you	to	start	filling	the	cup	.
pull											
the		•									
handle			•								
up											
to						•					
open											
the									•		
waffle											
maker											
.											•

Segment 56

P: 0.350
R: 0.304
Frag: 0.574
Score: 0.132

	turn	the	handle	towards	you	to	start	filling	the	cup	.
pull											
the		•									
handle			•								
up											
to						•					
open											
the									•		
waffle											
maker											
.											•

Segment 57

P: 0.350
R: 0.304
Frag: 0.574
Score: 0.132

	turn	the	handle	counterclockwise	to	unlock	the	cooker	.
hold			o						
the		•							
cup									
of									
espresso									
below									
the							•		
hot									
water									
nozzle									
.									•

Segment 13

P: 0.216
R: 0.284
Frag: 0.600
Score: 0.109

	turn	the	handle	counterclockwise	to	unlock	the	cooker	.
hold			o						
the		•							
cup									
of									
espresso									
below									
the							•		
hot									
water									
nozzle									
.									•

Segment 14

P: 0.216
R: 0.284
Frag: 0.600
Score: 0.109

	turn	the	handle	counterclockwise	to	unlock	the	cooker	.
hold			o						
the		•							
cup									
of									
espresso									
below									
the							•		
hot									
water									
nozzle									
.									•

Segment 15

P: 0.216
R: 0.284
Frag: 0.600
Score: 0.109

	turn	the	handle	counterclockwise	to	unlock	the	cooker	.
hold			o						
the		•							
cup									
of									
espresso									
below									
the							•		
hot									
water									
nozzle									
.									•

Segment 16

P: 0.216
R: 0.284
Frag: 0.600
Score: 0.109

	turn	the	handle	counterclockwise	to	unlock	the	cooker	.
hold			o						
the		•							
cup									
of									
espresso									
below									
the							•		
hot									
water									
nozzle									
.									•

Segment 17

P: 0.216
R: 0.284
Frag: 0.600
Score: 0.109

	press	the	button	to	turn	the	range	hood	on	.
pull										
down										
on									•	
the		•								
right										
dispenser										
's										
lever										
to				•						
fill										
the						•				
cup										
.										•

Segment 30

P: 0.185
R: 0.250
Frag: 0.600
Score: 0.095

	press	the	button	to	turn	the	range	hood	on	.
pull										
down										
on									•	
the		•								
right										
dispenser										
's										
lever										
to				•						
fill										
the						•				
cup										
.										•

Segment 31

P: 0.185
R: 0.250
Frag: 0.600
Score: 0.095

	press	the	button	to	turn	the	range	hood	on	.
pull										
down										
on									•	
the		•								
right										
dispenser										
's										
lever										
to				•						
fill										
the						•				
cup										
.										•

Segment 32

P: 0.185
R: 0.250
Frag: 0.600
Score: 0.095

	press	the	button	to	turn	the	range	hood	on	.
pull										
down										
on									•	
the		•								
right										
dispenser										
's										
lever										
to				•						
fill										
the						•				
cup										
.										•

Segment 33

P: 0.185
R: 0.250
Frag: 0.600
Score: 0.095

	press	the	button	to	turn	the	range	hood	on	.
pull										
down										
on									•	
the		•								
right										
dispenser										
's										
lever										
to				•						
fill										
the						•				
cup										
.										•

Segment 34

P: 0.185
R: 0.250
Frag: 0.600
Score: 0.095

	press	the	button	to	turn	the	range	hood	on	.
pull										
down										
on									•	
the		•								
right										
dispenser										
's										
lever										
to				•						
fill										
the						•				
cup										
.										•

Segment 35

P: 0.185
R: 0.250
Frag: 0.600
Score: 0.095

	press	the	button	to	turn	the	range	hood	on	.
pull										
down										
on									•	
the		•								
right										
dispenser										
's										
lever										
to				•						
fill										
the						•				
cup										
.										•

Segment 36

P: 0.185
R: 0.250
Frag: 0.600
Score: 0.095

	press	the	button	to	turn	the	range	hood	on	.
pull										
down										
on									•	
the		•								
right										
dispenser										
's										
lever										
to				•						
fill										
the						•				
cup										
.										•

Segment 37

P: 0.185
R: 0.250
Frag: 0.600
Score: 0.095

	press	the	button	to	turn	the	range	hood	on	.
pull										
down										
on									•	
the		•								
right										
dispenser										
's										
lever										
to				•						
fill										
the						•				
cup										
.										•

Segment 38

P: 0.185
R: 0.250
Frag: 0.600
Score: 0.095

	turn	the	knob	clockwise	to	the	desired	heat	.
pull									
down									
on									
the		•							
right									
dispenser									
's									
lever									
to					•				
fill									
the						•			
cup									
.									•

Segment 23

P: 0.148
R: 0.211
Frag: 0.600
Score: 0.079

	turn	the	knob	clockwise	to	the	desired	heat	.
pull									
down									
on									
the		•							
right									
dispenser									
's									
lever									
to					•				
fill									
the						•			
cup									
.									•

Segment 24

P: 0.148
R: 0.211
Frag: 0.600
Score: 0.079

	turn	the	knob	clockwise	to	the	desired	heat	.
pull									
down									
on									
the		•							
right									
dispenser									
's									
lever									
to					•				
fill									
the						•			
cup									
.									•

Segment 25

P: 0.148
R: 0.211
Frag: 0.600
Score: 0.079

	turn	the	knob	clockwise	to	the	desired	heat	.
pull									
down									
on									
the		•							
right									
dispenser									
's									
lever									
to					•				
fill									
the						•			
cup									
.									•

Segment 26

P: 0.148
R: 0.211
Frag: 0.600
Score: 0.079

	turn	the	knob	clockwise	to	the	desired	heat	.
pull									
down									
on									
the		•							
right									
dispenser									
's									
lever									
to					•				
fill									
the						•			
cup									
.									•

Segment 27

P: 0.148
R: 0.211
Frag: 0.600
Score: 0.079

	turn	the	knob	clockwise	to	the	desired	heat	.
pull									
down									
on									
the		•							
right									
dispenser									
's									
lever									
to					•				
fill									
the						•			
cup									
.									•

Segment 28

P: 0.148
R: 0.211
Frag: 0.600
Score: 0.079

	turn	the	knob	clockwise	to	the	desired	heat	.
pull									
down									
on									
the		•							
right									
dispenser									
's									
lever									
to					•				
fill									
the						•			
cup									
.									•

Segment 29

P: 0.148
R: 0.211
Frag: 0.600
Score: 0.079

	press	the	button	to	open	the	lid	.	
hold									
the		•							
cup									
below									
the						•			
spout									
.								•	

Segment 18

P: 0.200
R: 0.188
Frag: 0.600
Score: 0.076

	press	the	button	to	open	the	lid	.	
hold									
the		•							
cup									
below									
the						•			
spout									
.								•	

Segment 19

P: 0.200
R: 0.188
Frag: 0.600
Score: 0.076

	press	the	button	to	open	the	lid	.	
hold									
the		•							
cup									
below									
the						•			
spout									
.								•	

Segment 20

P: 0.200
R: 0.188
Frag: 0.600
Score: 0.076

	press	the	button	to	open	the	lid	.	
hold									
the		•							
cup									
below									
the						•			
spout									
.								•	

Segment 21

P: 0.200
R: 0.188
Frag: 0.600
Score: 0.076

	press	the	button	to	open	the	lid	.	
hold									
the		•							
cup									
below									
the						•			
spout									
.								•	

Segment 22

P: 0.200
R: 0.188
Frag: 0.600
Score: 0.076

	hold	the	cup	below	the	spout	.
in							
an							
emergency							
,							
hit							
the		•					
push							
button							
in							
the					•		
back							
.							•

Segment 58

P: 0.136
R: 0.200
Frag: 0.600
Score: 0.075

	hold	the	cup	below	the	spout	.
in							
an							
emergency							
,							
hit							
the		•					
push							
button							
in							
the					•		
back							
.							•

Segment 59

P: 0.136
R: 0.200
Frag: 0.600
Score: 0.075

	hold	the	cup	below	the	spout	.
in							
an							
emergency							
,							
hit							
the		•					
push							
button							
in							
the					•		
back							
.							•

Segment 60

P: 0.136
R: 0.200
Frag: 0.600
Score: 0.075

	hold	the	cup	below	the	spout	.
in							
an							
emergency							
,							
hit							
the		•					
push							
button							
in							
the					•		
back							
.							•

Segment 61

P: 0.136
R: 0.200
Frag: 0.600
Score: 0.075

	hold	the	cup	below	the	spout	.
in							
an							
emergency							
,							
hit							
the		•					
push							
button							
in							
the					•		
back							
.							•

Segment 62

P: 0.136
R: 0.200
Frag: 0.600
Score: 0.075

	pull	the	handle	down	and	then	towards	you	to	open	the	door	.
push													
on													
the		•											
bar													
until													
the											•		
cup													
is												o	
full													
.													•

Segment 49

P: 0.180
R: 0.178
Frag: 0.600
Score: 0.071

	pull	the	handle	down	and	then	towards	you	to	open	the	door	.
push													
on													
the		•											
bar													
until													
the											•		
cup													
is												o	
full													
.													•

Segment 50

P: 0.180
R: 0.178
Frag: 0.600
Score: 0.071

	hold	paper	towel	in	front	of	the	nozzle	.
pull									
down									
on									
the							•		
left									
dispenser									
's									
lever									
to									
fill									
the									
cup									
to									
the									
desired									
level					o				
.								•	

Segment 1

P: 0.109
R: 0.200
Frag: 0.600
Score: 0.071

	hold	paper	towel	in	front	of	the	nozzle	.
pull									
down									
on									
the							•		
left									
dispenser									
's									
lever									
to									
fill									
the									
cup									
to									
the									
desired									
level					o				
.									•

Segment 2

P:	0.109
R:	0.200
Frag:	0.600
Score:	0.071

	hold	paper	towel	in	front	of	the	nozzle	.
pull									
down									
on									
the							•		
left									
dispenser									
's									
lever									
to									
fill									
the									
cup									
to									
the									
desired									
level					o				
.									•

Segment 3

P:	0.109
R:	0.200
Frag:	0.600
Score:	0.071

	turn	the	lock	clockwise	to	unlock	the	door	.
hold									
the		•							
cup									
below									
the							•		
spout									
.									•

Segment 51

P: 0.200
R: 0.158
Frag: 0.600
Score: 0.065

	turn	the	lock	clockwise	to	unlock	the	door	.
hold									
the		•							
cup									
below									
the							•		
spout									
.									•

Segment 52

P: 0.200
R: 0.158
Frag: 0.600
Score: 0.065

	press	down	on	the	pump	.
hold						
the				•		
cup						
below						
the						
spout						
.						•

Segment 45

P: 0.133
R: 0.167
Frag: 0.600
Score: 0.064

	press	down	on	the	pump	.
hold						
the				•		
cup						
below						
the						
spout						
.						•

Segment 46

P: 0.133
R: 0.167
Frag: 0.600
Score: 0.064

	press	down	on	the	pump	.
hold						
the				•		
cup						
below						
the						
spout						
.						•

Segment 47

P: 0.133
R: 0.167
Frag: 0.600
Score: 0.064

	press	down	on	the	pump	.
hold						
the				•		
cup						
below						
the						
spout						
.						•

Segment 48

P: 0.133
R: 0.167
Frag: 0.600
Score: 0.064

	turn	the	knob	clockwise	to	the	desired	heat	.
push									
down									
on									
the		•							
right									
lever									
to					•				
dispense									
cold									
water									
.									•

Segment 7

P: 0.120
R: 0.158
Frag: 0.600
Score: 0.060

	turn	the	knob	clockwise	to	the	desired	heat	.
push									
down									
on									
the		•							
right									
lever									
to					•				
dispense									
cold									
water									
.									•

Segment 8

P: 0.120
R: 0.158
Frag: 0.600
Score: 0.060

	turn	the	knob	clockwise	to	the	desired	heat	.
push									
down									
on									
the		•							
right									
lever									
to					•				
dispense									
cold									
water									
.									•

Segment 9

P: 0.120
R: 0.158
Frag: 0.600
Score: 0.060

	turn	the	knob	clockwise	to	the	desired	heat	.
push									
down									
on									
the		•							
right									
lever									
to					•				
dispense									
cold									
water									
.									•

Segment 10

P: 0.120
R: 0.158
Frag: 0.600
Score: 0.060

	turn	the	knob	clockwise	to	the	desired	heat	.
push									
down									
on									
the		•							
right									
lever									
to					•				
dispense									
cold									
water									
.									•

Segment 11

P: 0.120
R: 0.158
Frag: 0.600
Score: 0.060

	turn	the	knob	clockwise	to	the	desired	heat	.
push									
down									
on									
the		•							
right									
lever									
to					•				
dispense									
cold									
water									
.									•

Segment 12

P: 0.120
R: 0.158
Frag: 0.600
Score: 0.060