

# Meteor Alignments for System-1

Reference top row  
Hypothesis left column  
Matches identified by color and symbol  
  
Color spectrum follows reference word order

Match Type	
Exact	●
Stem / Synonym / Paraphrase	○

Key: match markers for sentences

	press	down	on	the	pump	.
push	o					
down		•				
on			•			
the				•		
lever						
to						
begin						
toasting						
.						•

Segment 45

P: 0.442  
R: 0.700  
Frag: 0.500  
Score: 0.322

	press	down	on	the	pump	.
push	o					
down		•				
on			•			
the				•		
lever						
to						
begin						
toasting						
.						•

Segment 46

P: 0.442  
R: 0.700  
Frag: 0.500  
Score: 0.322

	press	down	on	the	pump	.
push	o					
down		•				
on			•			
the				•		
lever						
to						
begin						
toasting						
.						•

Segment 47

P: 0.442  
R: 0.700  
Frag: 0.500  
Score: 0.322

	press	down	on	the	pump	.
push	o					
down		•				
on			•			
the				•		
lever						
to						
begin						
toasting						
.						•

Segment 48

P: 0.442  
R: 0.700  
Frag: 0.500  
Score: 0.322

	turn	the	handle	towards	you	to	start	filling	the	cup	.
hold			o								
the									•		
cup										•	
below											
the		•									
nozzle											
.											•

Segment 59

---

P:	0.560
R:	0.365
Frag:	0.574
Score:	0.164

	turn	the	handle	towards	you	to	start	filling	the	cup	.
hold			o								
the									•		
cup										•	
below											
the		•									
nozzle											
.											•

Segment 60

P: 0.560  
R: 0.365  
Frag: 0.574  
Score: 0.164

	turn	the	handle	towards	you	to	start	filling	the	cup	.
hold			o								
the									•		
cup										•	
below											
the		•									
nozzle											
.											•

Segment 61

P: 0.560  
R: 0.365  
Frag: 0.574  
Score: 0.164



	turn	the	handle	towards	you	to	start	filling	the	cup	.
hold			o								
the									•		
cup										•	
below											
the		•									
nozzle											
.											•

Segment 62

P: 0.560  
R: 0.365  
Frag: 0.574  
Score: 0.164

	turn	the	handle	towards	you	to	start	filling	the	cup	.
hold			o								
the									•		
cup										•	
below											
the		•									
nozzle											
.											•

Segment 63

P: 0.560  
R: 0.365  
Frag: 0.574  
Score: 0.164

	hold	the	cup	below	the	spout	.
press							
down							
on							
the		•					
stapler							
's							
handle	o						
.							•

Segment 64

P: 0.275  
R: 0.293  
Frag: 0.600  
Score: 0.116

	hold	the	cup	below	the	spout	.
press							
down							
on							
the		•					
stapler							
's							
handle	o						
.							•

Segment 65

P: 0.275  
R: 0.293  
Frag: 0.600  
Score: 0.116

	hold	the	cup	below	the	spout	.
press							
down							
on							
the		•					
stapler							
's							
handle	o						
.							•

Segment 66

P: 0.275  
R: 0.293  
Frag: 0.600  
Score: 0.116

	hold	the	cup	below	the	spout	.
press							
down							
on							
the		•					
stapler							
's							
handle	o						
.							•

Segment 67

P: 0.275  
R: 0.293  
Frag: 0.600  
Score: 0.116

	hold	the	cup	below	the	spout	.
press							
down							
on							
the		•					
stapler							
's							
handle	o						
.							•

Segment 68

P: 0.275  
R: 0.293  
Frag: 0.600  
Score: 0.116

	press	the	button	to	turn	the	range	hood	on	.
pull										
up										
on									•	
the		•								
handle										
to				•						
fill										
the						•				
cup										
.										•

Segment 36

P:

0.278

R:

0.250

Frag:

0.600

Score:

0.102



	press	the	button	to	turn	the	range	hood	on	.
pull										
up										
on									•	
the		•								
handle										
to				•						
fill										
the						•				
cup										
.										•

Segment 37

P: 0.278  
R: 0.250  
Frag: 0.600  
Score: 0.102

	press	the	button	to	turn	the	range	hood	on	.
pull										
up										
on									•	
the		•								
handle										
to				•						
fill										
the						•				
cup										
.										•

Segment 38

P: 0.278  
R: 0.250  
Frag: 0.600  
Score: 0.102

	press	the	button	to	turn	the	range	hood	on	.
pull										
up										
on									•	
the		•								
handle										
to				•						
fill										
the						•				
cup										
.										•

Segment 39

P: 0.278  
R: 0.250  
Frag: 0.600  
Score: 0.102

	press	the	button	to	turn	the	range	hood	on	.
pull										
up										
on									•	
the		•								
handle										
to				•						
fill										
the						•				
cup										
.										•

Segment 40

P: 0.278  
R: 0.250  
Frag: 0.600  
Score: 0.102

	press	the	button	to	turn	the	range	hood	on	.
pull										
up										
on									•	
the		•								
handle										
to				•						
fill										
the						•				
cup										
.										•

Segment 41

P: 0.278  
R: 0.250  
Frag: 0.600  
Score: 0.102

	press	the	button	to	turn	the	range	hood	on	.
pull										
up										
on									•	
the		•								
handle										
to				•						
fill										
the						•				
cup										
.										•

Segment 42

P: 0.278  
R: 0.250  
Frag: 0.600  
Score: 0.102

	press	the	button	to	turn	the	range	hood	on	.
pull										
up										
on									•	
the		•								
handle										
to				•						
fill										
the						•				
cup										
.										•

Segment 43

P: 0.278  
R: 0.250  
Frag: 0.600  
Score: 0.102

	press	the	button	to	turn	the	range	hood	on	.	
pull											
up											
on									•		
the		•									
handle											
to				•							
fill											
the						•					
cup											
.										•	

Segment 44

P: 0.278  
R: 0.250  
Frag: 0.600  
Score: 0.102



	pull	the	trigger	to	spray	.
push						
down						
on						
the		•				
lever						
to				•		
begin						
toasting						
.						•

Segment 4

P: 0.158  
R: 0.250  
Frag: 0.600  
Score: 0.092

	pull	the	trigger	to	spray	.
push						
down						
on						
the		•				
lever						
to				•		
begin						
toasting						
.						•

Segment 5

P: 0.158  
R: 0.250  
Frag: 0.600  
Score: 0.092

	pull	the	trigger	to	spray	.
push						
down						
on						
the		•				
lever						
to				•		
begin						
toasting						
.						•

Segment 6

P: 0.158  
R: 0.250  
Frag: 0.600  
Score: 0.092

	turn	the	knob	clockwise	to	the	desired	heat	.
pull									
up									
on									
the		•							
handle									
to					•				
fill									
the						•			
cup									
.									•

Segment 18

P:	0.222
R:	0.211
Frag:	0.600
Score:	0.085

	turn	the	knob	clockwise	to	the	desired	heat	.
pull									
up									
on									
the		•							
handle									
to					•				
fill									
the						•			
cup									
.									•

Segment 19

P:	0.222
R:	0.211
Frag:	0.600
Score:	0.085

	turn	the	knob	clockwise	to	the	desired	heat	.
pull									
up									
on									
the		•							
handle									
to					•				
fill									
the						•			
cup									
.									•

Segment 20

P:	0.222
R:	0.211
Frag:	0.600
Score:	0.085

	turn	the	knob	clockwise	to	the	desired	heat	.
pull									
up									
on									
the		•							
handle									
to					•				
fill									
the						•			
cup									
.									•

Segment 21

P: 0.222  
R: 0.211  
Frag: 0.600  
Score: 0.085

	turn	the	knob	clockwise	to	the	desired	heat	.
pull									
up									
on									
the		•							
handle									
to					•				
fill									
the						•			
cup									
.									•

Segment 22

P: 0.222  
R: 0.211  
Frag: 0.600  
Score: 0.085



	turn	the	knob	clockwise	to	the	desired	heat	.	
pull										
up										
on										
the		•								
handle										
to					•					
fill										
the						•				
cup										
.										•

Segment 23

P:	0.222
R:	0.211
Frag:	0.600
Score:	0.085

	turn	the	knob	clockwise	to	the	desired	heat	.
push									
down									
on									
the		•							
lever									
to					•				
begin									
toasting									
.									•

Segment 29

P: 0.158  
R: 0.158  
Frag: 0.600  
Score: 0.063

	turn	the	knob	clockwise	to	the	desired	heat	.
push									
down									
on									
the		•							
lever									
to					•				
begin									
toasting									
.									•

Segment 30

P:	0.158
R:	0.158
Frag:	0.600
Score:	0.063

	turn	the	knob	clockwise	to	the	desired	heat	.
push									
down									
on									
the		•							
lever									
to					•				
begin									
toasting									
.									•

Segment 31

P: 0.158  
R: 0.158  
Frag: 0.600  
Score: 0.063

	turn	the	knob	clockwise	to	the	desired	heat	.
push									
down									
on									
the		•							
lever									
to					•				
begin									
toasting									
.									•

Segment 32

P:	0.158
R:	0.158
Frag:	0.600
Score:	0.063

	turn	the	knob	clockwise	to	the	desired	heat	.
push									
down									
on									
the		•							
lever									
to					•				
begin									
toasting									
.									•

Segment 33

P: 0.158  
R: 0.158  
Frag: 0.600  
Score: 0.063

	turn	the	knob	clockwise	to	the	desired	heat	.
push									
down									
on									
the		•							
lever									
to					•				
begin									
toasting									
.									•

Segment 34

P: 0.158  
R: 0.158  
Frag: 0.600  
Score: 0.063

	turn	the	knob	clockwise	to	the	desired	heat	.
push									
down									
on									
the		•							
lever									
to					•				
begin									
toasting									
.									•

Segment 35

P: 0.158  
R: 0.158  
Frag: 0.600  
Score: 0.063



	turn	the	knob	the	clockwise	.
press						
the				•		
emergency						
stop						
button						
to						
directly						
remove						
power						
to						
actuators						
of						
robot						
.						•

Segment 49

P: 0.062  
R: 0.167  
Frag: 0.600  
Score: 0.053

	turn	the	knob	the	clockwise	.
press						
the				•		
emergency						
stop						
button						
to						
directly						
remove						
power						
to						
actuators						
of						
robot						
.						•

Segment 50

P: 0.062  
R: 0.167  
Frag: 0.600  
Score: 0.053

	turn	the	knob	the	clockwise	.
press						
the				•		
emergency						
stop						
button						
to						
directly						
remove						
power						
to						
actuators						
of						
robot						
.						•

Segment 51

P: 0.062  
R: 0.167  
Frag: 0.600  
Score: 0.053

	turn	the	knob	the	clockwise	.
press						
the				•		
emergency						
stop						
button						
to						
directly						
remove						
power						
to						
actuators						
of						
robot						
.						•

Segment 52

P: 0.062  
R: 0.167  
Frag: 0.600  
Score: 0.053

	turn	the	knob	the	clockwise	.
press						
the				•		
emergency						
stop						
button						
to						
directly						
remove						
power						
to						
actuators						
of						
robot						
.						•

Segment 53

P: 0.062  
R: 0.167  
Frag: 0.600  
Score: 0.053

	press	down	on	the	space	bar	once	.
lift								
up								
the				•				
handle								
to								
fill								
the								
cup								
.								•

Segment 7

P: 0.118  
R: 0.111  
Frag: 0.600  
Score: 0.045

	press	down	on	the	space	bar	once	.
lift								
up								
the				•				
handle								
to								
fill								
the								
cup								
.								•

Segment 8

P: 0.118  
R: 0.111  
Frag: 0.600  
Score: 0.045

	press	down	on	the	space	bar	once	.
lift								
up								
the				•				
handle								
to								
fill								
the								
cup								
.								•

Segment 9

P: 0.118  
R: 0.111  
Frag: 0.600  
Score: 0.045



	press	down	on	the	space	bar	once	.
lift								
up								
the				•				
handle								
to								
fill								
the								
cup								
.								•

Segment 10

P: 0.118  
R: 0.111  
Frag: 0.600  
Score: 0.045

	press	down	on	the	space	bar	once	.
lift								
up								
the				•				
handle								
to								
fill								
the								
cup								
.								•

Segment 11

P: 0.118  
R: 0.111  
Frag: 0.600  
Score: 0.045

	press	down	on	the	space	bar	once	.
lift								
up								
the				•				
handle								
to								
fill								
the								
cup								
.								•

Segment 12

P: 0.118  
R: 0.111  
Frag: 0.600  
Score: 0.045

	press	down	on	the	space	bar	once	.
lift								
up								
the				•				
handle								
to								
fill								
the								
cup								
.								•

Segment 13

P: 0.118  
R: 0.111  
Frag: 0.600  
Score: 0.045

	hold	paper	towel	in	front	of	the	nozzle	.	
push										
down										
on										
the							•			
lever										
to										
begin										
toasting										
.									•	

Segment 1

P: 0.105  
R: 0.105  
Frag: 0.600  
Score: 0.042

	hold	paper	towel	in	front	of	the	nozzle	.
push									
down									
on									
the							•		
lever									
to									
begin									
toasting									
.									•

Segment 2

P: 0.105  
R: 0.105  
Frag: 0.600  
Score: 0.042

	hold	paper	towel	in	front	of	the	nozzle	.	
push										
down										
on										
the							•			
lever										
to										
begin										
toasting										
.									•	

Segment 3

P: 0.105  
R: 0.105  
Frag: 0.600  
Score: 0.042

	flip	the	switch	downward	into	the	off	position	.
press									
down									
on									
the		•							
handle									
to									
dispense									
coffee									
.									•

Segment 24

P: 0.105  
R: 0.105  
Frag: 0.600  
Score: 0.042



	flip	the	switch	downward	into	the	off	position	.
press									
down									
on									
the		•							
handle									
to									
dispense									
coffee									
.									•

Segment 25

P: 0.105  
R: 0.105  
Frag: 0.600  
Score: 0.042

	flip	the	switch	downward	into	the	off	position	.
press									
down									
on									
the		•							
handle									
to									
dispense									
coffee									
.									•

Segment 26

P: 0.105  
R: 0.105  
Frag: 0.600  
Score: 0.042

	flip	the	switch	downward	into	the	off	position	.
press									
down									
on									
the		•							
handle									
to									
dispense									
coffee									
.									•

Segment 27

P: 0.105  
R: 0.105  
Frag: 0.600  
Score: 0.042

	flip	the	switch	downward	into	the	off	position	.
press									
down									
on									
the		•							
handle									
to									
dispense									
coffee									
.									•

Segment 28

P: 0.105  
R: 0.105  
Frag: 0.600  
Score: 0.042

	rotate	the	speaker	knob	clockwise	until	it	clicks	.
push									
down									
on									
the		•							
lever									
to									
begin									
toasting									
.									•

Segment 14

P: 0.105  
R: 0.095  
Frag: 0.600  
Score: 0.039

	rotate	the	speaker	knob	clockwise	until	it	clicks	.
push									
down									
on									
the		•							
lever									
to									
begin									
toasting									
.									•

Segment 15

P: 0.105  
R: 0.095  
Frag: 0.600  
Score: 0.039

	rotate	the	speaker	knob	clockwise	until	it	clicks	.
push									
down									
on									
the		•							
lever									
to									
begin									
toasting									
.									•

Segment 16

P: 0.105  
R: 0.095  
Frag: 0.600  
Score: 0.039

	rotate	the	speaker	knob	clockwise	until	it	clicks	.
push									
down									
on									
the		•							
lever									
to									
begin									
toasting									
.									•

Segment 17

P: 0.105  
R: 0.095  
Frag: 0.600  
Score: 0.039



	hold	the	cup	steady	under	the	end	of	the	spout	.
push											
down											
on											
the		•									
left											
lever											
to											
dispense											
hot											
water											
.											•

Segment 54

P: 0.080  
R: 0.087  
Frag: 0.600  
Score: 0.034

	hold	the	cup	steady	under	the	end	of	the	spout	.
push											
down											
on											
the		•									
left											
lever											
to											
dispense											
hot											
water											
.											•

Segment 55

P: 0.080  
R: 0.087  
Frag: 0.600  
Score: 0.034

	hold	the	cup	steady	under	the	end	of	the	spout	.
push											
down											
on											
the		•									
left											
lever											
to											
dispense											
hot											
water											
.											•

Segment 56

P: 0.080  
R: 0.087  
Frag: 0.600  
Score: 0.034

	hold	the	cup	steady	under	the	end	of	the	spout	.
push											
down											
on											
the		•									
left											
lever											
to											
dispense											
hot											
water											
.											•

Segment 57

P: 0.080  
R: 0.087  
Frag: 0.600  
Score: 0.034

	hold	the	cup	steady	under	the	end	of	the	spout	.
push											
down											
on											
the		•									
left											
lever											
to											
dispense											
hot											
water											
.											•

Segment 58

P: 0.080  
R: 0.087  
Frag: 0.600  
Score: 0.034