

Meteor Alignments for System-1

Reference top row
Hypothesis left column
Matches identified by color and symbol

Color spectrum follows reference word order

Match Type	
Exact	●
Stem / Synonym / Paraphrase	○

Key: match markers for sentences

	press	the	button	to	open	the	lid	.
to				•				
turn								
roomba								
on								
,								
press	•							
clean								
button			•					
once								
.								•

Segment 18

P: 0.364
R: 0.500
Frag: 0.600
Score: 0.189

	press	the	button	to	open	the	lid	.
to				•				
turn								
roomba								
on								
,								
press	•							
clean								
button			•					
once								
.								•

Segment 19

P: 0.364
R: 0.500
Frag: 0.600
Score: 0.189

	press	the	button	to	open	the	lid	.
to				•				
turn								
roomba								
on								
,								
press	•							
clean								
button			•					
once								
.								•

Segment 20

P: 0.364
R: 0.500
Frag: 0.600
Score: 0.189

	press	the	button	to	open	the	lid	.
to				•				
turn								
roomba								
on								
,								
press	•							
clean								
button			•					
once								
.								•

Segment 21

P: 0.364
R: 0.500
Frag: 0.600
Score: 0.189

	press	the	button	to	open	the	lid	.
to				•				
turn								
roomba								
on								
,								
press	•							
clean								
button			•					
once								
.								•

Segment 22

P:

0.364

R:

0.500

Frag:

0.600

Score:

0.189

	pull	the	trigger	to	spray	.
pull	•					
down						
on						
the		•				
right						
dispenser						
's						
lever						
to				•		
fill						
the						
cup						
.						•

Segment 4

P: 0.222
R: 0.500
Frag: 0.600
Score: 0.168

	pull	the	trigger	to	spray	.
pull	•					
down						
on						
the		•				
right						
dispenser						
's						
lever						
to				•		
fill						
the						
cup						
.						•

Segment 5

P: 0.222
R: 0.500
Frag: 0.600
Score: 0.168

	pull	the	trigger	to	spray	.
pull	•					
down						
on						
the		•				
right						
dispenser						
's						
lever						
to				•		
fill						
the						
cup						
.						•

Segment 6

P: 0.222
R: 0.500
Frag: 0.600
Score: 0.168

	turn	the	handle	counterclockwise	to	unlock	the	cooker	.
rotate									
the		•							
valve									
counterclockwise				•					
to					•				
close									
the							•		
valve									
.									•

Segment 13

P:	0.368
R:	0.368
Frag:	0.574
Score:	0.157

	turn	the	handle	counterclockwise	to	unlock	the	cooker	.
rotate									
the		•							
valve									
counterclockwise				•					
to					•				
close									
the							•		
valve									
.									•

Segment 14

P:	0.368
R:	0.368
Frag:	0.574
Score:	0.157

	turn	the	handle	counterclockwise	to	unlock	the	cooker	.
rotate									
the		•							
valve									
counterclockwise				•					
to					•				
close									
the							•		
valve									
.									•

Segment 15

P:	0.368
R:	0.368
Frag:	0.574
Score:	0.157

	turn	the	handle	counterclockwise	to	unlock	the	cooker	.
rotate									
the		•							
valve									
counterclockwise				•					
to					•				
close									
the							•		
valve									
.									•

Segment 16

P:	0.368
R:	0.368
Frag:	0.574
Score:	0.157

	turn	the	handle	counterclockwise	to	unlock	the	cooker	.
rotate									
the		•							
valve									
counterclockwise				•					
to					•				
close									
the							•		
valve									
.									•

Segment 17

P: 0.368
R: 0.368
Frag: 0.574
Score: 0.157

	press	down	on	the	pump	.
to						
turn						
roomba						
on			•			
,						
press	•					
clean						
button						
once						
.						•

Segment 45

P: 0.227
R: 0.417
Frag: 0.600
Score: 0.148

	press	down	on	the	pump	.
to						
turn						
roomba						
on			•			
,						
press	•					
clean						
button						
once						
.						•

Segment 46

P: 0.227
R: 0.417
Frag: 0.600
Score: 0.148

	press	down	on	the	pump	.
to						
turn						
roomba						
on			•			
,						
press	•					
clean						
button						
once						
.						•

Segment 47

P: 0.227
R: 0.417
Frag: 0.600
Score: 0.148

	press	down	on	the	pump	.
to						
turn						
roomba						
on			•			
,						
press	•					
clean						
button						
once						
.						•

Segment 48

P: 0.227
R: 0.417
Frag: 0.600
Score: 0.148

	turn	the	handle	towards	you	to	start	filling	the	cup	.
push											
on											
the		•									
handle			•								
to						•					
dispense											
the									•		
soap											
.											•

Segment 53

P: 0.412
R: 0.304
Frag: 0.574
Score: 0.135

	turn	the	handle	towards	you	to	start	filling	the	cup	.
push											
on											
the		•									
handle			•								
to						•					
dispense											
the									•		
soap											
.											•

Segment 54

P: 0.412
R: 0.304
Frag: 0.574
Score: 0.135

	turn	the	handle	towards	you	to	start	filling	the	cup	.
push											
on											
the		•									
handle			•								
to						•					
dispense											
the									•		
soap											
.											•

Segment 55

P: 0.412
R: 0.304
Frag: 0.574
Score: 0.135

	turn	the	handle	towards	you	to	start	filling	the	cup	.
push											
on											
the		•									
handle			•								
to						•					
dispense											
the									•		
soap											
.											•

Segment 56

P: 0.412
R: 0.304
Frag: 0.574
Score: 0.135

	turn	the	handle	towards	you	to	start	filling	the	cup	.
push											
on											
the		•									
handle			•								
to						•					
dispense											
the									•		
soap											
.											•

Segment 57

P: 0.412
R: 0.304
Frag: 0.574
Score: 0.135

	hold	the	cup	under	the	nozzle	.
pull							
down							
on							
the		•					
right							
handle	o						
to							
dispense							
the					•		
coffee							
.							•

Segment 42

P: 0.235
R: 0.360
Frag: 0.600
Score: 0.133

	hold	the	cup	under	the	nozzle	.
pull							
down							
on							
the		•					
right							
handle	o						
to							
dispense							
the					•		
coffee							
.							•

Segment 43

P: 0.235
R: 0.360
Frag: 0.600
Score: 0.133

	hold	the	cup	under	the	nozzle	.
pull							
down							
on							
the		•					
right							
handle	o						
to							
dispense							
the					•		
coffee							
.							•

Segment 44

P: 0.235
R: 0.360
Frag: 0.600
Score: 0.133

	hold	the	cup	below	the	spout	.
push							
down							
the		•					
handle	o						
to							
flush							
.							•

Segment 58

P: 0.293
R: 0.293
Frag: 0.600
Score: 0.117

	hold	the	cup	below	the	spout	.
push							
down							
the		•					
handle	o						
to							
flush							
.							•

Segment 59

P: 0.293
R: 0.293
Frag: 0.600
Score: 0.117

	hold	the	cup	below	the	spout	.
push							
down							
the		•					
handle	o						
to							
flush							
.							•

Segment 60

P: 0.293
R: 0.293
Frag: 0.600
Score: 0.117

	hold	the	cup	below	the	spout	.
push							
down							
the		•					
handle	o						
to							
flush							
.							•

Segment 61

P: 0.293
R: 0.293
Frag: 0.600
Score: 0.117

	hold	the	cup	below	the	spout	.
push							
down							
the		•					
handle	o						
to							
flush							
.							•

Segment 62

P: 0.293
R: 0.293
Frag: 0.600
Score: 0.117

	turn	the	lock	clockwise	to	unlock	the	door	.
to					•				
turn	•								
roomba									
on									
,									
press									
clean									
button									
once									
.									•

Segment 51

P: 0.227
R: 0.263
Frag: 0.600
Score: 0.103

	turn	the	lock	clockwise	to	unlock	the	door	.
to					•				
turn	•								
roomba									
on									
,									
press									
clean									
button									
once									
.									•

Segment 52

P: 0.227
R: 0.263
Frag: 0.600
Score: 0.103

	press	the	button	on	top	of	the	tank	to	flush	.
pull											
up											
on				•							
the		•									
handle											
to									•		
fill											
the							•				
cup											
.											•

Segment 63

P: 0.278
R: 0.238
Frag: 0.600
Score: 0.097

	press	the	button	on	top	of	the	tank	to	flush	.
pull											
up											
on				•							
the		•									
handle											
to									•		
fill											
the							•				
cup											
.											•

Segment 64

P: 0.278
R: 0.238
Frag: 0.600
Score: 0.097

	press	the	button	on	top	of	the	tank	to	flush	.
pull											
up											
on				•							
the		•									
handle											
to									•		
fill											
the							•				
cup											
.											•

Segment 65

P: 0.278
R: 0.238
Frag: 0.600
Score: 0.097

	press	the	button	on	top	of	the	tank	to	flush	.
pull											
up											
on				•							
the		•									
handle											
to									•		
fill											
the							•				
cup											
.											•

Segment 66

P: 0.278
R: 0.238
Frag: 0.600
Score: 0.097

	pull	the	handle	up	to	fill	the	cup	.
press									
down									
on									
the		•							
button									
to					•				
turn									
the							•		
lamp									
on									
or									
off									
.									•

Segment 39

P: 0.160
R: 0.235
Frag: 0.600
Score: 0.088

	pull	the	handle	up	to	fill	the	cup	.
press									
down									
on									
the		•							
button									
to					•				
turn									
the							•		
lamp									
on									
or									
off									
.									•

Segment 40

P: 0.160
R: 0.235
Frag: 0.600
Score: 0.088

	pull	the	handle	up	to	fill	the	cup	.
press									
down									
on									
the		•							
button									
to					•				
turn									
the							•		
lamp									
on									
or									
off									
.									•

Segment 41

P: 0.160
R: 0.235
Frag: 0.600
Score: 0.088

	turn	the	knob	clockwise	to	the	desired	heat	.
pull									
up									
on									
the		•							
handle									
to					•				
fill									
the						•			
cup									
.									•

Segment 7

P: 0.222
R: 0.211
Frag: 0.600
Score: 0.085

	turn	the	knob	clockwise	to	the	desired	heat	.
pull									
up									
on									
the		•							
handle									
to					•				
fill									
the						•			
cup									
.									•

Segment 8

P: 0.222
R: 0.211
Frag: 0.600
Score: 0.085

	turn	the	knob	clockwise	to	the	desired	heat	.
pull									
up									
on									
the		•							
handle									
to					•				
fill									
the						•			
cup									
.									•

Segment 9

P: 0.222
R: 0.211
Frag: 0.600
Score: 0.085

	turn	the	knob	clockwise	to	the	desired	heat	.
pull									
up									
on									
the		•							
handle									
to					•				
fill									
the						•			
cup									
.									•

Segment 10

P:	0.222
R:	0.211
Frag:	0.600
Score:	0.085

	turn	the	knob	clockwise	to	the	desired	heat	.
pull									
up									
on									
the		•							
handle									
to					•				
fill									
the						•			
cup									
.									•

Segment 11

P: 0.222
R: 0.211
Frag: 0.600
Score: 0.085

	turn	the	knob	clockwise	to	the	desired	heat	.
pull									
up									
on									
the		•							
handle									
to					•				
fill									
the						•			
cup									
.									•

Segment 12

P:	0.222
R:	0.211
Frag:	0.600
Score:	0.085

	turn	the	knob	clockwise	to	the	desired	heat	.
pull									
down									
on									
the		•							
right									
dispenser									
's									
lever									
to					•				
fill									
the						•			
cup									
.									•

Segment 23

P: 0.148
 R: 0.211
 Frag: 0.600
 Score: 0.079

	turn	the	knob	clockwise	to	the	desired	heat	.
pull									
down									
on									
the		•							
right									
dispenser									
's									
lever									
to					•				
fill									
the						•			
cup									
.									•

Segment 24

P: 0.148
R: 0.211
Frag: 0.600
Score: 0.079

	turn	the	knob	clockwise	to	the	desired	heat	.
pull									
down									
on									
the		•							
right									
dispenser									
's									
lever									
to					•				
fill									
the						•			
cup									
.									•

Segment 25

P: 0.148
R: 0.211
Frag: 0.600
Score: 0.079

	turn	the	knob	clockwise	to	the	desired	heat	.
pull									
down									
on									
the		•							
right									
dispenser									
's									
lever									
to					•				
fill									
the						•			
cup									
.									•

Segment 26

P: 0.148
R: 0.211
Frag: 0.600
Score: 0.079

	turn	the	knob	clockwise	to	the	desired	heat	.
pull									
down									
on									
the		•							
right									
dispenser									
's									
lever									
to					•				
fill									
the						•			
cup									
.									•

Segment 27

P: 0.148
R: 0.211
Frag: 0.600
Score: 0.079

	turn	the	knob	clockwise	to	the	desired	heat	.
pull									
down									
on									
the		•							
right									
dispenser									
's									
lever									
to					•				
fill									
the						•			
cup									
.									•

Segment 28

P: 0.148
R: 0.211
Frag: 0.600
Score: 0.079

	turn	the	knob	clockwise	to	the	desired	heat	.
pull									
down									
on									
the		•							
right									
dispenser									
's									
lever									
to					•				
fill									
the						•			
cup									
.									•

Segment 29

P: 0.148
R: 0.211
Frag: 0.600
Score: 0.079

	press	the	button	to	turn	the	range	hood	on	.	
hold											
the		•									
cup											
below											
the						•					
spout											
.										•	

Segment 30

P: 0.200
R: 0.150
Frag: 0.600
Score: 0.062

	press	the	button	to	turn	the	range	hood	on	.	
hold											
the		•									
cup											
below											
the						•					
spout											
.										•	

Segment 31

P: 0.200
R: 0.150
Frag: 0.600
Score: 0.062

	press	the	button	to	turn	the	range	hood	on	.	
hold											
the		•									
cup											
below											
the						•					
spout											
.										•	

Segment 32

P: 0.200
R: 0.150
Frag: 0.600
Score: 0.062

	press	the	button	to	turn	the	range	hood	on	.	
hold											
the		•									
cup											
below											
the						•					
spout											
.										•	

Segment 33

P: 0.200
R: 0.150
Frag: 0.600
Score: 0.062

	press	the	button	to	turn	the	range	hood	on	.	
hold											
the		•									
cup											
below											
the						•					
spout											
.										•	

Segment 34

P: 0.200
R: 0.150
Frag: 0.600
Score: 0.062

	press	the	button	to	turn	the	range	hood	on	.	
hold											
the		•									
cup											
below											
the						•					
spout											
.										•	

Segment 35

P: 0.200
R: 0.150
Frag: 0.600
Score: 0.062

	press	the	button	to	turn	the	range	hood	on	.	
hold											
the		•									
cup											
below											
the						•					
spout											
.										•	

Segment 36

P: 0.200
R: 0.150
Frag: 0.600
Score: 0.062

	press	the	button	to	turn	the	range	hood	on	.	
hold											
the		•									
cup											
below											
the						•					
spout											
.										•	

Segment 37

P: 0.200
R: 0.150
Frag: 0.600
Score: 0.062

	press	the	button	to	turn	the	range	hood	on	.	
hold											
the		•									
cup											
below											
the						•					
spout											
.										•	

Segment 38

P: 0.200
R: 0.150
Frag: 0.600
Score: 0.062

	pull	the	handle	down	and	then	towards	you	to	open	the	door	.
turn													
the		•											
knob													
clockwise													
to									•				
the											•		
desired													
temperate													
.													•

Segment 49

P: 0.211
R: 0.148
Frag: 0.600
Score: 0.062

	pull	the	handle	down	and	then	towards	you	to	open	the	door	.
turn													
the		•											
knob													
clockwise													
to									•				
the											•		
desired													
temperate													
.													•

Segment 50

P:	0.211
R:	0.148
Frag:	0.600
Score:	0.062

	hold	paper	towel	in	front	of	the	nozzle	.
pull									
down									
on									
the							•		
right									
dispenser									
's									
lever									
to									
fill									
the									
cup									
.									•

Segment 1

P:

0.074

R:

0.105

Frag:

0.600

Score:

0.040

	hold	paper	towel	in	front	of	the	nozzle	.
pull									
down									
on									
the							•		
right									
dispenser									
's									
lever									
to									
fill									
the									
cup									
.									•

Segment 2

P: 0.074
R: 0.105
Frag: 0.600
Score: 0.040

	hold	paper	towel	in	front	of	the	nozzle	.
pull									
down									
on									
the							•		
right									
dispenser									
's									
lever									
to									
fill									
the									
cup									
.									•

Segment 3

P: 0.074
R: 0.105
Frag: 0.600
Score: 0.040