

Meteor Alignments for System-1

Reference top row
Hypothesis left column
Matches identified by color and symbol

Color spectrum follows reference word order

Match Type	
Exact	●
Stem / Synonym / Paraphrase	○

Key: match markers for sentences

	hold	the	cup	under	the	nozzle	.
hold	•						
below				o			
the					•		
nozzle						•	
to							
fill							
the		•					
cup			•				
with							
tap							
water							
.							•

Segment 37

P: 0.554
R: 0.960
Frag: 0.536
Score: 0.401

	hold	the	cup	under	the	nozzle	.
hold	•						
below				o			
the					•		
nozzle						•	
to							
fill							
the		•					
cup			•				
with							
tap							
water							
.							•

Segment 38

P: 0.554
R: 0.960
Frag: 0.536
Score: 0.401

	hold	the	cup	under	the	nozzle	.
hold	•						
below				o			
the					•		
nozzle						•	
to							
fill							
the		•					
cup			•				
with							
tap							
water							
.							•

Segment 39

P: 0.554
R: 0.960
Frag: 0.536
Score: 0.401

	pull	the	handle	up	to	fill	the	cup	.
pull	•								
the		•							
handle			•						
down									
and									
then									
towards									
you									
to					•				
open									
the							•		
door									
.									•

Segment 34

P: 0.370
R: 0.588
Frag: 0.553
Score: 0.241

	pull	the	handle	up	to	fill	the	cup	.
pull	•								
the		•							
handle			•						
down									
and									
then									
towards									
you									
to					•				
open									
the							•		
door									
.									•

Segment 35

P: 0.370
R: 0.588
Frag: 0.553
Score: 0.241

	pull	the	handle	up	to	fill	the	cup	.
pull	•								
the		•							
handle			•						
down									
and									
then									
towards									
you									
to					•				
open									
the							•		
door									
.									•

Segment 36

P: 0.370
R: 0.588
Frag: 0.553
Score: 0.241

	press	the	button	to	open	the	lid	.
pull								
the		•						
handle								
down								
and								
then								
towards								
you								
to				•				
open					•			
the						•		
door								
.								•

Segment 17

P:	0.259
R:	0.438
Frag:	0.542
Score:	0.182

	press	the	button	to	open	the	lid	.
pull								
the		•						
handle								
down								
and								
then								
towards								
you								
to				•				
open					•			
the						•		
door								
.								•

Segment 18

P:	0.259
R:	0.438
Frag:	0.542
Score:	0.182

	press	the	button	to	open	the	lid	.
pull								
the		•						
handle								
down								
and								
then								
towards								
you								
to				•				
open					•			
the						•		
door								
.								•

Segment 19

P:	0.259
R:	0.438
Frag:	0.542
Score:	0.182

	press	the	button	to	open	the	lid	.
pull								
the		•						
handle								
down								
and								
then								
towards								
you								
to				•				
open					•			
the						•		
door								
.								•

Segment 20

P:	0.259
R:	0.438
Frag:	0.542
Score:	0.182

	press	the	button	to	open	the	lid	.
pull								
the		•						
handle								
down								
and								
then								
towards								
you								
to				•				
open					•			
the						•		
door								
.								•

Segment 21

P:	0.259
R:	0.438
Frag:	0.542
Score:	0.182

	pull	the	handle	down	and	then	towards	you	to	open	the	door	.
push													
down				•									
on													
the		•											
handle			•										
to									•				
add													
hot													
water													
.													•

Segment 40

P: 0.409
R: 0.333
Frag: 0.574
Score: 0.146

	pull	the	handle	down	and	then	towards	you	to	open	the	door	.
push													
down				•									
on													
the		•											
handle			•										
to									•				
add													
hot													
water													
.													•

Segment 41

P: 0.409
R: 0.333
Frag: 0.574
Score: 0.146

	turn	the	handle	counterclockwise	to	unlock	the	cooker	.
hold			o						
below									
the		•							
nozzle									
to					•				
fill									
the							•		
cup									
with									
tap									
water									
.									•

Segment 12

P: 0.246
R: 0.337
Frag: 0.600
Score: 0.128

	turn	the	handle	counterclockwise	to	unlock	the	cooker	.
hold			o						
below									
the		•							
nozzle									
to				•					
fill									
the						•			
cup									
with									
tap									
water									
.								•	

Segment 13

P: 0.246
R: 0.337
Frag: 0.600
Score: 0.128

	turn	the	handle	counterclockwise	to	unlock	the	cooker	.
hold			o						
below									
the		•							
nozzle									
to					•				
fill									
the							•		
cup									
with									
tap									
water									
.									•

Segment 14

P:	0.246
R:	0.337
Frag:	0.600
Score:	0.128

	turn	the	handle	counterclockwise	to	unlock	the	cooker	.
hold			o						
below									
the		•							
nozzle									
to					•				
fill									
the							•		
cup									
with									
tap									
water									
.									•

Segment 15

P:	0.246
R:	0.337
Frag:	0.600
Score:	0.128

	turn	the	handle	counterclockwise	to	unlock	the	cooker	.
hold			o						
below									
the		•							
nozzle									
to					•				
fill									
the							•		
cup									
with									
tap									
water									
.									•

Segment 16

P:	0.246
R:	0.337
Frag:	0.600
Score:	0.128

	press	down	on	the	space	bar	once	.
push	o							
the				•				
apple								
juice								
button								
.								•

Segment 1

P:	0.314
R:	0.244
Frag:	0.600
Score:	0.101

	press	down	on	the	space	bar	once	.
push	o							
the				•				
apple								
juice								
button								
.								•

Segment 2

P: 0.314
R: 0.244
Frag: 0.600
Score: 0.101

	press	down	on	the	space	bar	once	.
push	o							
the				•				
apple								
juice								
button								
.								•

Segment 3

P: 0.314
R: 0.244
Frag: 0.600
Score: 0.101

	press	down	on	the	space	bar	once	.
push	o							
the				•				
apple								
juice								
button								
.								•

Segment 4

P: 0.314
R: 0.244
Frag: 0.600
Score: 0.101

	press	down	on	the	space	bar	once	.
push	o							
the				•				
apple								
juice								
button								
.								•

Segment 5

P:	0.314
R:	0.244
Frag:	0.600
Score:	0.101

	press	down	on	the	space	bar	once	.
push	o							
the				•				
apple								
juice								
button								
.								•

Segment 6

P: 0.314
R: 0.244
Frag: 0.600
Score: 0.101

	press	down	on	the	space	bar	once	.
push	o							
the				•				
apple								
juice								
button								
.								•

Segment 7

P: 0.314
R: 0.244
Frag: 0.600
Score: 0.101

	press	the	button	on	top	of	the	tank	to	flush	.
push											
the							•				
apple											
juice											
button			•								
.											•

Segment 54

P: 0.357
R: 0.238
Frag: 0.600
Score: 0.100

	press	the	button	on	top	of	the	tank	to	flush	.
push											
the							•				
apple											
juice											
button			•								
.											•

Segment 55

P: 0.357
R: 0.238
Frag: 0.600
Score: 0.100

	press	the	button	on	top	of	the	tank	to	flush	.
push											
the							•				
apple											
juice											
button			•								
.											•

Segment 56

P: 0.357
R: 0.238
Frag: 0.600
Score: 0.100

	press	the	button	on	top	of	the	tank	to	flush	.
push											
the							•				
apple											
juice											
button			•								
.											•

Segment 57

P: 0.357
R: 0.238
Frag: 0.600
Score: 0.100

	hold	the	cup	steady	under	the	end	of	the	spout	.
squeeze											
the						•					
handle	o										
together											
to											
spray											
.											•

Segment 49

P: 0.293
R: 0.191
Frag: 0.600
Score: 0.081

	hold	the	cup	steady	under	the	end	of	the	spout	.
squeeze											
the						•					
handle	o										
together											
to											
spray											
.											•

Segment 50

P: 0.293
R: 0.191
Frag: 0.600
Score: 0.081

	hold	the	cup	steady	under	the	end	of	the	spout	.
squeeze											
the						•					
handle	o										
together											
to											
spray											
.											•

Segment 51

P: 0.293
R: 0.191
Frag: 0.600
Score: 0.081

	hold	the	cup	steady	under	the	end	of	the	spout	.
squeeze											
the						•					
handle	o										
together											
to											
spray											
.											•

Segment 52

P: 0.293
R: 0.191
Frag: 0.600
Score: 0.081

	hold	the	cup	steady	under	the	end	of	the	spout	.
squeeze											
the						•					
handle	o										
together											
to											
spray											
.											•

Segment 53

P: 0.293
R: 0.191
Frag: 0.600
Score: 0.081

	press	down	on	the	pump	head	to	dispense	desired	amount	.
push	o										
the				•							
apple											
juice											
button											
.											•

Segment 58

P: 0.314
R: 0.176
Frag: 0.600
Score: 0.075

	press	down	on	the	pump	head	to	dispense	desired	amount	.
push	o										
the				•							
apple											
juice											
button											
.											•

Segment 59

P: 0.314
R: 0.176
Frag: 0.600
Score: 0.075

	press	down	on	the	pump	head	to	dispense	desired	amount	.
push	o										
the				•							
apple											
juice											
button											
.											•

Segment 60

P: 0.314
R: 0.176
Frag: 0.600
Score: 0.075

	press	down	on	the	pump	head	to	dispense	desired	amount	.
push	o										
the				•							
apple											
juice											
button											
.											•

Segment 61

P: 0.314
R: 0.176
Frag: 0.600
Score: 0.075

	press	down	on	the	pump	head	to	dispense	desired	amount	.
push	o										
the				•							
apple											
juice											
button											
.											•

Segment 62

P: 0.314
R: 0.176
Frag: 0.600
Score: 0.075

	press	down	on	the	pump	head	to	dispense	desired	amount	.
push	o										
the				•							
apple											
juice											
button											
.											•

Segment 63

P: 0.314
R: 0.176
Frag: 0.600
Score: 0.075

	turn	the	knob	the	clockwise	.
squeeze						
the				•		
handle						
together						
to						
spray						
.						•

Segment 44

P: 0.133
R: 0.167
Frag: 0.600
Score: 0.064

	turn	the	knob	the	clockwise	.
squeeze						
the				•		
handle						
together						
to						
spray						
.						•

Segment 45

P: 0.133
R: 0.167
Frag: 0.600
Score: 0.064

	turn	the	knob	the	clockwise	.
squeeze						
the				•		
handle						
together						
to						
spray						
.						•

Segment 46

P: 0.133
R: 0.167
Frag: 0.600
Score: 0.064

	turn	the	knob	the	clockwise	.
squeeze						
the				•		
handle						
together						
to						
spray						
.						•

Segment 47

P: 0.133
R: 0.167
Frag: 0.600
Score: 0.064

	turn	the	knob	the	clockwise	.
squeeze						
the				•		
handle						
together						
to						
spray						
.						•

Segment 48

P: 0.133
R: 0.167
Frag: 0.600
Score: 0.064

	flip	the	switch	downward	into	the	off	position	.
rotate									
the		•							
knob									
clockwise									
to									
turn									
on									
the						•			
power									
.									•

Segment 22

P: 0.150
R: 0.158
Frag: 0.600
Score: 0.063

	flip	the	switch	downward	into	the	off	position	.
rotate									
the		•							
knob									
clockwise									
to									
turn									
on									
the						•			
power									
.									•

Segment 23

P: 0.150
R: 0.158
Frag: 0.600
Score: 0.063

	flip	the	switch	downward	into	the	off	position	.
rotate									
the		•							
knob									
clockwise									
to									
turn									
on									
the						•			
power									
.									•

Segment 24

P: 0.150
R: 0.158
Frag: 0.600
Score: 0.063

	flip	the	switch	downward	into	the	off	position	.
rotate									
the		•							
knob									
clockwise									
to									
turn									
on									
the						•			
power									
.									•

Segment 25

P: 0.150
R: 0.158
Frag: 0.600
Score: 0.063

	flip	the	switch	downward	into	the	off	position	.
rotate									
the		•							
knob									
clockwise									
to									
turn									
on									
the						•			
power									
.									•

Segment 26

P: 0.150
R: 0.158
Frag: 0.600
Score: 0.063

	turn	the	knob	clockwise	to	the	desired	heat	.
push									
the						•			
apple									
juice									
button									
.									•

Segment 27

P: 0.143
R: 0.105
Frag: 0.600
Score: 0.044

	turn	the	knob	clockwise	to	the	desired	heat	.
push									
the						•			
apple									
juice									
button									
.									•

Segment 28

P: 0.143
R: 0.105
Frag: 0.600
Score: 0.044

	turn	the	knob	clockwise	to	the	desired	heat	.
push									
the						•			
apple									
juice									
button									
.									•

Segment 29

P: 0.143
R: 0.105
Frag: 0.600
Score: 0.044

	turn	the	knob	clockwise	to	the	desired	heat	.
push									
the						•			
apple									
juice									
button									
.									•

Segment 30

P: 0.143
R: 0.105
Frag: 0.600
Score: 0.044

	turn	the	knob	clockwise	to	the	desired	heat	.
push									
the						•			
apple									
juice									
button									
.									•

Segment 31

P: 0.143
R: 0.105
Frag: 0.600
Score: 0.044

	turn	the	knob	clockwise	to	the	desired	heat	.
push									
the						•			
apple									
juice									
button									
.									•

Segment 32

P: 0.143
R: 0.105
Frag: 0.600
Score: 0.044

	turn	the	knob	clockwise	to	the	desired	heat	.
push									
the						•			
apple									
juice									
button									
.									•

Segment 33

P: 0.143
R: 0.105
Frag: 0.600
Score: 0.044

	turn	the	lock	clockwise	to	unlock	the	door	.
push									
the							•		
apple									
juice									
button									
.									•

Segment 42

P: 0.143
R: 0.105
Frag: 0.600
Score: 0.044

	turn	the	lock	clockwise	to	unlock	the	door	.
push									
the							•		
apple									
juice									
button									
.									•

Segment 43

P: 0.143
R: 0.105
Frag: 0.600
Score: 0.044

	rotate	the	speaker	knob	clockwise	until	it	clicks	.
push									
the		•							
apple									
juice									
button									
.									•

Segment 8

P: 0.143
R: 0.095
Frag: 0.600
Score: 0.040

	rotate	the	speaker	knob	clockwise	until	it	clicks	.
push									
the		•							
apple									
juice									
button									
.									•

Segment 9

P: 0.143
R: 0.095
Frag: 0.600
Score: 0.040

	rotate	the	speaker	knob	clockwise	until	it	clicks	.
push									
the		•							
apple									
juice									
button									
.									•

Segment 10

P: 0.143
R: 0.095
Frag: 0.600
Score: 0.040

	rotate	the	speaker	knob	clockwise	until	it	clicks	.
push									
the		•							
apple									
juice									
button									
.									•

Segment 11

P: 0.143
R: 0.095
Frag: 0.600
Score: 0.040