

Meteor Alignments for System-1

Reference top row
Hypothesis left column
Matches identified by color and symbol

Color spectrum follows reference word order

Match Type	
Exact	●
Stem / Synonym / Paraphrase	○

Key: match markers for sentences

	pull	the	handle	up	to	fill	the	cup	.
pull	•								
the		•							
crispy									
rice									
handle			•						
to					•				
dispense									
.									•

Segment 48

P: 0.500
R: 0.529
Frag: 0.574
Score: 0.224

	pull	the	handle	up	to	fill	the	cup	.
pull	•								
the		•							
crispy									
rice									
handle			•						
to					•				
dispense									
.									•

Segment 49

P:	0.500
R:	0.529
Frag:	0.574
Score:	0.224

	pull	the	handle	up	to	fill	the	cup	.
pull	•								
the		•							
crispy									
rice									
handle			•						
to					•				
dispense									
.									•

Segment 50

P:	0.500
R:	0.529
Frag:	0.574
Score:	0.224

	press	down	on	the	pump	.
pull						
down		•				
on			•			
the				•		
right						
dispenser						
's						
lever						
to						
fill						
the						
cup						
.						•

Segment 54

P: 0.222
R: 0.500
Frag: 0.522
Score: 0.201

	press	down	on	the	pump	.
pull						
down		•				
on			•			
the				•		
right						
dispenser						
's						
lever						
to						
fill						
the						
cup						
.						•

Segment 55

P: 0.222
R: 0.500
Frag: 0.522
Score: 0.201

	press	down	on	the	pump	.
pull						
down		•				
on			•			
the				•		
right						
dispenser						
's						
lever						
to						
fill						
the						
cup						
.						•

Segment 56

P:	0.222
R:	0.500
Frag:	0.522
Score:	0.201

	press	down	on	the	pump	.
pull						
down		•				
on			•			
the				•		
right						
dispenser						
's						
lever						
to						
fill						
the						
cup						
.						•

Segment 57

P: 0.222
R: 0.500
Frag: 0.522
Score: 0.201

	pull	the	trigger	to	spray	.
pull	•					
down						
on						
the		•				
right						
dispenser						
's						
lever						
to				•		
fill						
the						
cup						
.						•

Segment 4

P: 0.222
R: 0.500
Frag: 0.600
Score: 0.168

	pull	the	trigger	to	spray	.
pull	•					
down						
on						
the		•				
right						
dispenser						
's						
lever						
to				•		
fill						
the						
cup						
.						•

Segment 5

P: 0.222
R: 0.500
Frag: 0.600
Score: 0.168

	pull	the	trigger	to	spray	.
pull	•					
down						
on						
the		•				
right						
dispenser						
's						
lever						
to				•		
fill						
the						
cup						
.						•

Segment 6

P: 0.222
R: 0.500
Frag: 0.600
Score: 0.168

	rotate	the	speaker	knob	clockwise	until	it	clicks	.
turn									
the		•							
knob				•					
clockwise					•				
to									
the									
desired									
heat									
.									•

Segment 14

P: 0.421
R: 0.381
Frag: 0.566
Score: 0.168

	rotate	the	speaker	knob	clockwise	until	it	clicks	.
turn									
the		•							
knob				•					
clockwise					•				
to									
the									
desired									
heat									
.									•

Segment 15

P: 0.421
R: 0.381
Frag: 0.566
Score: 0.168

	rotate	the	speaker	knob	clockwise	until	it	clicks	.
turn									
the		•							
knob				•					
clockwise					•				
to									
the									
desired									
heat									
.									•

Segment 16

P: 0.421
R: 0.381
Frag: 0.566
Score: 0.168

	rotate	the	speaker	knob	clockwise	until	it	clicks	.
turn									
the		•							
knob				•					
clockwise					•				
to									
the									
desired									
heat									
.									•

Segment 17

P: 0.421
R: 0.381
Frag: 0.566
Score: 0.168

	turn	the	handle	counterclockwise	to	unlock	the	cooker	.
pull									
the		•							
valve									
handle			•						
down									
to					•				
stop									
the							•		
flow									
.									•

Segment 24

P:

0.318

R:

0.368

Frag:

0.600

Score:

0.144

	turn	the	handle	counterclockwise	to	unlock	the	cooker	.
pull									
the		•							
valve									
handle			•						
down									
to					•				
stop									
the							•		
flow									
.									•

Segment 25

P:

0.318

R:

0.368

Frag:

0.600

Score:

0.144

	turn	the	handle	counterclockwise	to	unlock	the	cooker	.
pull									
the		•							
valve									
handle			•						
down									
to					•				
stop									
the							•		
flow									
.									•

Segment 26

P: 0.318
R: 0.368
Frag: 0.600
Score: 0.144

	turn	the	handle	counterclockwise	to	unlock	the	cooker	.
pull									
the		•							
valve									
handle			•						
down									
to					•				
stop									
the							•		
flow									
.									•

Segment 27

P: 0.318
R: 0.368
Frag: 0.600
Score: 0.144

	turn	the	handle	counterclockwise	to	unlock	the	cooker	.
pull									
the		•							
valve									
handle			•						
down									
to					•				
stop									
the							•		
flow									
.									•

Segment 28

P: 0.318
R: 0.368
Frag: 0.600
Score: 0.144

	hold	the	cup	under	the	nozzle	.
pull							
the					•		
crispy							
rice							
handle	o						
to							
dispense							
.							•

Segment 51

P: 0.244
R: 0.293
Frag: 0.600
Score: 0.114

	hold	the	cup	under	the	nozzle	.
pull							
the					•		
crispy							
rice							
handle	o						
to							
dispense							
.							•

Segment 52

P: 0.244
R: 0.293
Frag: 0.600
Score: 0.114

	hold	the	cup	under	the	nozzle	.
pull							
the					•		
crispy							
rice							
handle	o						
to							
dispense							
.							•

Segment 53

P: 0.244
R: 0.293
Frag: 0.600
Score: 0.114

	press	the	button	to	turn	the	range	hood	on	.
pull										
down										
on									•	
the		•								
right										
dispenser										
's										
lever										
to				•						
fill										
the						•				
cup										
.										•

Segment 39

P: 0.185
R: 0.250
Frag: 0.600
Score: 0.095

	press	the	button	to	turn	the	range	hood	on	.
pull										
down										
on									•	
the		•								
right										
dispenser										
's										
lever										
to				•						
fill										
the						•				
cup										
.										•

Segment 40

P: 0.185
R: 0.250
Frag: 0.600
Score: 0.095

	press	the	button	to	turn	the	range	hood	on	.
pull										
down										
on									•	
the		•								
right										
dispenser										
's										
lever										
to				•						
fill										
the						•				
cup										
.										•

Segment 41

P: 0.185
R: 0.250
Frag: 0.600
Score: 0.095

	press	the	button	to	turn	the	range	hood	on	.
pull										
down										
on									•	
the		•								
right										
dispenser										
's										
lever										
to				•						
fill										
the						•				
cup										
.										•

Segment 42

P: 0.185
R: 0.250
Frag: 0.600
Score: 0.095

	press	the	button	to	turn	the	range	hood	on	.
pull										
down										
on									•	
the		•								
right										
dispenser										
's										
lever										
to				•						
fill										
the						•				
cup										
.										•

Segment 43

P: 0.185
R: 0.250
Frag: 0.600
Score: 0.095

	press	the	button	to	turn	the	range	hood	on	.
pull										
down										
on									•	
the		•								
right										
dispenser										
's										
lever										
to				•						
fill										
the						•				
cup										
.										•

Segment 44

P: 0.185
R: 0.250
Frag: 0.600
Score: 0.095

	press	the	button	to	turn	the	range	hood	on	.
pull										
down										
on									•	
the		•								
right										
dispenser										
's										
lever										
to				•						
fill										
the						•				
cup										
.										•

Segment 45

P: 0.185
R: 0.250
Frag: 0.600
Score: 0.095

	press	the	button	to	turn	the	range	hood	on	.
pull										
down										
on									•	
the		•								
right										
dispenser										
's										
lever										
to				•						
fill										
the						•				
cup										
.										•

Segment 46

P:	0.185
R:	0.250
Frag:	0.600
Score:	0.095

	press	the	button	to	turn	the	range	hood	on	.
pull										
down										
on									•	
the		•								
right										
dispenser										
's										
lever										
to				•						
fill										
the						•				
cup										
.										•

Segment 47

P: 0.185
R: 0.250
Frag: 0.600
Score: 0.095

	press	the	button	to	open	the	lid	.
pull								
down								
on								
the		•						
right								
dispenser								
's								
lever								
to				•				
fill								
the						•		
cup								
.								•

Segment 29

P:	0.148
R:	0.250
Frag:	0.600
Score:	0.091

	press	the	button	to	open	the	lid	.
pull								
down								
on								
the		•						
right								
dispenser								
's								
lever								
to				•				
fill								
the						•		
cup								
.								•

Segment 30

P: 0.148
R: 0.250
Frag: 0.600
Score: 0.091

	press	the	button	to	open	the	lid	.
pull								
down								
on								
the		•						
right								
dispenser								
's								
lever								
to				•				
fill								
the						•		
cup								
.								•

Segment 31

P:	0.148
R:	0.250
Frag:	0.600
Score:	0.091

	press	the	button	to	open	the	lid	.
pull								
down								
on								
the		•						
right								
dispenser								
's								
lever								
to				•				
fill								
the						•		
cup								
.								•

Segment 32

P:	0.148
R:	0.250
Frag:	0.600
Score:	0.091

	press	the	button	to	open	the	lid	.
pull								
down								
on								
the		•						
right								
dispenser								
's								
lever								
to				•				
fill								
the						•		
cup								
.								•

Segment 33

P:	0.148
R:	0.250
Frag:	0.600
Score:	0.091

	turn	the	knob	clockwise	to	the	desired	heat	.
pull									
up									
on									
the		•							
handle									
to					•				
fill									
the						•			
cup									
.									•

Segment 18

P:	0.222
R:	0.211
Frag:	0.600
Score:	0.085

	turn	the	knob	clockwise	to	the	desired	heat	.
pull									
up									
on									
the		•							
handle									
to					•				
fill									
the						•			
cup									
.									•

Segment 19

P:	0.222
R:	0.211
Frag:	0.600
Score:	0.085

	turn	the	knob	clockwise	to	the	desired	heat	.
pull									
up									
on									
the		•							
handle									
to					•				
fill									
the						•			
cup									
.									•

Segment 20

P:	0.222
R:	0.211
Frag:	0.600
Score:	0.085

	turn	the	knob	clockwise	to	the	desired	heat	.
pull									
up									
on									
the		•							
handle									
to					•				
fill									
the						•			
cup									
.									•

Segment 21

P: 0.222
R: 0.211
Frag: 0.600
Score: 0.085

	turn	the	knob	clockwise	to	the	desired	heat	.
pull									
up									
on									
the		•							
handle									
to					•				
fill									
the						•			
cup									
.									•

Segment 22

P: 0.222
R: 0.211
Frag: 0.600
Score: 0.085

	turn	the	knob	clockwise	to	the	desired	heat	.
pull									
up									
on									
the		•							
handle									
to					•				
fill									
the						•			
cup									
.									•

Segment 23

P:	0.222
R:	0.211
Frag:	0.600
Score:	0.085

	turn	the	lock	clockwise	to	unlock	the	door	.
pull									
down									
on									
the		•							
right									
dispenser									
's									
lever									
to					•				
fill									
the							•		
cup									
.									•

Segment 60

P: 0.148
R: 0.211
Frag: 0.600
Score: 0.079

	turn	the	lock	clockwise	to	unlock	the	door	.
pull									
down									
on									
the		•							
right									
dispenser									
's									
lever									
to					•				
fill									
the							•		
cup									
.									•

Segment 61

P: 0.148
R: 0.211
Frag: 0.600
Score: 0.079

	pull	the	handle	down	and	then	towards	you	to	open	the	door	.
hold													
the		•											
grind													
holder													
below						o							
the											•		
nozzle													
.													•

Segment 58

P: 0.267
R: 0.178
Frag: 0.600
Score: 0.075

	pull	the	handle	down	and	then	towards	you	to	open	the	door	.
hold													
the		•											
grind													
holder													
below						o							
the											•		
nozzle													
.													•

Segment 59

P: 0.267
R: 0.178
Frag: 0.600
Score: 0.075

	flip	the	switch	downward	into	the	off	position	.
hold									
the		•							
cup									
below									
the						•			
spout									
.									•

Segment 34

P:	0.200
R:	0.158
Frag:	0.600
Score:	0.065

	flip	the	switch	downward	into	the	off	position	.
hold									
the		•							
cup									
below									
the						•			
spout									
.									•

Segment 35

P:	0.200
R:	0.158
Frag:	0.600
Score:	0.065

	flip	the	switch	downward	into	the	off	position	.
hold									
the		•							
cup									
below									
the						•			
spout									
.									•

Segment 36

P:	0.200
R:	0.158
Frag:	0.600
Score:	0.065

	flip	the	switch	downward	into	the	off	position	.
hold									
the		•							
cup									
below									
the						•			
spout									
.									•

Segment 37

P:	0.200
R:	0.158
Frag:	0.600
Score:	0.065

	flip	the	switch	downward	into	the	off	position	.
hold									
the		•							
cup									
below									
the						•			
spout									
.									•

Segment 38

P:	0.200
R:	0.158
Frag:	0.600
Score:	0.065

	press	down	on	the	space	bar	once	.
turn								
the				•				
knob								
clockwise								
to								
the								
desired								
heat								
.								•

Segment 7

P: 0.105
R: 0.111
Frag: 0.600
Score: 0.044

	press	down	on	the	space	bar	once	.
turn								
the				•				
knob								
clockwise								
to								
the								
desired								
heat								
.								•

Segment 8

P: 0.105
R: 0.111
Frag: 0.600
Score: 0.044

	press	down	on	the	space	bar	once	.
turn								
the				•				
knob								
clockwise								
to								
the								
desired								
heat								
.								•

Segment 9

P: 0.105
R: 0.111
Frag: 0.600
Score: 0.044

	press	down	on	the	space	bar	once	.
turn								
the				•				
knob								
clockwise								
to								
the								
desired								
heat								
.								•

Segment 10

P: 0.105
R: 0.111
Frag: 0.600
Score: 0.044

	press	down	on	the	space	bar	once	.
turn								
the				•				
knob								
clockwise								
to								
the								
desired								
heat								
.								•

Segment 11

P: 0.105
R: 0.111
Frag: 0.600
Score: 0.044

	press	down	on	the	space	bar	once	.
turn								
the				•				
knob								
clockwise								
to								
the								
desired								
heat								
.								•

Segment 12

P: 0.105
R: 0.111
Frag: 0.600
Score: 0.044

	press	down	on	the	space	bar	once	.
turn								
the				•				
knob								
clockwise								
to								
the								
desired								
heat								
.								•

Segment 13

P: 0.105
R: 0.111
Frag: 0.600
Score: 0.044

	hold	paper	towel	in	front	of	the	nozzle	.
pull									
down									
on									
the							•		
right									
dispenser									
's									
lever									
to									
fill									
the									
cup									
.									•

Segment 1

P: 0.074
R: 0.105
Frag: 0.600
Score: 0.040

	hold	paper	towel	in	front	of	the	nozzle	.
pull									
down									
on									
the							•		
right									
dispenser									
's									
lever									
to									
fill									
the									
cup									
.									•

Segment 2

P: 0.074
R: 0.105
Frag: 0.600
Score: 0.040

	hold	paper	towel	in	front	of	the	nozzle	.
pull									
down									
on									
the							•		
right									
dispenser									
's									
lever									
to									
fill									
the									
cup									
.									•

Segment 3

P: 0.074
R: 0.105
Frag: 0.600
Score: 0.040