

Meteor Alignments for System-1

Reference top row
Hypothesis left column
Matches identified by color and symbol

Color spectrum follows reference word order

Match Type	
Exact	●
Stem / Synonym / Paraphrase	○

Key: match markers for sentences

	pull	the	handle	up	to	fill	the	cup	.
pull	•								
the		•							
crispy									
rice									
handle			•						
to					•				
dispense									
.									•

Segment 34

P: 0.500
R: 0.529
Frag: 0.574
Score: 0.224

	pull	the	handle	up	to	fill	the	cup	.
pull	•								
the		•							
crispy									
rice									
handle			•						
to					•				
dispense									
.									•

Segment 35

P: 0.500
R: 0.529
Frag: 0.574
Score: 0.224

	pull	the	handle	up	to	fill	the	cup	.
pull	•								
the		•							
crispy									
rice									
handle			•						
to					•				
dispense									
.									•

Segment 36

P: 0.500
R: 0.529
Frag: 0.574
Score: 0.224

	pull	the	handle	down	and	then	towards	you	to	open	the	door	.
pull	•												
the		•											
handle			•										
up													
to									•				
fill													
the											•		
cup													
.													•

Segment 40

P: 0.588
R: 0.370
Frag: 0.553
Score: 0.175

	pull	the	handle	down	and	then	towards	you	to	open	the	door	.
pull	•												
the		•											
handle			•										
up													
to									•				
fill													
the											•		
cup													
.													•

Segment 41

P: 0.588
R: 0.370
Frag: 0.553
Score: 0.175

	press	the	button	to	open	the	lid	.
push								
the						•		
apple								
juice								
button			•					
.								•

Segment 17

P: 0.357
R: 0.312
Frag: 0.600
Score: 0.127

	press	the	button	to	open	the	lid	.
push								
the						•		
apple								
juice								
button			•					
.								•

Segment 18

P: 0.357
R: 0.312
Frag: 0.600
Score: 0.127

	press	the	button	to	open	the	lid	.
push								
the						•		
apple								
juice								
button			•					
.								•

Segment 19

P: 0.357
R: 0.312
Frag: 0.600
Score: 0.127

	press	the	button	to	open	the	lid	.
push								
the						•		
apple								
juice								
button			•					
.								•

Segment 20

P: 0.357
R: 0.312
Frag: 0.600
Score: 0.127

	press	the	button	to	open	the	lid	.
push								
the						•		
apple								
juice								
button			•					
.								•

Segment 21

P: 0.357
R: 0.312
Frag: 0.600
Score: 0.127

	hold	the	cup	under	the	nozzle	.
pull							
the					•		
crispy							
rice							
handle	o						
to							
dispense							
.							•

Segment 37

P: 0.244
R: 0.293
Frag: 0.600
Score: 0.114

	hold	the	cup	under	the	nozzle	.
pull							
the					•		
crispy							
rice							
handle	o						
to							
dispense							
.							•

Segment 38

P: 0.244
R: 0.293
Frag: 0.600
Score: 0.114

	hold	the	cup	under	the	nozzle	.
pull							
the					•		
crispy							
rice							
handle	o						
to							
dispense							
.							•

Segment 39

P: 0.244
R: 0.293
Frag: 0.600
Score: 0.114

	turn	the	handle	counterclockwise	to	unlock	the	cooker	.
press									
down									
on									
the		•							
stapler									
's									
handle			•						
.									•

Segment 12

P:

0.312

R:

0.263

Frag:

0.600

Score:

0.108

	turn	the	handle	counterclockwise	to	unlock	the	cooker	.
press									
down									
on									
the		•							
stapler									
's									
handle			•						
.									•

Segment 13

P:	0.312
R:	0.263
Frag:	0.600
Score:	0.108

	turn	the	handle	counterclockwise	to	unlock	the	cooker	.
press									
down									
on									
the		•							
stapler									
's									
handle			•						
.									•

Segment 14

P:	0.312
R:	0.263
Frag:	0.600
Score:	0.108

	turn	the	handle	counterclockwise	to	unlock	the	cooker	.
press									
down									
on									
the		•							
stapler									
's									
handle			•						
.									•

Segment 15

P:

0.312

R:

0.263

Frag:

0.600

Score:

0.108

	turn	the	handle	counterclockwise	to	unlock	the	cooker	.
press									
down									
on									
the		•							
stapler									
's									
handle			•						
.									•

Segment 16

P:	0.312
R:	0.263
Frag:	0.600
Score:	0.108

	press	the	button	on	top	of	the	tank	to	flush	.
push											
the							•				
apple											
juice											
button			•								
.											•

Segment 54

P: 0.357
R: 0.238
Frag: 0.600
Score: 0.100

	press	the	button	on	top	of	the	tank	to	flush	.
push											
the							•				
apple											
juice											
button			•								
.											•

Segment 55

P: 0.357
R: 0.238
Frag: 0.600
Score: 0.100

	press	the	button	on	top	of	the	tank	to	flush	.
push											
the							•				
apple											
juice											
button			•								
.											•

Segment 56

P: 0.357
R: 0.238
Frag: 0.600
Score: 0.100

	press	the	button	on	top	of	the	tank	to	flush	.
push											
the							•				
apple											
juice											
button			•								
.											•

Segment 57

P: 0.357
R: 0.238
Frag: 0.600
Score: 0.100

	turn	the	knob	the	clockwise	.
in						
an						
emergency						
,						
hit						
the		•				
push						
button						
in						
the				•		
back						
.						•

Segment 44

P:	0.136
R:	0.250
Frag:	0.600
Score:	0.089

	turn	the	knob	the	clockwise	.
in						
an						
emergency						
,						
hit						
the		•				
push						
button						
in						
the				•		
back						
.						•

Segment 45

P: 0.136
R: 0.250
Frag: 0.600
Score: 0.089

	turn	the	knob	the	clockwise	.
in						
an						
emergency						
,						
hit						
the		•				
push						
button						
in						
the				•		
back						
.						•

Segment 46

P: 0.136
R: 0.250
Frag: 0.600
Score: 0.089

	turn	the	knob	the	clockwise	.
in						
an						
emergency						
,						
hit						
the		•				
push						
button						
in						
the				•		
back						
.						•

Segment 47

P: 0.136
R: 0.250
Frag: 0.600
Score: 0.089

	turn	the	knob	the	clockwise	.
in						
an						
emergency						
,						
hit						
the		•				
push						
button						
in						
the				•		
back						
.						•

Segment 48

P: 0.136
R: 0.250
Frag: 0.600
Score: 0.089

	flip	the	switch	downward	into	the	off	position	.
hold									
the		•							
cup									
below									
the						•			
half									
and									
half									
nozzle									
.									•

Segment 22

P: 0.136
R: 0.158
Frag: 0.600
Score: 0.062

	flip	the	switch	downward	into	the	off	position	.
hold									
the		•							
cup									
below									
the						•			
half									
and									
half									
nozzle									
.									•

Segment 23

P: 0.136
R: 0.158
Frag: 0.600
Score: 0.062

	flip	the	switch	downward	into	the	off	position	.
hold									
the		•							
cup									
below									
the						•			
half									
and									
half									
nozzle									
.									•

Segment 24

P: 0.136
R: 0.158
Frag: 0.600
Score: 0.062

	flip	the	switch	downward	into	the	off	position	.
hold									
the		•							
cup									
below									
the						•			
half									
and									
half									
nozzle									
.									•

Segment 25

P: 0.136
R: 0.158
Frag: 0.600
Score: 0.062

	flip	the	switch	downward	into	the	off	position	.
hold									
the		•							
cup									
below									
the						•			
half									
and									
half									
nozzle									
.									•

Segment 26

P: 0.136
R: 0.158
Frag: 0.600
Score: 0.062

	hold	the	cup	steady	under	the	end	of	the	spout	.
rotate											
the		•									
rightmost											
knob											
clockwise											
to											
the						•					
desired											
setting											
.											•

Segment 49

P: 0.136
R: 0.130
Frag: 0.600
Score: 0.053

	hold	the	cup	steady	under	the	end	of	the	spout	.
rotate											
the		•									
rightmost											
knob											
clockwise											
to											
the						•					
desired											
setting											
.											•

Segment 50

P: 0.136
R: 0.130
Frag: 0.600
Score: 0.053

	hold	the	cup	steady	under	the	end	of	the	spout	.
rotate											
the		•									
rightmost											
knob											
clockwise											
to											
the						•					
desired											
setting											
.											•

Segment 51

P: 0.136
R: 0.130
Frag: 0.600
Score: 0.053

	hold	the	cup	steady	under	the	end	of	the	spout	.
rotate											
the		•									
rightmost											
knob											
clockwise											
to											
the						•					
desired											
setting											
.											•

Segment 52

P: 0.136
R: 0.130
Frag: 0.600
Score: 0.053

	hold	the	cup	steady	under	the	end	of	the	spout	.
rotate											
the		•									
rightmost											
knob											
clockwise											
to											
the						•					
desired											
setting											
.											•

Segment 53

P: 0.136
R: 0.130
Frag: 0.600
Score: 0.053

	press	down	on	the	space	bar	once	.
hold								
the				•				
grind								
holder								
below								
the								
nozzle								
.								•

Segment 1

P:	0.111
R:	0.111
Frag:	0.600
Score:	0.044

	press	down	on	the	space	bar	once	.
hold								
the				•				
grind								
holder								
below								
the								
nozzle								
.								•

Segment 2

P:	0.111
R:	0.111
Frag:	0.600
Score:	0.044

	press	down	on	the	space	bar	once	.
hold								
the				•				
grind								
holder								
below								
the								
nozzle								
.								•

Segment 3

P:	0.111
R:	0.111
Frag:	0.600
Score:	0.044

	press	down	on	the	space	bar	once	.
hold								
the				•				
grind								
holder								
below								
the								
nozzle								
.								•

Segment 4

P:	0.111
R:	0.111
Frag:	0.600
Score:	0.044

	press	down	on	the	space	bar	once	.
hold								
the				•				
grind								
holder								
below								
the								
nozzle								
.								•

Segment 5

P:	0.111
R:	0.111
Frag:	0.600
Score:	0.044

	press	down	on	the	space	bar	once	.
hold								
the				•				
grind								
holder								
below								
the								
nozzle								
.								•

Segment 6

P:	0.111
R:	0.111
Frag:	0.600
Score:	0.044

	press	down	on	the	space	bar	once	.
hold								
the				•				
grind								
holder								
below								
the								
nozzle								
.								•

Segment 7

P:	0.111
R:	0.111
Frag:	0.600
Score:	0.044

	turn	the	knob	clockwise	to	the	desired	heat	.
push									
the						•			
apple									
juice									
button									
.									•

Segment 27

P: 0.143
R: 0.105
Frag: 0.600
Score: 0.044

	turn	the	knob	clockwise	to	the	desired	heat	.
push									
the						•			
apple									
juice									
button									
.									•

Segment 28

P: 0.143
R: 0.105
Frag: 0.600
Score: 0.044

	turn	the	knob	clockwise	to	the	desired	heat	.
push									
the						•			
apple									
juice									
button									
.									•

Segment 29

P: 0.143
R: 0.105
Frag: 0.600
Score: 0.044

	turn	the	knob	clockwise	to	the	desired	heat	.
push									
the						•			
apple									
juice									
button									
.									•

Segment 30

P: 0.143
R: 0.105
Frag: 0.600
Score: 0.044

	turn	the	knob	clockwise	to	the	desired	heat	.
push									
the						•			
apple									
juice									
button									
.									•

Segment 31

P: 0.143
R: 0.105
Frag: 0.600
Score: 0.044

	turn	the	knob	clockwise	to	the	desired	heat	.
push									
the						•			
apple									
juice									
button									
.									•

Segment 32

P: 0.143
R: 0.105
Frag: 0.600
Score: 0.044

	turn	the	knob	clockwise	to	the	desired	heat	.
push									
the						•			
apple									
juice									
button									
.									•

Segment 33

P: 0.143
R: 0.105
Frag: 0.600
Score: 0.044

	turn	the	lock	clockwise	to	unlock	the	door	.
push									
the							•		
apple									
juice									
button									
.									•

Segment 42

P: 0.143
R: 0.105
Frag: 0.600
Score: 0.044

	turn	the	lock	clockwise	to	unlock	the	door	.
push									
the							•		
apple									
juice									
button									
.									•

Segment 43

P: 0.143
R: 0.105
Frag: 0.600
Score: 0.044

	rotate	the	speaker	knob	clockwise	until	it	clicks	.
push									
the		•							
apple									
juice									
button									
.									•

Segment 8

P: 0.143
R: 0.095
Frag: 0.600
Score: 0.040

	rotate	the	speaker	knob	clockwise	until	it	clicks	.
push									
the		•							
apple									
juice									
button									
.									•

Segment 9

P: 0.143
 R: 0.095
 Frag: 0.600
 Score: 0.040

	rotate	the	speaker	knob	clockwise	until	it	clicks	.
push									
the		•							
apple									
juice									
button									
.									•

Segment 10

P: 0.143
R: 0.095
Frag: 0.600
Score: 0.040

	rotate	the	speaker	knob	clockwise	until	it	clicks	.
push									
the		•							
apple									
juice									
button									
.									•

Segment 11

P: 0.143
R: 0.095
Frag: 0.600
Score: 0.040

	press	down	on	the	pump	head	to	dispense	desired	amount	.
hold											
the				•							
cup											
of											
espresso											
below											
the											
hot											
water											
nozzle											
.											•

Segment 58

P: 0.080
R: 0.080
Frag: 0.600
Score: 0.032

	press	down	on	the	pump	head	to	dispense	desired	amount	.
hold											
the				•							
cup											
of											
espresso											
below											
the											
hot											
water											
nozzle											
.											•

Segment 59

P: 0.080
R: 0.080
Frag: 0.600
Score: 0.032

	press	down	on	the	pump	head	to	dispense	desired	amount	.
hold											
the				•							
cup											
of											
espresso											
below											
the											
hot											
water											
nozzle											
.											•

Segment 60

P: 0.080
R: 0.080
Frag: 0.600
Score: 0.032

	press	down	on	the	pump	head	to	dispense	desired	amount	.
hold											
the				•							
cup											
of											
espresso											
below											
the											
hot											
water											
nozzle											
.											•

Segment 61

P: 0.080
R: 0.080
Frag: 0.600
Score: 0.032

	press	down	on	the	pump	head	to	dispense	desired	amount	.
hold											
the				•							
cup											
of											
espresso											
below											
the											
hot											
water											
nozzle											
.											•

Segment 62

P: 0.080
R: 0.080
Frag: 0.600
Score: 0.032

	press	down	on	the	pump	head	to	dispense	desired	amount	.
hold											
the				•							
cup											
of											
espresso											
below											
the											
hot											
water											
nozzle											
.											•

Segment 63

P: 0.080
R: 0.080
Frag: 0.600
Score: 0.032