

Meteor Alignments for System-1

Reference top row
Hypothesis left column
Matches identified by color and symbol

Color spectrum follows reference word order

Match Type	
Exact	●
Stem / Synonym / Paraphrase	○

Key: match markers for sentences

	hold	the	cup	under	the	nozzle	.
hold	•						
the		•					
bowl							
below				o	o		
the				o	o		
crispy							
rice							
nozzle						•	
.							•

Segment 51

P:	0.495
R:	0.693
Frag:	0.522
Score:	0.312

	hold	the	cup	under	the	nozzle	.
hold	•						
the		•					
bowl							
below				o	o		
the				o	o		
crispy							
rice							
nozzle						•	
.							•

Segment 52

P:	0.495
R:	0.693
Frag:	0.522
Score:	0.312

	hold	the	cup	under	the	nozzle	.
hold	•						
the		•					
bowl							
below				o	o		
the				o	o		
crispy							
rice							
nozzle						•	
.							•

Segment 53

P:	0.495
R:	0.693
Frag:	0.522
Score:	0.312

	press	down	on	the	pump	.
pull						
down		•				
on			•			
the				•		
right						
dispenser						
's						
lever						
to						
fill						
the						
cup						
.						•

Segment 54

P:	0.222
R:	0.500
Frag:	0.522
Score:	0.201

	press	down	on	the	pump	.
pull						
down		•				
on			•			
the				•		
right						
dispenser						
's						
lever						
to						
fill						
the						
cup						
.						•

Segment 55

P: 0.222
R: 0.500
Frag: 0.522
Score: 0.201

	press	down	on	the	pump	.
pull						
down		•				
on			•			
the				•		
right						
dispenser						
's						
lever						
to						
fill						
the						
cup						
.						•

Segment 56

P:	0.222
R:	0.500
Frag:	0.522
Score:	0.201

	press	down	on	the	pump	.
pull						
down		•				
on			•			
the				•		
right						
dispenser						
's						
lever						
to						
fill						
the						
cup						
.						•

Segment 57

P: 0.222
R: 0.500
Frag: 0.522
Score: 0.201

	pull	the	handle	down	and	then	towards	you	to	open	the	door	.
turn													
the		•											
handle			•										
towards							•						
you								•					
to									•				
start													
filling													
the											•		
cup													
.													•

Segment 58

P: 0.478
R: 0.407
Frag: 0.536
Score: 0.193

	pull	the	handle	down	and	then	towards	you	to	open	the	door	.
turn													
the		•											
handle			•										
towards							•						
you								•					
to									•				
start													
filling													
the											•		
cup													
.													•

Segment 59

P: 0.478
R: 0.407
Frag: 0.536
Score: 0.193

	pull	the	trigger	to	spray	.
pull	•					
down						
on						
the		•				
right						
dispenser						
's						
lever						
to				•		
fill						
the						
cup						
.						•

Segment 4

P: 0.222
R: 0.500
Frag: 0.600
Score: 0.168

	pull	the	trigger	to	spray	.
pull	•					
down						
on						
the		•				
right						
dispenser						
's						
lever						
to				•		
fill						
the						
cup						
.						•

Segment 5

P: 0.222
R: 0.500
Frag: 0.600
Score: 0.168

	pull	the	trigger	to	spray	.
pull	•					
down						
on						
the		•				
right						
dispenser						
's						
lever						
to				•		
fill						
the						
cup						
.						•

Segment 6

P: 0.222
R: 0.500
Frag: 0.600
Score: 0.168

	rotate	the	speaker	knob	clockwise	until	it	clicks	.
turn									
the		•							
knob				•					
clockwise					•				
to									
the									
desired									
heat									
.									•

Segment 14

P: 0.421
R: 0.381
Frag: 0.566
Score: 0.168

	rotate	the	speaker	knob	clockwise	until	it	clicks	.
turn									
the		•							
knob				•					
clockwise					•				
to									
the									
desired									
heat									
.									•

Segment 15

P: 0.421
R: 0.381
Frag: 0.566
Score: 0.168

	rotate	the	speaker	knob	clockwise	until	it	clicks	.
turn									
the		•							
knob				•					
clockwise					•				
to									
the									
desired									
heat									
.									•

Segment 16

P: 0.421
R: 0.381
Frag: 0.566
Score: 0.168

	rotate	the	speaker	knob	clockwise	until	it	clicks	.
turn									
the		•							
knob				•					
clockwise					•				
to									
the									
desired									
heat									
.									•

Segment 17

P: 0.421
R: 0.381
Frag: 0.566
Score: 0.168

	turn	the	handle	counterclockwise	to	unlock	the	cooker	.
pull									
the		•							
valve									
handle			•						
down									
to					•				
stop									
the							•		
flow									
.									•

Segment 24

P: 0.318
R: 0.368
Frag: 0.600
Score: 0.144

	turn	the	handle	counterclockwise	to	unlock	the	cooker	.
pull									
the		•							
valve									
handle			•						
down									
to					•				
stop									
the							•		
flow									
.									•

Segment 25

P: 0.318
R: 0.368
Frag: 0.600
Score: 0.144

	turn	the	handle	counterclockwise	to	unlock	the	cooker	.
pull									
the		•							
valve									
handle			•						
down									
to					•				
stop									
the							•		
flow									
.									•

Segment 26

P: 0.318
R: 0.368
Frag: 0.600
Score: 0.144

	turn	the	handle	counterclockwise	to	unlock	the	cooker	.
pull									
the		•							
valve									
handle			•						
down									
to					•				
stop									
the							•		
flow									
.									•

Segment 27

P: 0.318
 R: 0.368
 Frag: 0.600
 Score: 0.144

	turn	the	handle	counterclockwise	to	unlock	the	cooker	.
pull									
the		•							
valve									
handle			•						
down									
to					•				
stop									
the							•		
flow									
.									•

Segment 28

P: 0.318
R: 0.368
Frag: 0.600
Score: 0.144

	pull	the	handle	up	to	fill	the	cup	.
hold			o						
the		•							
bowl									
below									
the							•		
crispy									
rice									
nozzle									
.									•

Segment 48

P: 0.257
R: 0.318
Frag: 0.600
Score: 0.123

	pull	the	handle	up	to	fill	the	cup	.
hold			o						
the		•							
bowl									
below									
the							•		
crispy									
rice									
nozzle									
.									•

Segment 49

P: 0.257
R: 0.318
Frag: 0.600
Score: 0.123

	pull	the	handle	up	to	fill	the	cup	.
hold			o						
the		•							
bowl									
below									
the							•		
crispy									
rice									
nozzle									
.									•

Segment 50

P: 0.257
R: 0.318
Frag: 0.600
Score: 0.123

	turn	the	lock	clockwise	to	unlock	the	door	.
pull									
down									
on									
the		•							
right									
dispenser									
's									
lever									
to					•				
fill									
the							•		
cup									
.									•

Segment 60

P: 0.148
R: 0.211
Frag: 0.600
Score: 0.079

	turn	the	lock	clockwise	to	unlock	the	door	.
pull									
down									
on									
the		•							
right									
dispenser									
's									
lever									
to					•				
fill									
the							•		
cup									
.									•

Segment 61

P: 0.148
R: 0.211
Frag: 0.600
Score: 0.079

	flip	the	switch	downward	into	the	off	position	.
push									
on									
the		•							
bar									
below									
to									
fill									
the						•			
cup									
with									
a									
soda									
.									•

Segment 34

P: 0.120
R: 0.158
Frag: 0.600
Score: 0.060

	flip	the	switch	downward	into	the	off	position	.
push									
on									
the		•							
bar									
below									
to									
fill									
the						•			
cup									
with									
a									
soda									
.									•

Segment 35

P: 0.120
R: 0.158
Frag: 0.600
Score: 0.060

	flip	the	switch	downward	into	the	off	position	.
push									
on									
the		•							
bar									
below									
to									
fill									
the						•			
cup									
with									
a									
soda									
.									•

Segment 36

P:	0.120
R:	0.158
Frag:	0.600
Score:	0.060

	flip	the	switch	downward	into	the	off	position	.
push									
on									
the		•							
bar									
below									
to									
fill									
the						•			
cup									
with									
a									
soda									
.									•

Segment 37

P: 0.120
R: 0.158
Frag: 0.600
Score: 0.060

	flip	the	switch	downward	into	the	off	position	.
push									
on									
the		•							
bar									
below									
to									
fill									
the						•			
cup									
with									
a									
soda									
.									•

Segment 38

P:	0.120
R:	0.158
Frag:	0.600
Score:	0.060

	press	the	button	to	open	the	lid	.
hold								
your								
hand								
under								
the		•						
nozzle								
.								•

Segment 29

P: 0.118
R: 0.125
Frag: 0.600
Score: 0.050

	press	the	button	to	open	the	lid	.	
hold									
your									
hand									
under									
the		•							
nozzle									
.								•	

Segment 30

P: 0.118
R: 0.125
Frag: 0.600
Score: 0.050

	press	the	button	to	open	the	lid	.
hold								
your								
hand								
under								
the		•						
nozzle								
.								•

Segment 31

P: 0.118
R: 0.125
Frag: 0.600
Score: 0.050

	press	the	button	to	open	the	lid	.
hold								
your								
hand								
under								
the		•						
nozzle								
.								•

Segment 32

P: 0.118
R: 0.125
Frag: 0.600
Score: 0.050

	press	the	button	to	open	the	lid	.	
hold									
your									
hand									
under									
the		•							
nozzle									
.								•	

Segment 33

P: 0.118
R: 0.125
Frag: 0.600
Score: 0.050

	press	down	on	the	space	bar	once	.
turn								
the				•				
knob								
clockwise								
to								
the								
desired								
heat								
.								•

Segment 7

P: 0.105
R: 0.111
Frag: 0.600
Score: 0.044

	press	down	on	the	space	bar	once	.
turn								
the				•				
knob								
clockwise								
to								
the								
desired								
heat								
.								•

Segment 8

P: 0.105
R: 0.111
Frag: 0.600
Score: 0.044

	press	down	on	the	space	bar	once	.
turn								
the				•				
knob								
clockwise								
to								
the								
desired								
heat								
.								•

Segment 9

P: 0.105
R: 0.111
Frag: 0.600
Score: 0.044

	press	down	on	the	space	bar	once	.
turn								
the				•				
knob								
clockwise								
to								
the								
desired								
heat								
.								•

Segment 10

P: 0.105
R: 0.111
Frag: 0.600
Score: 0.044

	press	down	on	the	space	bar	once	.
turn								
the				•				
knob								
clockwise								
to								
the								
desired								
heat								
.								•

Segment 11

P: 0.105
R: 0.111
Frag: 0.600
Score: 0.044

	press	down	on	the	space	bar	once	.
turn								
the				•				
knob								
clockwise								
to								
the								
desired								
heat								
.								•

Segment 12

P: 0.105
R: 0.111
Frag: 0.600
Score: 0.044

	press	down	on	the	space	bar	once	.
turn								
the				•				
knob								
clockwise								
to								
the								
desired								
heat								
.								•

Segment 13

P: 0.105
R: 0.111
Frag: 0.600
Score: 0.044

	turn	the	knob	clockwise	to	the	desired	heat	.
hold									
an									
empty									
cup									
below									
the		•							
nozzle									
.									•

Segment 18

P: 0.111
R: 0.105
Frag: 0.600
Score: 0.042

	turn	the	knob	clockwise	to	the	desired	heat	.
hold									
an									
empty									
cup									
below									
the		•							
nozzle									
.									•

Segment 19

P:	0.111
R:	0.105
Frag:	0.600
Score:	0.042

	turn	the	knob	clockwise	to	the	desired	heat	.
hold									
an									
empty									
cup									
below									
the		•							
nozzle									
.									•

Segment 20

P:	0.111
R:	0.105
Frag:	0.600
Score:	0.042

	turn	the	knob	clockwise	to	the	desired	heat	.
hold									
an									
empty									
cup									
below									
the		•							
nozzle									
.									•

Segment 21

P: 0.111
R: 0.105
Frag: 0.600
Score: 0.042

	turn	the	knob	clockwise	to	the	desired	heat	.
hold									
an									
empty									
cup									
below									
the		•							
nozzle									
.									•

Segment 22

P: 0.111
R: 0.105
Frag: 0.600
Score: 0.042

	turn	the	knob	clockwise	to	the	desired	heat	.
hold									
an									
empty									
cup									
below									
the		•							
nozzle									
.									•

Segment 23

P: 0.111
R: 0.105
Frag: 0.600
Score: 0.042

	press	the	button	to	turn	the	range	hood	on	.
hold										
an										
empty										
cup										
below										
the		•								
nozzle										
.										•

Segment 39

P:	0.111
R:	0.100
Frag:	0.600
Score:	0.041

	press	the	button	to	turn	the	range	hood	on	.
hold										
an										
empty										
cup										
below										
the		•								
nozzle										
.										•

Segment 40

P:	0.111
R:	0.100
Frag:	0.600
Score:	0.041

	press	the	button	to	turn	the	range	hood	on	.
hold										
an										
empty										
cup										
below										
the		•								
nozzle										
.										•

Segment 41

P: 0.111
R: 0.100
Frag: 0.600
Score: 0.041

	press	the	button	to	turn	the	range	hood	on	.
hold										
an										
empty										
cup										
below										
the		•								
nozzle										
.										•

Segment 42

P:	0.111
R:	0.100
Frag:	0.600
Score:	0.041

	press	the	button	to	turn	the	range	hood	on	.
hold										
an										
empty										
cup										
below										
the		•								
nozzle										
.										•

Segment 43

P:	0.111
R:	0.100
Frag:	0.600
Score:	0.041

	press	the	button	to	turn	the	range	hood	on	.
hold										
an										
empty										
cup										
below										
the		•								
nozzle										
.										•

Segment 44

P: 0.111
R: 0.100
Frag: 0.600
Score: 0.041

	press	the	button	to	turn	the	range	hood	on	.
hold										
an										
empty										
cup										
below										
the		•								
nozzle										
.										•

Segment 45

P: 0.111
R: 0.100
Frag: 0.600
Score: 0.041

	press	the	button	to	turn	the	range	hood	on	.	
hold											
an											
empty											
cup											
below											
the		•									
nozzle											
.											•

Segment 46

P: 0.111
R: 0.100
Frag: 0.600
Score: 0.041

	press	the	button	to	turn	the	range	hood	on	.
hold										
an										
empty										
cup										
below										
the		•								
nozzle										
.										•

Segment 47

P:	0.111
R:	0.100
Frag:	0.600
Score:	0.041

	hold	paper	towel	in	front	of	the	nozzle	.
pull									
down									
on									
the							•		
right									
dispenser									
's									
lever									
to									
fill									
the									
cup									
.									•

Segment 1

P: 0.074
R: 0.105
Frag: 0.600
Score: 0.040

	hold	paper	towel	in	front	of	the	nozzle	.
pull									
down									
on									
the							•		
right									
dispenser									
's									
lever									
to									
fill									
the									
cup									
.									•

Segment 2

P: 0.074
R: 0.105
Frag: 0.600
Score: 0.040

	hold	paper	towel	in	front	of	the	nozzle	.
pull									
down									
on									
the							•		
right									
dispenser									
's									
lever									
to									
fill									
the									
cup									
.									•

Segment 3

P: 0.074
R: 0.105
Frag: 0.600
Score: 0.040