

Generating Natural Language Descriptions of Trajectories Using Long Short Term Memory Neural Networks

Rodolfo Corona and Rolando Fernandez

Abstract—

I. INTRODUCTION

II. RELATED WORK

III. BACKGROUND

A. Bag of Features (BOF)

B. LSTM

IV. BASELINE IMPLEMENTATION

V. LSTM IMPLEMENTATION

VI. RESULTS

VII. CONCLUSION

VIII. ACKNOWLEDGMENTS

REFERENCES

- [1] M. Lomas, R. Chevalier, E. V. Cross II, R. C. Garrett, J. Hoare, and M. Kopack, "Explaining robot actions," in *Proceedings of the seventh annual ACM/IEEE international conference on Human-Robot Interaction*. ACM, 2012, pp. 187–188.
- [2] J. Sung, S. H. Jin, I. Lenz, and A. Saxena, "Robobarista: Learning to manipulate novel objects via deep multimodal embedding," *arXiv preprint arXiv:1601.02705*, 2016.
- [3] B. Steder, R. B. Rusu, K. Konolige, and W. Burgard, "Narf: 3d range image features for object recognition," in *Workshop on Defining and Solving Realistic Perception Problems in Personal Robotics at the IEEE/RSJ Int. Conf. on Intelligent Robots and Systems (IROS)*, vol. 44, 2010.
- [4] G. Csurka, C. Dance, L. Fan, J. Willamowski, and C. Bray, "Visual categorization with bags of keypoints," in *Workshop on statistical learning in computer vision, ECCV*, vol. 1, no. 1-22. Prague, 2004, pp. 1–2.
- [5] A. Graves, "Generating sequences with recurrent neural networks," *arXiv preprint arXiv:1308.0850*, 2013.
- [6] S. Venugopalan, M. Rohrbach, J. Donahue, R. Mooney, T. Darrell, and K. Saenko, "Sequence to sequence - video to text," in *The IEEE International Conference on Computer Vision (ICCV)*, December 2015.
- [7] M. Denkowski and A. Lavie, "Meteor universal: Language specific translation evaluation for any target language," in *In Proceedings of the Ninth Workshop on Statistical Machine Translation*, 2014.